

BIBLIOGRAPHY

1. Aberoumand, A. (2011). A review article on edible pigments properties and sources as natural biocolorants in foodstuff and food industry. *Journal of Dairy & Food Sciences*, 6(1), 71–78.
2. Baldwinson, T. M. (1985). The Compatibility of Disperse Dyes for the Rapid Dyeing of Polyester. *Review of Progress in Coloration and Related Topics*, 15(1), 6–14. <https://doi.org/10.1111/j.1478-4408.1985.tb03730.x>
3. Beckmann, W., Hoffmann, F. and Otten, H. G. (1972). Practical Significance, Theory and Determination of Compatibility of Dyes on Synthetic Polymer Fibers, *Journal of Society of Dyers and Colourists*, Vol.88 (10), 354.
4. Beckmann, W. and Hoffmann, F. (1983). Connections Between Combinability of Dyes and Levelness - A Constantly Recurring Problem, *Melliand Textilberichte*, Vol. 64 (Eng Ed.), 828.
5. Bhatt, M. R., & Chaturvedi, L. N. (1986). An Approach for Determining the Compatibility of Disperse Dyes in Polyester Dyeing. *Colourage*, 32(3), 29.
6. Botteri, L., Miljković, A., & Glogar, M. I. (2022). Influence of Cotton Pre-Treatment on Dyeing with Onion and Pomegranate Peel Extracts. *Molecules*, 27(14). <https://doi.org/10.3390/molecules27144547>
7. Broadbent, A. D. (2001). Basic principles of textile coloration. In *Color Research & Application* (Vol. 28, Issue 3). Society of Dyers and Colorists.
8. Butts, K. (2003). Database preparation for successful computer color matching “What You See is What You Get !” *Datacolor International*, 1–15.
9. Chakrabarti, R., & Vignesh, A. (2011). *Natural Dyes : Application , Identification and Standardization*. www.Fibre2Fashion.Com. <https://www.fibre2fashion.com/industry-article/5367/natural-dyes-application-identification-and-standardization>
10. Collishaw, P. S., Glover, B., & Bradbury, M. J. (1992). Achieving right-first-time production through control. *Journal of the Society of Dyers and Colourists*, 108(1), 13–17. <https://doi.org/10.1111/j.1478-4408.1992.tb01372.x>
11. Das, D., Maulik, S. R., & Bhattacharya, S. C. (2007). Dyeing of wool and silk with *Bixa orellana*. *Indian Journal of Fibre & Textile Research*, 32(3), 366–372.
12. Datye, K. V., & Mishra, S. (1983). EVALUATION OF COMPATIBILITY OF DYES IN A MIXTURE. *Textilveredlung*, 18(6), 211–213.

13. Datye, K. V., & Mishra, S. (1984). Compatibility of Dye Mixtures. *Journal of the Society of Dyers and Colourists*, 100(11), 334–339. <https://doi.org/10.1111/j.1478-4408.1984.tb00950.x>
14. Davulcu, A., Benli, H., Şen, Y., & Bahtiyari, M. İ. (2014). Dyeing of cotton with thyme and pomegranate peel. *Cellulose*, 21(6), 4671–4680. <https://doi.org/10.1007/s10570-014-0427-8>
15. Devi Priya, M., & Siril, E. (2022). Effect of mordants and mordanting methods on the dyeing property of anthraquinone based dye from *Rubia cordifolia*. *Discovery*, 58(319), 742–749.
16. Dhanania, Y., Singhee, D., & Samanta, A. K. (2021). Optimization of dyeing process variables for eco-friendly dyeing of cotton fabric with babul bark extract as a natural dye and gallnut extract as a bio-mordant. *Journal of Natural Fibers*, 19(13), 5478–5495. <https://doi.org/10.1080/15440478.2021.1875955>
17. Ebrahimi, I., & Parvinzadeh Gashti, M. (2016). Extraction of polyphenolic dyes from henna, pomegranate rind, and *Pterocarya fraxinifolia* for nylon 6 dyeing. *Coloration Technology*, 132(2), 162–176. <https://doi.org/10.1111/cote.12204>
18. Eser, F., Aktas, E., & Onal, A. (2016). Dyeing quality of walnut shells on polyester and polyester/viscose blended fabrics. *Indian Journal of Fibre and Textile Research*, 41(2), 188–194.
19. Farooq, A., Ali, S., Abbas, N., Zahoor, N., & Ashraf, M. A. (2013). Optimization of extraction and dyeing parameters for natural dyeing of cotton fabric using marigold (*tagetes erecta*). *Asian Journal of Chemistry*, 25(11), 5955–5959. <https://doi.org/10.14233/ajchem.2013.14202>
20. Garg, S., & Chattopadhyay, D. P. (2019). Study of compatibility parameters of mixture of natural dyes. *5th International Textiles and Costume Congress*, 01, 438–443.
21. Gnanavel, P., & Ananthakrishnan, T. (2014). Effect of natural dyes on UV protection. *Man-Made Textiles In India*, 11(2), 127–131.
22. Goodarizian, H., & Ekrami, E. (2010). Wool dyeing with extracted dye from Pomegranate (*Punica granatum L.*) peel. *World Applied Sciences Journal*, 8(11), 1387–1399. [http://www.idosi.org/wasj/wasj8\(11\)/14.pdf](http://www.idosi.org/wasj/wasj8(11)/14.pdf)
23. Gulrajani, M. L. (2001). Present status of natural dyes. *Indian Journal of Fibre & Textile Research*, 26(June), 191–201. www.nf-200.org

24. Haji, A., & Nasiriboroumand, M. (2018). Statistical study of the effect of metallic mordants on tensile strength of wool. *Industria Textila*, 69(6), 511–518. <https://doi.org/10.35530/it.069.06.1598>
25. Hansford, J. A., Seaman, H., & Shore, J. (1982). The Real and Apparent Costs of Dyeing. *Journal of the Society of Dyers and Colourists*, 98(7–8), 225–233. <https://doi.org/10.1111/j.1478-4408.1982.tb03634.x>
26. Haque, A. N. M. A., Hannan, M., & Masud Rana, M. (2015). Compatibility analysis of reactive dyes by exhaustion-fixation and adsorption isotherm on knitted cotton fabric. *Fashion and Textiles*, 2(1), 1–12. <https://doi.org/10.1186/s40691-015-0026-9>
27. Harwood, R. J., McGregor, R., & Peters, R. H. (1972). Adsorption of Cationic Dyes by Acrylic Films I—Sorption Isotherms. *Journal of the Society of Dyers and Colourists*, 88(6), 216–220. <https://doi.org/10.1111/j.1478-4408.1972.tb03083.x>
28. Hoffmann, F. (1988). Compatibility of dyes. *Review of Progress in Coloration and Related Topics*, 18(1), 56–64. <https://doi.org/10.1111/j.1478-4408.1988.tb00067.x>
29. Hofmann, K., McDowell, W., & Weingarten, R. (1968). The Behaviour of Mixtures of Disperse Dyes. *Journal of the Society of Dyers and Colourists*, 84(6), 306–309. <https://doi.org/10.1111/j.1478-4408.1968.tb02830.x>
30. Ibrahim Bahtiyari, M., Benli, H., Yavaş, A., & Akca, C. (2017). Use of different natural dye sources for printing of cotton fabrics. *Tekstil ve Konfeksiyon*, 27(3), 259–265.
31. Ibrahim, H. M., Mashaly, H. M., El-Hawary, N. S., Kamel, M. M., & El-Alfy, E. A. (2017). Effect of Catechu Natural Dye Extracts on Coloration and Antibacterial Protection Factor for Different Cellulosic Fabrics. *Der Pharma Chemica*, 9(24), 84–88. <http://www.derpharmachemica.com/archive.html>
32. Johnson, A., Patel, N. M., & Peters, R. H. (2008). The Sorption of Mixtures of Direct Dyes by Cellulose. *Journal of the Society of Dyers and Colourists*, 90(2), 50–54. <https://doi.org/10.1111/j.1478-4408.1974.tb03183.x>
33. Jothi, D. (2008). Extraction of natural dyes from African marigold flower (*Tagetes erecta*) for textile coloration. *Autex Research Journal*, 8(2), 49–53.
34. Kalapriya, K., & Gurumalles Prabu, H. (2020). Eco-friendly dyeing of textile fabric by natural colorants. *AIP Conference Proceedings*, 2270(November). <https://doi.org/10.1063/5.0019468>

35. Kamel, M., Shakra, S., & Zayatie, M. H. (2001). Sets of three direct dyes: The use of mixtures in dyeing processes. *Tinctoria*, 98(5), 27-30 (in Italian) via WTA, Vol.34, 2002, Abstract.
36. Kannathasan, K., & Kokila, P. (2021). Dyeing of cotton fabric by *Caesalpinia sappan* aqueous extract at different temperatures and mordants. *Current Botany*, 12, 188–191. <https://doi.org/10.25081/cb.2021.v12.7277>
37. Khan, M. A., Shahid-ul-Islam, & Mohammad, F. (2017). Investigating the Combined Effect of Natural and Metal Salt Mordants on Coloring Potential of Indian Rhubarb (*Rheum emodi*) Natural Dye. *Journal of Natural Fibers*, 14(2), 196–204. <https://doi.org/10.1080/15440478.2016.1193084>
38. Khan, S. A., Ahmad, A., Khan, M. I., Yusuf, M., Shahid, M., Manzoor, N., & Mohammad, F. (2012). Antimicrobial activity of wool yarn dyed with *Rheum emodi* L. (Indian Rhubarb). *Dyes and Pigments*, 95(2), 206–214. <https://doi.org/10.1016/j.dyepig.2012.04.010>
39. Kharbade, B. V., & Agrawal, P. (1988). Analysis of Natural Dyes in Indian Historic Textiles. *Studies in Conservation*, 33(1), 1–8.
40. Kumar Samanta, A., & Agarwal, P. (2009). Application of natural dyes on textiles. In *Indian Journal of Fibre & Textile Research* (Vol. 34).
41. Kumari, M., Radha, Kumar, M., Zhang, B., Amarowicz, R., Puri, S., Pundir, A., Rathour, S., Kumari, N., Chandran, D., Dey, A., Sharma, N., Rajalingam, S., Mohankumar, P., Sandhu, S., Pant, N., Ravichandran, R. P., Subramani, M., Pandi, K., ... Lorenzo, J. M. (2022). *Acacia catechu* (L.f.) Willd.: A Review on Bioactive Compounds and Their Health Promoting Functionalities. *Plants*, 11(22), 1–19. <https://doi.org/10.3390/plants11223091>
42. Lemin, D. R., & Vickerstaff, T. (1947). The aggregation of direct dyes and of Methylene Blue 2B in aqueous solution. *Transactions of the Faraday Society*, 43, 491. <https://doi.org/10.1039/tf9474300491>
43. McLaren, K. (1976). An Introduction to Instrumental Shade Passing and Sorting and a Review of Recent Developments. *Journal of the Society of Dyers and Colourists*, September, 317–326.
44. Mijas, G., Josa, M., Cayuela, D., & Riba-Moliner, M. (2022). Study of Dyeing Process of Hemp/Cotton Fabrics by Using Natural Dyes Obtained from *Rubia*

- tinctorum* L. and *Calendula officinalis*. *Polymers*, 14(21), 1–17. <https://doi.org/10.3390/polym14214508>
45. Mirjalili, M., & Karimi, L. (2013). Extraction and Characterization of Natural Dye from Green Walnut Shells and Its Use in Dyeing Polyamide: Focus on Antibacterial Properties. *Journal of Chemistry*, 2013, 1–9. <https://doi.org/10.1155/2013/375352>
46. Mittal, R. M., Thakore, K. A., & Shah, N. C. (1987). Obtaining Compatible Recipes in Disperse Dyeing. *Colourage*, 34(10), 19.
47. Neale, S. M., & Stringfellow, W. A. (1943). The Absorption by Cellulose of Mixtures of Direct Cotton Dyes. *Journal of the Society of Dyers and Colourists*, 59(11), 241–245. <https://doi.org/10.1111/j.1478-4408.1943.tb02207.x>
48. Onal, A. (1996). Extraction of dyestuff from onion (*Akkium cepa* L.) and its application in the dyeing of wool, feathered-leather and cotton. *Turkish Journal of Chemistry*, 20(3), 194–203.
49. Özgüney, A. T., Seçim, P., Demir, A., Gülümser, T., & Özdoğan, E. (2015). Ecological printing of madder over various natural fibres. *Tekstil ve Konfeksiyon*, 25(2), 166–171.
50. Pai, K. P., Shah, H. S., & Gandhi, R. S. (1990). A Method to evaluate the rate compatibility of disperse dye on polyester to incorporate in CCM technique. *Colourage*, 37(15), 11–16.
51. Pan, N. C., Chattopadhyay, C. N., & Day, A. (2003). Dyeing of jute with vegetable dyes. *Journal of the Textile Association*, 63, 243–246.
52. Patel, B., Agrawal, B., & Patel, H. (2003). Novel padding techniques for dyeing babool dye on cotton. *Colourage*, 50, 21–26.
53. Patel, B. H., Agarwal, B. J., & Patel, H. M. (2002). Dyeing of nylon with babool bark extract. *Textile Asia*, 33(9), 34–42.
54. Patel, B. H., & Shah, S. R. (2010). Dyeing characteristics of natural dyes vis-à-vis production of primary and secondary colours. *Asian Dyer*, 7(1), 29–32.
55. Prabhu, K. . . , & Bhute, A. S. (2012). Plant based natural dyes and mordants: A Review. *Journal of Natural Product and Plant Resources*, 2(6), 649–664.
56. Rachel, D. A., & Kumar, G. (2018). A Cram on Natural Dyeing By Pomegranate and Eucalyptus Extract in Organic Cotton Kids Wear. *International Journal for Research*

-
- Trends and Innovation*, 3(2), 75–79. <https://doi.org/10.6084/m9.doione.IJRTI1802013>
57. Rajeswari, V. (2020). Application of Natural Dye From Babool Bark On Cotton Fabric Using Mordants. *International Journal of Scientific Development and Research*, 5(2), 357–361.
58. Rao, A. L. N., Chapatwala, M. N., & Gandhi, R. S. (1988). Compatibility of Cationic dyes. *Textile Dyer and Printer*, 21(18), 17.
59. Repon, M. R., Islam, M. T., & Mamun, M. A. Al. (2017). Ecological risk assessment and health safety speculation during color fastness properties enhancement of natural dyed cotton through metallic mordants. *Fashion and Textiles*, 4(1). <https://doi.org/10.1186/s40691-017-0109-x>
60. Sadeghi-Kiakhani, M. (2015). Eco-friendly dyeing of wool and nylon using madder as a natural dye: Kinetic and adsorption isotherm studies. *International Journal of Environmental Science and Technology*, 12(7), 2363–2370. <https://doi.org/10.1007/s13762-015-0770-9>
61. Saha, P. Das, & Sinha, K. (2012). Natural dye from bixa seeds as a potential alternative to synthetic dyes for use in textile industry. *Desalination and Water Treatment*, 40(1–3), 298–301. <https://doi.org/10.1080/19443994.2012.671169>
62. Samanta, A. K., Agarwal, P., & Datta, S. (2008). Dyeing of jute with binary mixtures of jackfruit wood and other natural dyes - Study on colour performance and dye compatibility. *Indian Journal of Fibre & Textile Research*, 33(2), 171–180.
63. Samanta, A. K., Agarwal, P., Singhee, D., & Datta, S. (2009). Application of single and mixtures of red sandalwood and other natural dyes for dyeing of jute fabric: Studies on colour parameters/colour fastness and compatibility. *Journal of the Textile Institute*, 100(7), 565–587. <https://doi.org/10.1080/00405000802125246>
64. Samanta, A. K., Datta, M. V., & Datta, S. (2015). Dyeing of Jute Fabric with Binary Mixtures of Catechu and Other Natural Dyes: Study on Colour Performance and Dye Compatibility. *Journal of Materials Sciences and Applications*, 1(5), 221–238. <https://api.semanticscholar.org/CorpusID:208345751>
65. Samanta, P. (2022). Basic Principles of Colour Measurement and Colour Matching of Textiles and Apparels. In *Colorimetry* (pp. 1–24). <https://api.semanticscholar.org/CorpusID:246369452>

66. Satyanarayana, D. N. V., & Chandra, K. R. (2013). Dyeing Of Cotton Cloth with Natural Dye Extracted From Pomegranate Peel and its Fastness. *International Journal of Engineering Sciences & Research Technology*, 2(10), 1–6.
67. Saxena, S., & Raja, A. S. M. (2014). *Natural Dyes: Sources, Chemistry, Application and Sustainability Issues* (pp. 37–80). <https://doi.org/10.1007/978-981-287-065-0>
68. Shah, S. R., & Patel, B. H. (2012). Natural v/s synthetic black colour dyeing of viscose rayon fibre. *Asian Dyer*, 9(6), 31–34.
69. Shahparvari, M. R., Safi, M., Safapour, S., & Gharanjig, K. (2018). Compatibility of Natural Dyes on Aluminum Pre-Mordanted Woolen Yarns by Determination of Diffusion Coefficient. *Fibers and Polymers*, 19(8), 1663–1669. <https://doi.org/10.1007/s12221-018-7777-z>
70. Shukla, S. R., & Dhuri, S. S. (1992a). Assessing the compatibility of disperse dye mixtures by the use of colour coordinates. *Journal of the Society of Dyers and Colourists*, 108(3), 139–144. <https://doi.org/10.1111/j.1478-4408.1992.tb01432.x>
71. Shukla, S. R., & Dhuri, S. S. (1992b). Improving the compatibility of disperse dye mixtures using levelling agent — assessment through colour coordinates. *Journal of the Society of Dyers and Colourists*, 108(9), 395–399. <https://doi.org/10.1111/j.1478-4408.1992.tb01487.x>
72. Shukla, S. R., & Dhuri, S. S. (1993a). Effect of auxiliaries on compatibility of disperse dye mixtures assessed by colour coordinates. *American Dyestuff Reporter*, 82(12), 48.
73. Shukla, S. R., & Dhuri, S. S. (1993b). Improved compatibility of disperse dye mixtures using levelling agent - assessment through hue angle measurement. *Journal of the Society of Dyers and Colourists*, 109(1), 25–27. <https://doi.org/10.1111/j.1478-4408.1993.tb01497.x>
74. Shukla, S. R., & Dhuri, S. S. (1993c). The effect of dye characteristics on their compatibility in mixtures as assessed through colour coordinates. *Journal of the Society of Dyers and Colourists*, 109(12), 402–405. <https://doi.org/10.1111/j.1478-4408.1993.tb01526.x>
75. Silva, E. K., Zobot, G. L., Náthia-Neves, G., Nogueira, G. C., & Meireles, A. M. A. (2018). Process Engineering Applying Supercritical Technology for Obtaining Functional and Therapeutic Products. In A. M. Holban & A. M. Grumezescu (Eds.), *Advances in Biotechnology for Food Industry* (pp. 327–358). Elsevier.

- <https://doi.org/10.1016/B978-0-12-811443-8.00012-8>
76. Singh, M., Bhattacharyya, N., & Gupte, V. C. (2006). Determination of compatibility of reactive dyes in mixtures by chromaticity diagram. *Colourage*, 53(11), 71–76. https://www.researchgate.net/publication/289490332_Determination_of_compatibility_of_reactive_dyes_in_mixtures_by_chromaticity_diagram
77. Singh, P. P., Sharma, D., & Chatterjee, S. (2020). Application of *Acacia Catechu* Natural Dye on Banana Fiber. *Ergonomics International Journal*, 4(1), 1–8. <https://doi.org/10.23880/EOIJ-16000229>
78. Sinnur, H. D., Samanta, A. K., & Verma, D. K. (2018). Standardization of Dyeing Process Variables for Dyeing of Cotton Khadi Fabric with Aqueous Extract of Babul Bark (*Acacia nilotica L.*). *Journal of The Institution of Engineers (India): Series E*, 99(2), 187–207. <https://doi.org/10.1007/s40034-018-0127-2>
79. Siva, R. (2007). Status of natural dyes and dye-yielding plants in India. *Current Science*, 92(7), 916–925.
80. Sivaramakrishnan, C. N. (2014). Compatibility of dyes. *Colourage*, 42–44.
81. Sultana, R., & Uddin, M. Z. (2007). Compatibility testing of reactive dyes. *Journal of Mechanical Engineering*, ME38, 61–64. <https://doi.org/10.3329/jme.v38i0.903>
82. Teli, M. D., & Ambre, P. (2015). Development of Compound shades on Natural fibres using Marigold and Sappanwood. *Global Textile Congress*, 13–15.
83. Teli, M. D., Sheikh, J., Mahalle, K., & Labade, V. (2012). Self & mixed shades of catechu and henna on cotton and silk using harda as a mordant. *Journal of the Textile Association*, 73, 23–28.
84. Teli, M. D., Valia, S., & Agrawal, Y. (2014). *Influence of substitution of madder by sappanwood in colouration of natural fibres*. 75, 103–107.
85. Teli, M. D., Valia, S., & Kolambakar, D. (2014). Colouration properties of Indigo dyed wool top dyed with Marigold. *Journal of the Textile Association*, 75, 175–177.
86. Tutak, M., Acar, G., & Akman, O. (2014). Natural dyeing properties of wool fabrics by pomegranate (*Punica granatum*) peel. *Tekstil ve Konfeksiyon*, 24(1), 81–85.
87. Vaidya, A. A., & Dayte, K. (1984). *Chemical Processing of Synthetic Fibers and Blends*. Wiley-Blackwell.
88. Veríssimo, S. A., Oliveira, E. L., Ladchumananandasivam, R., Cruz, L. P. R., Praxedes, G. F., & Aquino, M. S. (2003). Extraction, characterization and application

-
- of annatto dye in the dyeing of natural fibres. *The Sixth Italian Conference on Chemical and Process Engineering*, 1635–1640.
89. Walsh, R. A. (1975). Simple Dip Test for Determining Rate Compatibility of Disperse Dyes. *Textile Chemist and Colorist*, 7(10), 35–38.
90. Yusuf, M., Shabbir, M., & Mohammad, F. (2017). Natural Colorants: Historical, Processing and Sustainable Prospects. *Natural Products and Bioprospecting*, 7(1), 123–145. <https://doi.org/10.1007/s13659-017-0119-9>
91. Zerín, I., & Foisal, A. B. M. (2016). Effect of Mordanting Process on Cotton Dyeing with *Acacia catechu*. *3rd Textile Research Conference (TRC), October*, 4–6.
92. Zhou, Y., Zhang, J., Tang, R. C., & Zhang, J. (2015). Simultaneous dyeing and functionalization of silk with three natural yellow dyes. *Industrial Crops and Products*, 64(1), 224–232. <https://doi.org/10.1016/j.indcrop.2014.09.041>
93. Zolotareva, S. V., & Belenkii, L. I. (1969). Compatibility of Acid dyes in Mixtures in dyeing of pure wool fabrics; Qualitative Methods of Assessing Compatibility. *Tekhnologiya Tekstilnoi Promyshlennosti*, 4(71), vide WTA, Vol 2(5) 1970, Abstract no. 1819.