

LIST OF FIGURES

<i>Sr. No.</i>	<i>Figure No.</i>	<i>FIGURE DESCRIPTION</i>	<i>Page No.</i>
1	2.1	<i>Cotton Mordanting with Alum (Repon, Islam, & Mamun, 2017).</i>	17
2	2.2	<i>Complex formation between wool, alum mordant, and juglone dye (Haji & Nasiriboroumand, 2018).</i>	18
3	2.3	<i>Type of Application Methods for Mordanting and Dyeing (Yusuf et al., 2017).</i>	19
4	2.4	<i>Chemical Structure of Cotton</i> <i>(https://www.onlinetextileacademy.com/chemical-structure-of-cotton-fibre/)</i>	21
5	2.5	<i>Cotton-Mordant-Dye Complex (Lawson as an example) (Yusuf et al., 2017).</i>	22
6	2.6	<i>CIELAB Color Space Diagram (https://s3-us-west-2.amazonaws.com/courses-images/wp-content/uploads/sites/2782/2017/12/04183636/delta-E-in-Lab-1024x1016.png)</i> 31	27
7	2.7	<i>Pomegranate dry peels and its powder</i>	31
8	2.8	<i>Tannin Derivatives in Pomegranate peel; (A) Punicagalin; (B) Punicalin (Botteri et al., 2022)</i>	32
9	2.9	<i>Marigold flowers and powder</i> <i>(https://www.indiamart.com/proddetail/marigold-extract-12179719530.html, accessed on 12/12/2023)</i>	33
10	2.10	<i>Lutein Structure in free and esterified forms</i>	34
11	2.11	<i>Proposed dye-metal mordant complex in Marigold]</i>	34
12	2.12	<i>Madder roots and its powder (Devi Priya & Siril, 2022)</i>	36
13	2.13	<i>Chemical structure of Alizarin (X=H) and Porpurine (X=OH)</i>	36
14	2.14	<i>Annatto Tree and Annatto Seeds (Silva, Zobot, Náthia-Neves, Nogueira, & Meireles, 2018)</i>	38

15	2.15	<i>Coloring components of Annatto (a) bixin and (b) nor-bixin</i>	38
16	2.16	<i>Sappanwood plant, powder (a), chromophore structure brazilin (b) and Gallic acid (b) (Sinnur, Samanta, & Verma, 2018)</i>	40
17	2.17	<i>Babool Bark and it's powder (https://www.etsy.com/in-en/listing/1057905764/100-original-natural-remedies-babool, dated 25/04/23, 7:10AM)</i>	41
18	2.18	<i>Poly-phenolic complex as chromophore from babool bark (a)</i>	41
19	2.19	<i>Different parts of Acacia catechu: (A) whole tree, (B) leaves, (C) fruits, (D) bark, (E) transverse section of wood, (F) heartwood chips, (G) concentrated extract (Kumari et al., 2022</i>	43
20	2.20	<i>Structure of Catechin</i>	43
21	2.21	<i>Chrysophanic Acid – Chromophore in Rhubarb</i>	45
22	2.22	<i>Proposed Complex Formation for Wool-Mordant-Rhubarb</i>	45
23	3.1	<i>Schematic Diagram of work plan</i>	56
24	4.1	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Annatto dye</i>	75
25	4.2	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Madder dye</i>	77
26	4.3	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Sappanwood dye</i>	79
27	4.4	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Babool dye</i>	81
28	4.5	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Katha dye</i>	83
29	4.6	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Rhubarb dye</i>	85
30	4.7	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Marigold dye</i>	87
31	4.8	<i>Plot of Absorption vs. MLR (a), Temperature (b), and Time (c) for aqueous extract of Pomegranate dye</i>	89

32	4.9	<i>K/S Vs. pH, temperature, and time graph for Annatto (a, b & c)</i>	92
33	4.10	<i>K/S Vs. pH, temperature, and time graph for Madder (a, b & c)</i>	94
34	4.11	<i>K/S Vs. pH, temperature, and time graph for Sappanwood (a, b & c)</i>	96
35	4.12	<i>K/S Vs. pH, temperature, and time graph for Babool (a, b & c)</i>	99
36	4.13	<i>K/S Vs. pH, temperature and time graph for Katha (a, b & c)</i>	101
37	4.14	<i>K/S Vs. pH, temperature, and time graph for Rhubarb (a, b & c)</i>	103
38	4.15	<i>K/S Vs. pH, temperature, and time graph for Marigold (a, b & c)</i>	106
39	4.16	<i>K/S Vs. pH, temperature and time graph for Pomegranate (a, b & c)</i>	108
40	4.17	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Babool/Annatto (BA) dye mixture</i>	129
41	4.18	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Babool/Madder (BD) dye mixture</i>	130
42	4.19	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Katha/Annatto (KA) dye mixture</i>	131
43	4.20	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Katha/Madder (KD) dye mixture</i>	132
44	4.21	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold/Annatto (MA) dye mixture</i>	133
45	4.22	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold/Babool (MB) dye mixture</i>	134
46	4.23	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold/Madder (MD) dye mixture</i>	135
47	4.24	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold/Katha (MK) dye mixture</i>	136
48	4.25	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate/Annatto (PA) dye mixture</i>	137
49	4.26	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate/Babool (PB) dye mixture</i>	138
50	4.27	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate/Madder (PD) dye mixture</i>	139

51	4.28	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate/Katha (PK) dye mixture</i>	140
52	4.29	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Babool/Annatto (BA) dye mixture</i>	143
53	4.30	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Babool/Madder (BD) dye mixture</i>	144
54	4.31	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Katha/Annatto (KA) dye mixture</i>	145
55	4.32	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Katha/Madder (KD) dye mixture</i>	146
56	4.33	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold/Annatto (MA) dye mixture</i>	147
57	4.34	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold/Babool (MB) dye mixture</i>	148
58	4.35	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold/Madder (MD) dye mixture</i>	149
59	4.36	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold/Katha (MK) dye mixture</i>	150
60	4.37	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Pomegranate/Annatto (PA) dye mixture</i>	151
61	4.38	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Pomegranate/Babool (PB) dye mixture</i>	152
62	4.39	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Pomegranate/Madder (PD) dye mixture</i>	153
63	4.40	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Pomegranate/Katha (PK) dye mixture</i>	154
64	4.41	<i>Hue vs. samples in sets I & II for a binary mixture of Babool/ Annatto (a), Babool/Madder (b), and Katha/Annatto (c)</i>	156
65	4.42	<i>Hue vs. samples in sets I & II for a binary mixture of Katha/ Madder (a), Marigold/Annatto (b), and Marigold/Babool (c)</i>	157

66	4.43	<i>Hue vs. samples in sets I & II for a binary mixture of Marigold/Madder (a), Marigold/Katha (b), and Pomegranate/Annatto (c)</i>	158
67	4.44	<i>Hue vs. samples in sets I & II for a binary mixture of Pomegranate/Babool (a), Pomegranate/Madder (b), and Pomegranate/Katha (c)</i>	159
68	4.45	<i>Coefficient of variation for set I, set II and sum of both sets</i>	162
69	4.46	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold, Babool, and Annatto (MBA) dye mixture</i>	179
70	4.47	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold, Babool, and Madder (MBD) dye mixture</i>	180
71	4.48	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold, Katha, and Annatto (MKA) dye mixture</i>	181
72	4.49	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Marigold, Katha, and Madder (MKD) dye mixture</i>	182
73	4.50	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate, Babool, and Annatto (PBA) dye mixture</i>	183
74	4.51	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate, Babool, and Madder (PBD) dye mixture</i>	184
75	4.52	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate, Katha, and Annatto (PKA) dye mixture</i>	185
76	4.53	<i>Plot of -dL vs. dC (a) and -dL vs. K/S (b) for samples in sets I & II for Pomegranate, Katha, and Madder (PKD) dye mixture</i>	186
77	4.54	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold, Babool, and Annatto (MBA) dye mixture</i>	188
78	4.55	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold, Babool, and Madder (MBD) dye mixture</i>	189
79	4.56	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold, Katha, and Annatto (MKA) dye mixture</i>	190
80	4.57	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Marigold, Katha, and Madder (MKD) dye mixture</i>	191
81	4.58	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for</i>	192

		<i>Pomegranate, Babool, and Annatto (PBA) dye mixture</i>	
82	4.59	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Pomegranate, Katha, and Madder (PKD) dye mixture</i>	193
83	4.60	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Pomegranate, Katha, and Annatto (PKA) dye mixture</i>	194
84	4.61	<i>Plot of da vs. K/S (a) and db vs. K/S (b) for samples in sets I & II for Pomegranate, Babool, and Madder (PBD) dye mixture</i>	195
85	4.62	<i>Hue vs. samples in sets I & II for a tertiary mixture of Marigold/Babool/Annatto (a), Marigold/Babool/Madder (b), and Marigold/Katha/Annatto (c)</i>	197
86	4.63	<i>Hue vs. samples in sets I & II for a tertiary mixture of Marigold/Katha/Madder (a), Pomegranate/Babool/Annatto (b), and Pomegranate/Babool/Madder (c)</i>	198
87	4.64	<i>Hue vs. samples in sets I & II for a tertiary mixture of Pomegranate/Katha/Annatto (a) and Pomegranate/Katha/Madder (b)</i>	199
88	4.65	<i>Coefficient of variation for set I, set II, and the sum of both sets</i>	201
89	4.66	<i>Dye concentrations vs. K/S for Annatto, Madder, Marigold, Pomegranate, Katha, and Babool dyes (from A to F)</i>	215
90	4.67	<i>Shade matching with PANTONE numbers</i>	230