

List of Tables

Table No.	Table Caption	Page No.
2.1	List of reactions produces neutrons of different energies	19
2.2	Details of ^{152}Eu -source	25
2.3	Characteristic γ –ray energies of ^{152}Eu -source	26
4.1	Summary of experimental sample details	44
4.2	The Experimental details of irradiation	46
4.3	Nuclear spectroscopic data of sample and monitor reactions	46
4.4	Details of HPGe detector efficiency with uncertainty for ^{152}Eu -source	48
4.5	Partial uncertainties of attributes to obtain HPGe detector efficiency	50
4.6	Covariance and correlation matrices for HPGe detector efficiency	50
4.7	Interpolated detector efficiency of the characteristic γ -ray energies of the monitor and sample reactions with its uncertainties and correlation matrices	51
4.8	Spectrum averaged cross section with its uncertainty and correlation matrices	52
4.9	Correction factors in the present experiment	53
4.10	Low neutron energy correction (N_{corr}) and γ -ray self-attenuation coefficient of sample and monitor reactions	54

4.11	Fractional uncertainties (%) of different attributes involved in the present experiment	55
4.12	Measured cross section with uncertainties, covariance and correlation matrices	56
4.13	Comparison of measured $^{186}\text{W}(n,\gamma)^{187}\text{W}$ reaction cross section with previously reported data	58
5.1	Details of the present experiment	65
5.2	Sample and monitor details used for the present experiment	68
5.3	Nuclear spectroscopic data with uncertainties used in the experiment	69
5.4	HPGe detector efficiency with summing correction factors	72
5.5	Partial uncertainties of parameters used to obtain HPGe detector efficiency	74
5.6	Covariance matrix ($V_{\epsilon_{ij}} \times 100$) for the detector efficiencies	74
5.7	Interpolated detection efficiencies with uncertainties and correlation matrices for sample and monitor reactions	76
5.8	Comparison of reaction cross sections with published data	79
5.9	Spectrum averaged cross section and neutron flux from different monitor reactions	80
5.10	Partial uncertainties of the $^{90}\text{Zr}(n,2n)^{89}\text{Zr}$ reaction cross section measurements with respect to the $^{27}\text{Al}(n,\alpha)^{24}\text{Na}$ monitor reaction	82
5.11	The measured cross section data with uncertainties along with covariance and correlations matrices for $^{90}\text{Zr}(n,2n)^{89}\text{Zr}$ reaction	83

5.12	Partial uncertainties of the $^{90}\text{Zr}(n,p)^{90m}\text{Y}$ reaction cross section measurements with respect to the $^{115}\text{In}(n,n'\gamma)^{115m}\text{In}$ monitor reaction	83
5.13	The measured cross section data with uncertainties along with covariance and correlations matrices for $^{90}\text{Zr}(n,p)^{90m}\text{Y}$ reaction	84
5.14	Basic keywords and the corresponding values used in the input file of the TALYS-1.9 and EMPIRE-3.2.2 code in order to reproduce the cross sections of present work	85
5.15	Sample and monitor details used for experiments	92
5.16	Nuclear spectroscopic data with uncertainties used in present experiments	93
5.17	Interpolated detection efficiencies with uncertainties and correlation matrices for sample and monitor reactions	94
5.18	γ -ray self-attenuation correction and low energy background correction factors used to measure cross sections	95
5.19	$^{27}\text{Al}(n,\alpha)^{24}\text{Na}$ reaction cross section with uncertainties and correlation matrices	96
5.20	Partial uncertainties (%) of the $^{93}\text{Nb}(n,2n)^{92m}\text{Nb}$ and $^{88}\text{Sr}(n,2n)^{87m}\text{Sr}$ cross section due to different attributes in present experiment	97
5.21	The measured $^{93}\text{Nb}(n,2n)^{92m}\text{Nb}$ and $^{88}\text{Sr}(n,2n)^{87m}\text{Sr}$ reaction cross section data with uncertainties and correlation matrices	98
5.22	Comparison of $^{93}\text{Nb}(n,2n)^{92m}\text{Nb}$ reaction cross section	100
5.23	Comparison of $^{88}\text{Sr}(n,2n)^{87m}\text{Sr}$ reaction cross section	100
5.24	Sample and monitor details used in the present experiment	104

5.25	Nuclear spectroscopic data with uncertainties used in present experiment	104
5.26	HPGe detector efficiency with summing correction factors	106
5.27	Partial Uncertainties of parameters to obtain HPGe detector efficiency	108
5.28	Covariance and Correlation matrices for HPGe detector efficiency	108
5.29	Interpolated detection efficiencies with uncertainties and correlation matrices for sample and monitor reactions	110
5.30	γ -ray self-attenuation correction and low energy background correction factors used to measure cross sections	111
5.31	$^{27}\text{Al}(n,\alpha)^{24}\text{Na}$ reaction cross section with uncertainties and correlation matrices	112
5.32	Partial uncertainties of $^{85}\text{Rb}(n,p)^{85\text{m}}\text{Kr}$ reaction cross section measurements with respect to the $^{27}\text{Al}(n,\alpha)^{24}\text{Na}$ monitor reaction	113
5.33	The measured $^{85}\text{Rb}(n,p)^{85\text{m}}\text{Kr}$ reaction cross section data with uncertainties and correlation matrices	114
5.34	Partial uncertainties of $^{85}\text{Rb}(n,2n)^{84\text{m}}\text{Rb}$ reaction cross section measurements with respect to the $^{27}\text{Al}(n,\alpha)^{24}\text{Na}$ monitor reaction	114
5.35	The measured $^{85}\text{Rb}(n,2n)^{84\text{m}}\text{Rb}$ reaction cross section data with uncertainties and correlations matrices	115
