

# CONTENTS

<b>Chapter 1 : General Introduction</b>	<b>1-45</b>
<b>1.1: Overview</b>	2
<b>1.2: Base Oil</b>	4
1.2.1: Classification based on chemical structure	4
1.2.2: Classification based on American Petroleum Institute (API) standard	7
<b>1.3: Castor Oil (CO)</b>	8
<b>1.4: Engine Oil (EO)</b>	10
<b>1.5: Nano-additives: Newer class of oil additives</b>	13
<b>1.6: Influence of nano-additives on the rheology of base oil and its nanofluids</b>	19
1.6.1: Rheology	19
1.6.2: Newtonian and non-Newtonian flow behaviour of fluids	20
1.6.3: Factors influencing rheology of nanofluids	23
<b>1.7: Influence of nano-additives on the thermal conductivity of base oil and its nanofluids</b>	24
1.7.1: Thermal conductivity	24
1.7.2: Thermal conductivity mechanism of nanofluids	26
1.7.3: Factors influencing thermal conductivity of nanofluids	28
<b>1.8: Present research</b>	29
<b>1.9: References</b>	31
<b>Chapter 2 : Materials and Methods</b>	<b>46-68</b>
<b>2.1: Base Oils</b>	47
2.1.1: Castor Oil (CO)	47
2.1.1.1: Properties of CO	48
2.1.1.2: Specific gravity measurement	48
2.1.1.3: Hydroxyl number measurement	49
2.1.1.4: Saponification value measurement	50
2.1.1.5: Iodine value measurement	51
2.1.1.6: Acid value measurement	52
2.1.1.7: Viscosity measurement	52

2.1.2: Engine Oil (EO)	53
2.1.2.1: <i>Measurements of EO properties</i>	54
<b>2.2: Methods used for characterization of nano-additives/nanofluids</b>	56
2.2.1: X-Ray Diffraction (XRD) Analysis	56
2.2.2: Scanning Electron Microscopy (SEM)/ Energy Dispersive Spectroscopy (EDS) Analysis	57
2.2.3: Rheology measurements	58
2.2.4: Thermal conductivity measurements	59
<b>2.3: Instruments/equipments used to synthesize nano-additives and nanofluids</b>	61
2.3.1: Hydrothermal reactor	61
2.3.2: Probe sonicator	62
2.3.3: Analytical balance	63
2.3.4: pH meter	64
2.3.5: Universal Oven	64
2.3.6: Vacuum Oven	65
<b>2.4: References</b>	66
<b>Chapter 3 : Nano-additives for development of Castor oil and Engine oil- based Nanofluids</b>	<b>69-82</b>
<b>3.1: Alumina (Al<sub>2</sub>O<sub>3</sub>) nanoparticles</b>	70
3.1.1: Synthesis of Al <sub>2</sub> O <sub>3</sub> nanoparticles using hydrothermal technique	70
3.1.2: Characterization of Al <sub>2</sub> O <sub>3</sub> nanoparticles	71
<b>3.2: Zinc oxide (ZnO) nanoparticles</b>	73
3.2.1: Synthesis of ZnO nanoparticles using hydrothermal technique	73
3.2.2: Characterization of ZnO nanoparticles	73
<b>3.3: Graphene nanoplatelets (GNP)</b>	76
3.3.1: Characterization of GNP nanoparticles	76
<b>3.4: Multiwalled carbon nanotubes (MWCNT)</b>	78
3.4.1: Characterization of MWCNT nanoparticles	78
<b>3.5: References</b>	80

<b>Chapter 4 : Castor oil-based nanofluids containing Al<sub>2</sub>O<sub>3</sub>, ZnO, GNP and MWCNT nano-additives</b>	<b>83-122</b>
4.1: Preparation of Castor oil-based nanofluids containing Al <sub>2</sub> O <sub>3</sub> , ZnO, GNP and MWCNT nano-additives	84
4.2: CO-based nanofluids containing Al <sub>2</sub> O <sub>3</sub> nano-additives (Al <sub>2</sub> O <sub>3</sub> /CO nanofluids)	86
4.2.1: Flow characteristics of Al <sub>2</sub> O <sub>3</sub> /CO nanofluids using rheometry	86
4.2.2: Thermal conductivity characteristics of Al <sub>2</sub> O <sub>3</sub> /CO nanofluids	91
4.3: CO-based nanofluids containing ZnO nano-additives (ZnO/CO nanofluids)	93
4.3.1: Flow characteristics of ZnO/CO nanofluids using rheometry	93
4.3.2: Thermal conductivity characteristics of ZnO/CO nanofluids	98
4.4: CO-based nanofluids containing GNP nano-additives (GNP/CO nanofluids)	100
4.4.1: Flow characteristics of GNP/CO nanofluids using rheometry	100
4.4.2: Thermal conductivity characteristics of GNP/CO nanofluids	105
4.5: CO-based nanofluids containing MWCNT nano-additives (MWCNT/CO nanofluids)	107
4.5.1: Flow characteristics of MWCNT/CO nanofluids using rheometry	107
4.5.2: Thermal conductivity characteristics of MWCNT/CO nanofluids	112
4.6: Results and discussion	114
4.7: Chapter Conclusion	118
4.8: References	120
<b>Chapter 5 : Engine oil-based nanofluids containing Al<sub>2</sub>O<sub>3</sub>, ZnO, GNP and MWCNT nano-additives</b>	<b>123-160</b>
5.1: Preparation of engine oil-based nanofluids containing Al <sub>2</sub> O <sub>3</sub> , ZnO, GNP and MWCNT nano-additives	124
5.2: EO-based nanofluids containing Al <sub>2</sub> O <sub>3</sub> nano-additives (Al <sub>2</sub> O <sub>3</sub> /EO nanofluids)	126
5.2.1: Flow characteristics of Al <sub>2</sub> O <sub>3</sub> /EO nanofluids using rheometry	126

5.2.2: Thermal conductivity characteristics of Al <sub>2</sub> O <sub>3</sub> /EO nanofluids	131
<b>5.3: EO-based nanofluids containing ZnO nano-additives</b> (ZnO/EO nanofluids)	133
5.3.1: Flow characteristics of ZnO/EO nanofluids using rheometry	133
5.3.2: Thermal conductivity characteristics of ZnO/EO nanofluids	138
<b>5.4: EO-based nanofluids containing GNP nano-additives</b> (GNP/EO nanofluids)	140
5.4.1: Flow characteristics of GNP/EO nanofluids using rheometry	140
5.4.2: Thermal conductivity characteristics of GNP/EO nanofluids	145
<b>5.5: EO-based nanofluids containing MWCNT nano-additives</b> (MWCNT/EO nanofluids)	147
5.5.1: Flow characteristics of MWCNT/EO nanofluids using rheometry	147
5.5.2: Thermal conductivity characteristics of MWCNT/EO nanofluids	152
<b>5.6: Results and discussion</b>	154
<b>5.7: Conclusion</b>	157
<b>5.8: References</b>	159
<b>Chapter 6 : Summary and Conclusions</b>	<b>161-171</b>
<i>List of Publications</i>	172
<i>List of Presentations</i>	172