



REFERENCES



CHAPTER 8**REFERENCES**

1. A. Gosling, G. W. Stevens, A. R. Barber, et al (2010). Recent advances refining galactooligosaccharide production from lactose. *Food Chemistry*, 121(2), 307–318
2. AbuKhader, M., Nazmi, A., Dhana L, U. M. (2021). Identification and Prevalence of Food Colors in Candies Commonly Consumed by Children in Muscat, Oman. *International Journal of Nutrition, Pharmacology, Neurological Diseases*, 11(2), 128-136
3. Adafer, R., Messaadi, W., Meddahi, M., et al (2020). Food Timing, Circadian Rhythm and Chrononutrition: A Systematic Review of Time-Restricted Eating's Effects on Human Health. *Nutrients*, 12(12), 3770
4. Adibi P, Abdoli M, Daghighzadeh H, et al (2022). Relationship between Depression and Constipation: Results from a Large Cross-sectional Study in Adults. *Korean Journal of Gastroenterology*, 80(2),77-84
5. Ali, B. H., Blunden, G., Tanira, M. O. et al (2008). Some phytochemical, pharmacological and toxicological properties of ginger (*Zingiber officinale* Roscoe): A review of recent research. *Food and Chemical Toxicology*, 46(2), 409–420
6. Allison Christine Engwall (2018). Development, validation and reliability of the chrononutrition profile, North Dakota State University of Agriculture and Applied Sciences (Dissertation)
7. Almoosawi S, Vingeliene S, Karagounis LG et al (2016). Chrono-nutrition: a review of current evidence from observational studies on global trends in time-of-day of energy intake and its association with obesity. *Proceedings of the Nutrition Society*, 75(4), 487-500
8. Almoosawi, S., Vingeliene, S., Gachon, F., et al (2019). Chronotype: Implications for Epidemiologic Studies on Chrono-Nutrition and Cardiometabolic Health. *Advances in nutrition*,10(1), 30–42
9. An, R., Wilms, E., Smolinska, A., et al (2019). Sugar Beet Pectin Supplementation Did Not Alter Profiles of Fecal Microbiota and Exhaled Breath in Healthy Young Adults and Healthy Elderly. *Nutrients*, 11(9), 2193

10. Arnold, J. W., Whittington, H. D., Dagher, S. F., et al (2021). Safety and Modulatory Effects of Humanized Galacto-Oligosaccharides on the Gut Microbiome. *Frontiers in nutrition*, 8, 640100
11. Arola-Arnal A, Cruz-Carrión Á, Torres-Fuentes C, et al (2019). Chrononutrition and Polyphenols: Roles and Diseases. *Nutrients*.; 11(11),2602
12. Aziz, I., Whitehead, W. E., Palsson, O. S., et al (2020). An approach to the diagnosis and management of Rome IV functional disorders of chronic constipation. *Expert Review of Gastroenterology & Hepatology*, 14(1), 39–46
13. Bakker-Zierikzee, A. M., Alles, M. S., Knol, J., et al (2005). Effects of infant formula containing a mixture of galacto- and fructo-oligosaccharides or viable *Bifidobacterium animalis* on the intestinal microflora during the first 4 months of life. *The British Journal of Nutrition*, 94(5), 783–790
14. Baker, J., Chey, S., Nojkov, B., et al. (2016). Differences in Disease Specific Quality of Life Between Patients with Dyssynergic Defecation and Chronic Idiopathic Constipation: 537. *American Journal of Gastroenterology* ,111, S243
15. Ballou S, McMahon C, Lee HN, et al (2019). Effects of Irritable Bowel Syndrome on Daily Activities Vary Among Subtypes Based on Results From the IBS in America Survey. *Clinical Gastroenterology and Hepatology*, 17(12),2471-2478
16. Barberio, B., Judge, C. Savarino, E. V. et al (2021). Global prevalence of functional constipation according to the Rome criteria: a systematic review and meta-analysis. *Lancet Gastroenterology and Hepatology*, 6(8), 638-648
17. Becks Depression Inventory II, 1996, <https://mdgcounseling.com/wp-content/uploads/2020/01/Asmnts-Initial-Part2-200106.pdf>
18. Bellini, M., Usai-Satta, P., Bove, A., et al (2017) Chronic constipation diagnosis and treatment evaluation: the "CHRO.CO.DI.T.E." study. *BMC gastroenterology*, 17(1), 11
19. Belsey, J., Greenfield, S., Candy, D., et al (2010). Systematic review: impact of constipation on quality of life in adults and children. *Alimentary pharmacology and Therapeutics*, 31(9), 938–949
20. Ben XM, Zhou XY, Zhao WH, et al (2004). Supplementation of milk formula with galacto-oligosaccharides improves intestinal micro-flora and fermentation in term infants. *Chinese Medical Journal*,117, 927–931
21. Benninga M, Candy DC, Catto-Smith AG, et al. (2005). The Paris Consensus on Childhood Constipation Terminology (PACCT) Group. *Journal of Pediatric Gastroenterology and Nutrition*, 40, 273–275

22. Bjelajac, Dajana & Đerčan, Bojan. (2019). Artificial light at night as an unrecognized threat to protected areas of Autonomous Province of Vojvodina (North Serbia). *Zbornik radova Departmana za geografiju, turizam i hotelijerstvo*, 48 (1), 46-56
23. Black, C. J., Drossman, D. A., Talley, N. J., et al. (2020). Functional gastrointestinal disorders: advances in understanding and management. *Lancet*, 396(10263),1664-1674
24. Borel AL. (2019) Sleep Apnea and Sleep Habits: Relationships with Metabolic Syndrome. *Nutrients*;11(11):2628
25. Bravo R, Ugartemendia L, Uguz C, et al (2017). Current Opinions in Chrononutrition and Health. *Journal of Clinical Nutrition and Dietetics*, 3(1:6),1-3
26. C. M. Whisner, B. R. Martin, M. H. Schoterman, et al (2013), Galactooligosaccharides increase calcium absorption and gut Bifidobacteria in young girls: a double-blind cross-over trial. *British Journal of Nutrition*, 110, 1292–1303
27. Cano-Lamadrid, M., Calín-Sánchez, Á., Clemente-Villalba, J., et al (2020). Quality Parameters and Consumer Acceptance of Jelly Candies Based on Pomegranate Juice "Mollar de Elche". *Foods*, 9(4), 516
28. Chan, A. O., Lam, K. F., Hui, W. M., et al (2007). Influence of positive family history on clinical characteristics of functional constipation. *Clinical gastroenterology and hepatology*, 5(2), 197–200
29. Chattat R, Bazzocchi G, Balloni M, et al. (1997). Illness behavior, affective disturbance and intestinal transit time in idiopathic constipation. *Journal of Psychosomatic Research*, 42, 95–100
30. Chen, Z., Peng, Y., Shi, Q., et al. (2022). Prevalence and Risk Factors of Functional Constipation According to the Rome Criteria in China: A Systematic Review and Meta-Analysis. *Frontiers in medicine*, 9, 815156
31. Cherpak C. E. (2019). Mindful Eating: A Review Of How The Stress-Digestion-Mindfulness Triad May Modulate And Improve Gastrointestinal And Digestive Function. *Integrative medicine*, 18(4), 48–53
32. Chey, S. W., Chey, W. D., Jackson, K., et al (2021). Exploratory Comparative Effectiveness Trial of Green Kiwifruit, Psyllium, or Prunes in US Patients With Chronic Constipation. *The American journal of gastroenterology*, 116(6), 1304–1312
33. Čižauskaitė, U., Jakubaitytė, G., Žitkevičius, V., et al (2019). Natural Ingredients-Based Gummy Bear Composition Designed According to Texture Analysis and Sensory Evaluation In Vivo. *Molecules*, 24(7), 1442

34. Olaru, C., Diaconescu, S., Trandafir, L., et al (2016). Some Risk Factors of Chronic Functional Constipation Identified in a Pediatric Population Sample from Romania. *Gastroenterology Research and Practice*, 8 pages
35. Collins, M., Rastall, R. (2008). Oligosaccharides in Food and Agriculture. In: Fraser-Reid, B.O., Tatsuta, K., Thiem, J. (eds) *Glycoscience*. 1185-1204
36. Corsetti, M., Brown, S., Chiarioni, G., et al (2021). Chronic constipation in adults: Contemporary perspectives and clinical challenges. 2: Conservative, behavioural, medical and surgical treatment. *Neurogastroenterology and Motility*, 33 (7)
37. Coyne KS, Margolis MK, Yeomans K, et al (2015). Opioid-Induced Constipation Among Patients with Chronic Noncancer Pain in the United States, Canada, Germany, and the United Kingdom: Laxative Use, Response, and Symptom Burden Over Time. *Pain Medicine*, 16(8), 1551-1565
38. Dai Z., Lyu W., Xiang X., et al. (2018). Immunomodulatory Effects of Enzymatic-Synthesized α -Galactooligosaccharides and Evaluation of the Structure-Activity Relationship. *Journal of Agricultural and Food Chemistry*, 66, 9070–9079
39. Davis LM, Martinez I, Walter J, et al. (2011). Barcoded pyrosequencing reveals that consumption of galactooligosaccharides results in a highly specific bifidogenic response in humans. *PLoS One*, 6(9)
40. Dennison C., Prasad M., Lloyd A, et al. (2005). The health-related quality of life and economic burden of constipation. *Pharmacoeconomics*, 23, 461–76
41. Devanarayana, N., Rajindrajith, S. (2009). Association between Constipation and Stressful Life Events in a Cohort of Sri Lankan Children and Adolescents. *Journal of tropical pediatrics*. 56, 144-8
42. Devi, T.B., Dash, S.K., Bal, L.M., et al. (2016). Physicochemical and microbiological characteristics of ginger paste during storage in different packaging and temperature conditions. *Cogent Food and Agriculture*, 2(1)
43. Dey, K., Sheth, M. (2023). Development of Galactooligosaccharide (GOS) added gummies: sensory, characterization and shelf quality. *Food Production Processing and Nutrition*, 5 (8)
44. DiBaise, J. K., Zhang, H., Crowell, M. D., et al (2008). Gut microbiota and its possible relationship with obesity. *Mayo Clinic proceedings*, 83(4), 460–469
45. ICMR (2011). Dietary guidelines for Indians. A manual, 2nd ed, *National Institute of Nutrition*, Indian Council of Medical Research, Hyderabad

46. Diako, C., Cooper, K., Ross, C. (2019). Panelists bias matrix estimation in a red wine trained panel: A potential tool for data pre-treatment and feedback calibration. *Journal of chemometrics*, 33, 1-14
47. Dimidi E., Christodoulides S, Fragkos KC, et al. (2014). The effect of probiotics on functional constipation in adults: a systematic review and meta-analysis of randomized controlled trials. *American Journal of Clinical Nutrition*, 100, 1075-1084
48. Dimidi E., Cox C., Grant R. et al (2019). Perceptions of constipation among the general public and people with constipation differ strikingly from those of general and specialist doctors and the Rome IV Criteria: Perceptions of constipation diagnosis. *The American Journal of Gastroenterology*, 114 (7), 1116-1129
49. Drossman, D. A. (1998). Gastrointestinal illness and the biopsychosocial model. *Psychosomatic medicine*, 60(3), 258-267
50. Drossman, Douglas A. Hasler William L. (2016). Rome IV—Functional GI Disorders: Disorders of Gut-Brain Interaction, *Gastroenterology*, 150 (6), 1257 - 1261
51. Duboc H, Coffin B, Siproudhis L. (2020) Disruption of Circadian Rhythms and Gut Motility: An Overview of Underlying Mechanisms and Associated Pathologies. *Journal of Clinical Gastroenterology*, 54(5), 405-414
52. Dukas, L., Willett, W. C., Giovannucci, E. L. (2003). Association between physical activity, fiber intake, and other lifestyle variables and constipation in a study of women. *The American journal of gastroenterology*, 98(8), 1790–1796
53. Dwivedi S., Sheth, M. (2022). Prebiotic Fructooligosaccharide (FOS) as a communicator between enteric and central nervous system: effect on gut microbiota and depression. *The Indian Journal of Home Science*, 32 (2), 2-11
54. Edwards, W.P. (2000) *The Science of Sugar Confectionery*. Royal Society of Chemistry, ISBN:978-0-85404-593-8, 7-8
55. EFSA NDA Panel (EFSA Panel on Dietetic Products, Nutrition and Allergies), (2010). Scientific Opinion on Dietary Reference Values for carbohydrates and dietary fibre. *EFSA Journal*, 8(3), 1462, 1477
56. EFSA Panel on Nutrition, Novel Foods and Food Allergens (NDA), Turck, D., Castenmiller, J., De Henauw, S., et al (2021). Safety of a change in the conditions of use of galacto-oligosaccharides as a novel food ingredient in food supplements pursuant to Regulation (EU) 2015/2283. *EFSA Journal*. European Food Safety Authority, 19(1)

57. Eid, B., Bou Saleh, M., Melki, et al (2020). Evaluation of Chronotype Among Children and Associations With BMI, Sleep, Anxiety, and Depression. *Frontiers in Neurology*, 11, 416
58. Eiwegger, T., Stahl, B., Schmitt, J., et al (2004). Human milk--derived oligosaccharides and plant-derived oligosaccharides stimulate cytokine production of cord blood T-cells in vitro. *Pediatric research*, 56(4), 536–540
59. Ekhart PF, Timmermans E. (1996). Techniques for the production of transgalactosylated oligosaccharides (TOS). *Bulletin of the International Dairy Federation*. 313,59–64
60. Elena S., Vincenzo C, Annamaria S., (2019). Chapter 15 - Probiotics and Applications to Constipation, Editor(s): Ronald Ross Watson, Victor R. Preedy, Dietary Interventions in Gastrointestinal Diseases. *Academic Press*, 193-196, ISBN 9780128144688
61. Emmanuel, A., Mattace-Raso, F., Neri, M. C., et al. (2017). Constipation in older people: A consensus statement. *International Journal of Clinical Practise*, 71(1)
62. Engle, A. L. and Winans, A. R. M. (2021). Rethinking Docusate's Role in Opioid-Induced Constipation: A Critical Analysis of the Evidence. *Journal of Pain & Palliative Care Pharmacotherapy*, 35(1), 63-72
63. Erdogan A, Rao SS, Thiruvaiyaru D, et al (2016). Randomised clinical trial: Mixed soluble/insoluble fibre vs. psyllium for chronic constipation. *Alimentary Pharmacology & Therapeutics*, 44, 35- 44
64. Ergun, R., Lietha, R., & Hartel, R. W. (2014). Moisture and Shelf Life in Sugar Confections. *Critical Reviews in Food Science and Nutrition*, 50 (2), 162-192
65. F. J. Moreno and M. L. Sanz, (2014). Food oligosaccharides: production, analysis and bioactivity, *John Wiley & Sons*, ISBN: 978-1-118-42649-4, 552
66. Fanaro S, Boehm G, Garssen J, et al. (2005). Galacto-oligosaccharides and long-chain fructo-oligosaccharides as prebiotics in infant formulas: a review. *Acta Paediatrica*, 94, 22–26
67. FAO and WHO (2006). Probiotics in Food: Health and Nutritional Properties and Guidelines for Evaluation, Rome: Food and Agriculture Organization of the United Nations World Health
68. Farthing M. J. (2004). Bugs and the gut: An unstable marriage. *Best Practice & Research. Clinical Gastroenterology*, 18, 233–239
69. Fedorak R. N., Madsen K. L. (2004). Probiotics and prebiotics in gastrointestinal disorders. *Current Opinion in Gastroenterology*, 20, 146–155

70. Ferrucci, L., Koh, C., Bandinelli, S. et al (2007). Disability, Functional Status, and Activities of Daily Living. *Encyclopedia of Gerontology*, ISBN 9780123708700, 427-436
71. Fewtrell M. S., Morgan J. B., Duggan C. et al (2007). Optimal duration of exclusive breastfeeding: What is the evidence to support current recommendations? *The American Journal of Clinical Nutrition*, 85 (2), 635–638
72. Fischer, C., & Kleinschmidt, T. (2018). Synthesis of Galactooligosaccharides in Milk and Whey: A Review. *Comprehensive reviews in food science and food safety*, 17(3), 678–697
73. Ford, A. C., Moayyedi, P., Lacy, B. E., et al, & Task Force on the Management of Functional Bowel Disorders (2014). American College of Gastroenterology monograph on the management of irritable bowel syndrome and chronic idiopathic constipation. *The American journal of gastroenterology*, 109 (1), 2–27
74. Forootan M, Bagheri N, Darvishi M. (2018) Chronic constipation: A review of literature. *Medicine*, 97(20)
75. Gamze Y., Nilüfer A. T., Gamze A., et al. (2020) Risk Factors for Constipation in Adults: A Cross-Sectional Study, *Journal of the American College of Nutrition*, 39:8, 713-719
76. Garcia, T. (2000). Analysis of gelatin-based confections. *The Manufacturing Confectioner*, 80(6), 93-101
77. Gibson, G. R., Probert, H. M., Loo, J. V., et al (2004). Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutrition research reviews*, 17(2), 259–275
78. Glin A, Lindberg G. (1997). Quality of life in patients with different types of functional constipation. *Scandinavian Journal of Gastroenterology*, 32, 1083–1089
79. Institute for Health Metrics and Evaluation (IHME). Findings from the Global Burden of Disease Study 2017. Seattle, WA: IHME, 2018
80. Ghoshal, U.C. (2017) Chronic constipation in Rome IV era: The Indian perspective. *Indian Journal of Gastroenterology*, 36, 163–173
81. Ghoshal, Uday C et al. (2018) “Indian consensus on chronic constipation in adults: A joint position statement of the Indian Motility and Functional Diseases Association and the Indian Society of Gastroenterology. *Indian journal of gastroenterology*, 37(6), 526-544
82. Grimaldi R, Swann JR, Vulevic J, et al (2016). Fermentation properties and potential prebiotic activity of BimunoR galacto-oligosaccharide (65% galacto-oligosaccharide content) on in vitro gut microbiota parameters. *British Journal of Nutrition*; 116(3), 480-486

83. Gummy Market Size | Industry Trends Report, 2020-2028. (2022). Gummy Market Size | Industry Trends Report, 2020-2028; www.grandviewresearch.com. Retrieved July 1, 2022, from <https://www.grandviewresearch.com/industry-analysis/gummy-market-report>
84. Guo, M., Yao, J., Yang, F., et al (2020). The composition of intestinal microbiota and its association with functional constipation of the elderly patients. *Future microbiology*, 15, 163–175
85. Gupta, A.S., & Sheth, M.K. (2015). Chemical stability of cottonseed and groundnut oil used for frying bhajias and its sensory qualities. *The Journal of Microbiology, Biotechnology and Food Sciences*, 4, 198-202
86. Hamaguchi T, Tayama J, Suzuki M, et al. (2020). Correction: The effects of locomotor activity on gastrointestinal symptoms of irritable bowel syndrome among younger people: An observational study. *PLOS ONE*, 15(12)
87. Hamilton-Miller JM. (2004) Probiotics and prebiotics in the elderly. *Postgraduate Medical Journal*, 80 (946),447–451
88. Harvard Medical school. (2021). 3 surprising risks of poor posture. *Harvard Health Publishing*
89. Hayat, U., Dugum, M., & Garg, S. (2017). Chronic constipation: Update on management. *Cleveland Clinic journal of medicine*, 84(5), 397–408
90. Henry, C.J., Kaur, B. & Quek, R.Y.C. (2020). Chrononutrition in the management of diabetes. *Nutrition & Diabetes*, 10 (6)
91. He N., Chen H., Zhou Z., et al. (2021). Enzymatically synthesized α -galactooligosaccharides attenuate metabolic syndrome in high-fat diet induced mice in association with the modulation of gut microbiota. *Food & Function Journal*. 12, 4960–4971
92. Hill C, Guarner F, Reid G, et al. (2014). Expert consensus document. The International Scientific Association for Probiotics and Prebiotics consensus statement on the scope and appropriate use of the term probiotic. *Nature Reviews Gastroenterology & Hepatology*, 11(8), 506-514
93. Hosseinzadeh, S. T., Poorsaadati, S., Radkani, B., et al (2011). Psychological disorders in patients with chronic constipation. *Gastroenterology and hepatology from bed to bench*, 4(3), 159–163
94. <http://www.pelvicfloorcenter.org/sites/default/files/PAC-QOL.pdf>
95. <https://theromefoundation.org/rome-iv/rome-iv-criteria/>

96. <https://www.abbott.in/media-center/press-releases/indian-adults-suffer-from-constipation.html>
97. <https://www.nihr.ac.uk/explore-nihr/specialties/gastroenterology.htm>
98. https://www.lovibond.com/ix_pim_assets/Colour_Measurement/Downloads/Datenblaetter/Allgemeine_Information/Whitepapers/Oil_Colour_Scales...Red_or_Yellow/OIL_COLOR_COLOR_DIFFERENCES.pdf
99. <https://www.shodex.com/en/dc/03/03/44.html>
100. Hung-Da C., Ming-Jong B., Wei-Chuan C., et al, (2020). Similarities and differences between IBS-C and FC with regards to symptomatology, sleep quality and psychological attributes, *Journal of the Formosan Medical Association*, 119 (1), 75-80
101. Hyams, J., Colleti, R., Faure, C. et al (2002). Functional gastrointestinal disorders: Working group report of the first world congress of Pediatric Gastroenterology, Hepatology and Nutrition. *Journal of Pediatric Gastroenterology and Nutrition*, 35 (2), 110–117
102. India Vegan Food Market: By Product Type: Dairy Alternatives, Meat Substitutes, Egg Alternatives, Vegan Bakery, Confectionery, Plant-Based Snacks, Others; By Distribution Channel; Regional Analysis; Historical Market and Forecast (2017-2027); Market Dynamics; Value Chain Analysis; Competitive Landscape; Industry Events and Developments
103. IS 6273-1, (1971). Guide for Sensory Evaluation of Foods, Part 1: Optimum Requirements [FAD 16: Food grains, Starches and Ready to Eat Foods]
104. J. Vulevic, A. Juric, G. Tzortzis et al (2013). A mixture of trans galactooligosaccharides reduces markers of metabolic syndrome and modulates the fecal microbiota and immune function of overweight adults, *Journal of Nutrition*, 143, 324–331
105. Jain, N., Sheth, M., Assudani, A., (2013). Sensory attributes of Indian fried foods incorporated with different levels of Fructooligosaccharide. *International Journal of Applied Biology and Pharmaceutical Technology*, 4, 255-259
106. Jajam, M., Bozzolo, P., Niklander, S. (2017). Oral manifestations of gastrointestinal disorders. *Journal of clinical and experimental dentistry*, 9(10), e1242–e1248
107. Jalanka, J., Hillman, A., Satokari, R., et al (2018). The long-term effects of faecal microbiota transplantation for gastrointestinal symptoms and general health in patients with recurrent *Clostridium difficile* infection. *Alimentary Pharmacology & Therapeutics*, 47(3), 371–379

108. Johanson JF, Kralstein J. (2007) Chronic constipation: a survey of the patient perspective. *Alimentary Pharmacology & Therapeutics*, 25(5), 599–608
109. Johnson W M, George C F, Roger D G, et al (2020) Laxative effects of wheat bran and psyllium: Resolving enduring misconceptions about fiber in treatment guidelines for chronic idiopathic constipation. *Journal of the American Association of Nurse Practitioners*, 32(1), 15-23
110. Johnstone, N., Milesi, C., Burn, O. et al (2021). Anxiolytic effects of a galacto-oligosaccharides prebiotic in healthy females (18–25 years) with corresponding changes in gut bacterial composition. *Scientific Reports*, 11 (1), 8302
111. Kang, D. W., DiBaise, J. K., Ilhan, Z. E., et al (2015). Gut microbial and short-chain fatty acid profiles in adults with chronic constipation before and after treatment with lubiprostone, *Anaerobe*, 33, 33-41
112. Kaur, N., & Gupta, A. K. (2002). Applications of inulin and oligofructose in health and nutrition. *Journal of biosciences*, 27(7), 703–714
113. Kessler K, Pivovarova-Ramich O. (2019) Meal Timing, Aging, and Metabolic Health. *International Journal of Molecular Sciences*, 20(8), 1911
114. Khayyat-zadeh, S. S., Kazemi-Bajestani, S. M. R., Mirmousavi, et al (2018). Dietary behaviors in relation to prevalence of irritable bowel syndrome in adolescent girls. *Journal of Gastroenterology and Hepatology*, 33, 404–410
115. Khalif IL, E.M.M. Quigley, E.A. Konovitch, et al (2005). Alterations in the colonic flora and intestinal permeability and evidence of immune activation in chronic constipation, *Digestive and Liver Disease*, 37 (11), 838-849
116. Kim SE, Choi SC, Park KS et al. (2015) Change of fecal flora and effectiveness of the short-term VSL#3 probiotic treatment in patients with functional constipation. *Journal of Neurogastroenterology and Motility*, 21, 111–120
117. Kimura L. J., McGee A., Baird S., et al (2015). Healthy Mothers Healthy Babies: Awareness and perceptions of existing breastfeeding and postpartum depression support among parents and perinatal health care providers in Hawai'i. *Hawaii Journal of Medicine & Public Health*, 74 (3), 101–111
118. Kohinkar, S. N., Chavan, U. D., Pawar, V. D., et al (2014). Studies on preparation of mixed fruit toffee from Fig and Guava fruits. *Journal of food science and technology*, 51(9), 2204–2209

119. Knol J., Scholtens P., Kafka C., et al. (2005). Colon microflora in infants fed formula with galacto- and fructo-oligosaccharides: More like breast-fed infants. *Journal of Pediatric Gastroenterology and Nutrition*, 40, 36–42
120. Lee Y, Field JM, Sehgal A. (2021). Circadian Rhythms, Disease and Chronotherapy. *Journal of Biological Rhythms*, 36(6), 503-531
121. Lewicky-Gaupp C, Morgan DM, Chey WD, et al (2008). Successful physical therapy for constipation related to puborectalis dyssynergia improves symptom severity and quality of life. *Diseases of the Colon & Rectum*, 51(11), 1686–1691
122. Lewis SJ, Heaton KW (1997). Stool form scale as a useful guide to intestinal transit time. *Scandinavian Journal of Gastroenterology*, 32, 920–924
123. Li, H., Chen, J., Ren, X., et al (2021). Gut Microbiota Composition Changes in Constipated Women of Reproductive Age. *Frontiers in cellular and infection microbiology*, 10, 557515
124. Li Y., Lu L., Wang H., et al (2009). Cell surface engineering of a beta-galactosidase for galactooligosaccharide synthesis. *Applied and Environmental Microbiology*, 75, 5938–5942
125. Lim, Y. J., Rosita, J., Chieng, J. Y., et al. (2016). The Prevalence and Symptoms Characteristic of Functional Constipation Using Rome III Diagnostic Criteria among Tertiary Education Students. *PloS one*, 11(12)
126. Lindberg, G., Hamid, S. S., Malfertheiner, P., et al (2011). World Gastroenterology Organisation global guideline: Constipation--a global perspective. *Journal of clinical gastroenterology*, 45(6), 483–487
127. Liu, F., Li, P., Chen, M., et al (2017). Fructooligosaccharide (FOS) and galactooligosaccharide (GOS) increase Bifidobacterium but reduce butyrate producing bacteria with adverse glycemic metabolism in healthy young population. *Scientific Reports*, 7(1), 11789
128. Loughman, A., & Staudacher, H. M. (2020). Treating the individual with diet: is gut microbiome testing the answer? *Lancet Gastroenterology & Hepatology*, 5(5), 437
129. Lu, P. L., & Mousa, H. M. (2018). Constipation: Beyond the Old Paradigms. *Gastroenterology clinics of North America*, 47(4), 845–862
130. Macfarlane, G. T., Steed, H., & Macfarlane, S. (2008). Bacterial metabolism and health-related effects of galacto-oligosaccharides and other prebiotics. *Journal of applied microbiology*, 104(2), 305–344

131. Macfarlane S, Macfarlane GT, Cummings JH. (2006). Review article: prebiotics in the gastrointestinal tract. *Alimentary Pharmacology & Therapeutics*, 24 (5), 701–714
132. Marchand, J., & Vandenplas, Y. (2000). Micro-organisms administered in the benefit of the host: myths and facts. *European journal of gastroenterology & hepatology*, 12(10), 1077–1088
133. Markland A.D., Palsson O., Goode P.S., Burgio K.L., et al. (2013). Association of low dietary intake of fiber and liquids with constipation: evidence from the National Health and Nutrition Examination Survey. *American Journal of Gastroenterology*, 108(5), 796–803
134. Martin BC, Barghout V, Cerulli A. (2006) Direct medical costs of constipation in the United States. *Managed Care Interface*, 19(12), 43–49
135. Mason IC, Qian J, Adler GK, et al (2020) Impact of circadian disruption on glucose metabolism: implications for type 2 diabetes. *Diabetologia*, 63(3), 462-472
136. Max R., Hannah R., Fiona S., (2021). Burden of Disease, OurWorldInData.org
137. Mazri FH, Manaf ZA, Shahar S, Mat Ludin AF. (2019). The Association between Chronotype and Dietary Pattern among Adults: A Scoping Review. *International Journal of Environmental Research and Public Health*, 17(1), 68
138. Mearin F, Lacy BE, Chang L, et al (2016) Bowel Disorders. *Gastroenterology*, S0016–5085 (16): 00222-5
139. Mei, Z., Yuan, J., Li, D. (2022). Biological activity of galacto-oligosaccharides: A review. *Frontiers in microbiology*, 13, 993052
140. Mezzasalma, V., Manfrini, E., Ferri, E., et al (2016). A Randomized, Double-Blind, Placebo-Controlled Trial: The Efficacy of Multispecies Probiotic Supplementation in Alleviating Symptoms of Irritable Bowel Syndrome Associated with Constipation. *BioMed research international*, 4740907
141. Miller C, Emmanuel A, Zarate-Lopez N, et al (2021). Constipation in ulcerative colitis: pathophysiology and practical management. *Frontline Gastroenterology*, 12, 493-499
142. Minifie B. W. (1971). Marshmallow: Technology and methods of manufacture. *Manufacturing Confectioner*, 51(4), 31–37
143. Mirghani H. (2021). The Effect of Breakfast Skipping and Late Night Eating on Body Mass Index and Glycemic Control Among Patients With Type 2 Diabetes Mellitus. *Cureus*, 13(6)

144. Moayyedi, P., Ford, A. C., Talley, et al (2010). The efficacy of probiotics in the treatment of irritable bowel syndrome: a systematic review. *Gut*, 59(3), 325–332
145. Mukherjee, P., Rai, S., Bhattacharyya, S. et al (2006). Clinical Study of 'Triphala' – A Well Known Phytomedicine from India. *Iranian Journal of Pharmacology and Therapeutics*, 5 (1), 51-54
146. Mukhtar, K., Nawaz, H., Abid, S. (2019). Functional gastrointestinal disorders and gut-brain axis: What does the future hold?. *World journal of gastroenterology*, 25(5), 552–566
147. Müller-Lissner, S. A., Kaatz, V., Brandt, W., et al (2005). The perceived effect of various foods and beverages on stool consistency. *European journal of gastroenterology & hepatology*, 17(1), 109–112
148. Munshi, R., Bhalerao, S., Rathi, P., et al (2011). An open-label, prospective clinical study to evaluate the efficacy and safety of TLPL/AY/01/2008 in the management of functional constipation. *Journal of Ayurveda and integrative medicine*, 2(3), 144–152
149. Murakami M, Tognini P. (2020). The Circadian Clock as an Essential Molecular Link Between Host Physiology and Microorganisms. *Frontiers in Cellular and Infection Microbiology*, 9, 469
150. Mutlu C, Tontul SA, Erbaş M. (2018). Production of a minimally processed jelly candy for children using honey instead of sugar. *LWT-Food Science and Technology*. 93, 499–505
151. Nag A, Martin SA, Mladsı D., et al (2020). The Humanistic and Economic Burden of Chronic Idiopathic Constipation in the USA: A Systematic Literature Review. *Clinical and Experimental Gastroenterology*, 13, 255-265
152. Nakayama T, Oishi K. (2013) Influence of coffee (*Coffea arabica*) and galactooligosaccharide consumption on intestinal microbiota and the host responses. *FEMS Microbiology Letters*; 343, 161–168
153. Naresh, K., (2021) Impact of Nutraceutical Sector in Post COVID Era. FSSAI News Letter
154. Nehra V, Bruce BK, Rath-Harvey DM, et al (2000). Psychological disorders in patients with evacuation disorders and constipation in a tertiary practice. *American Journal of Gastroenterology*, 95,1755–1758
155. Nowakowski, C. M. (2000). Effect of corn syrups on stability of amorphous sugar products. (Ph.D. Dissertation) University of Wisconsin

156. Nutrient Requirements for Indians, Recommended Dietary Allowances, Estimated Average Requirements- A report of the expert group (2020) ICMR NIN, Govt. of India
157. Ohkusa T, Koido S, Nishikawa Y, Sato N. (2019) Gut Microbiota and Chronic Constipation: A Review and Update. *Frontiers in Medicine*, 12 (6), 19
158. Oriach CS, Robertson RC, Stanton C, et al (2016) Food for thought: The role of nutrition in the microbiota-gut-brain axis. *Clinical Nutrition Experimental*, 6, 25-38
159. Palsson, O. S., Whitehead, W., Törnblom, H., et al (2020). Prevalence of Rome IV Functional Bowel Disorders Among Adults in the United States, Canada, and the United Kingdom. *Gastroenterology*, 158(5), 1262–1273
160. Panesar P. S., Kaur R., Singh R. S., Kennedy J. F. (2018). Biocatalytic strategies in the production of galacto-oligosaccharides and its global status. *International Journal of Biological Macromolecules*, 111, 667–679
161. Papatheodoridis GV, Vlachogiannakos J, Karaitianos I, et al (2010) A Greek survey of community prevalence and characteristics of constipation. *European Journal of Gastroenterology & Hepatology*, 22(3), 354–60
162. Parnami S., Sheth M. (2010). Inulin as prebiotic in bread and cookies-A feasibility study. *Inventi Rapid: Nutraceuticals*, 1 (3)
163. Pascale A, Marchesi N, Marelli C, et al (2018). Microbiota and metabolic diseases. *Endocrine*, 61, 357–371
164. Pasricha, P. J. (2011). Neurogastroenterology: a great career choice for aspiring gastroenterologists thinking about the future. *Gastroenterology*, 140(4), 1126-1128
165. Periche Á, Castelló ML, Heredia A, et al (2016). Stevia rebaudiana, oligofructose and isomaltulose as sugar replacers in marshmallows: stability and antioxidant properties. *Journal of Food Processing and Preservation*, 40,724–732
166. Peeters, B., Benninga, M. A., Hennekam, R. C. (2011). Childhood constipation; an overview of genetic studies and associated syndromes. Best practice & research. *Clinical gastroenterology*, 25(1), 73–88
167. Pourhoseingholi M.A., Kaboli S.A., Pourhoseingholi A., et al. (2009). Obesity and functional constipation: a community-based study in Iran. *Journal of Gastrointestinal and Liver Diseases*, 18(2),151–155
168. Putignani L, Del Chierico F, Petrucca A, et al (2014). The human gut microbiota: a dynamic interplay with the host from birth to senescence settled during childhood. *Pediatric Research*, 76 (1),2-10

169. Rajindrajith S., Devanarayana NM. (2011). Constipation in children: novel insight into epidemiology, pathophysiology and management. *Journal of Neurogastroenterology and Motility*, 17(1), 35-47
170. Rajput M., Saini SK. (2014) Prevalence of constipation among the general population: a community-based survey from India. *Gastroenterology Nursing*, 37(6), 425–429
171. Ranganna S. (1986). Hand book of analysis and quality control for fruit and vegetable products. 2nd ed, *McGraw Hill Publishing Co. Ltd.*, New Delhi, 12–16, 83–88
172. Refai, M. (1979). Manuals of food quality control. 4: Microbiological analysis. FAO. Roma, ISBN 92-5-300849-0
173. Ribeiro, W. R., Vinolo, M. A. R., Calixto, L. A., et al (2018). Use of Gas Chromatography to Quantify Short Chain Fatty Acids in the Serum, Colonic Luminal Content and Feces of mice. *Bio-protocol*, 8(22)
174. Rinninella, E., Raoul, P., Cintoni, M., et al (2019). What is the Healthy Gut Microbiota Composition? A Changing Ecosystem across Age, Environment, Diet and Diseases. *Microorganisms*, 7(1),14
175. Roberfroid M, Gibson GR, Hoyles L, et al (2010) A. Prebiotic effects: metabolic and health benefits. *British Journal of Nutrition*, 104 (2), 1-63
176. Robert A. M. Jr. (1977) Collaborative Study of the Determination of Moisture in Chocolate by Karl Fischer Titration, *Journal of Association of Official Analytical Chemists*, 60 (3), 654–657
177. Rollet, M., Bohn, T., Vahid, F., et al (2021). Association between Dietary Factors and Constipation in Adults Living in Luxembourg and Taking Part in the ORISCAV-LUX 2 Survey. *Nutrients*, 14(1), 122
178. Roque, M. V., Bouras, E.P. (2015). Epidemiology and management of chronic constipation in elderly patients. *Clinical Interventions in Aging*, 10, 919-930
179. Saad RJ., Rao SSC., Koch KL., et al (2010). Do stool form and frequency correlate with whole-gut and colonic transit? Results from a multicentre study in constipated individuals and healthy controls. *American Journal of Gastroenterology*, 105, 403–411
180. Sabeera M., Waqas N B., Nuzhat N., et al (2016). Effect of storage on physicochemical, microbial and antioxidant properties of pumpkin (*Cucurbita moschata*) candy. *Cogent Food & Agriculture*, 2 (1)
181. Salleh, R.M., Ying, T.L., Mousavi L. (2016). Development of Fruit Bar Using Sapodilla (*Manilkara zapota L*). *Journal of Food Processing and Preservation*, 41 (2)

182. Sandler, R. S., Jordan, M. C., Shelton, B. J. (1990). Demographic and dietary determinants of constipation in the US population. *American journal of public health*, 80(2), 185–189
183. Schneeman B. (2004). Food factors and gastrointestinal function: A critical interface. *Biofactors*, 21, 85–88
184. Scott, W. J. (1957). Water relations of food spoilage microorganisms. *Advances in Food Research*, 7, 83–127
185. Sebo, P., Quinio, C., Viry, M., et al (2022). Perceived Effectiveness and Overall Satisfaction of Using a Toilet Stool to Prevent or Treat Constipation: An Analysis of Online Comments. *Journal of the American Board of Family Medicine*, 35(4), 836–839
186. Sekirov, I., Russell, S. L., Antunes, L. C., et al (2010). Gut microbiota in health and disease. *Physiological reviews*, 90(3), 859–904
187. Selection and Training of sensory panelists and methods of sensory evaluation, Unit 10, egyankosh, 21-26, egyankosh.ac.in
188. Serra, J., Mascort-Roca, J., Marzo-Castillejo, M., et al. (2017). Clinical practice guidelines for the management of constipation in adults. Part 1: Definition, aetiology and clinical manifestations. *Journal of Gastroenterology and Hepatology*, 40(3), 132-141
189. Serra, J., Pohl, D., Azpiroz, F., et al (2020). European society of Neurogastroenterology and motility guidelines on functional constipation in adults. *Neurogastroenterology & Motility*, 32(2)
190. Shafe, A.C., Lee, S., Dalrymple, D.S. et al. (2011) The LUCK study: laxative usage in patients with GP-diagnosed constipation in the UK, within the general population and in pregnancy. An epidemiological study using the General Practice Research Database (GPRD). *Therapeutic Advances in Gastroenterology*, 4(6), 343-363
191. Sheth M, Heena Shah (2017) Development and documentation of sugar substituted Fructooligosaccharide (FOS) added traditional Indian syrupy sweets, their organoleptic qualities and FOS recovery using HPLC technique (M.Sc thesis, The Maharaja Sayajirao University of Baroda)
192. Sheth M, Viral Lodaya (2017) Development and documentation of sugar substituted Fructooligosaccharide (FOS) added traditional Indian syrupy sweets, their organoleptic qualities and FOS recovery using HPLC technique (M.Sc thesis, The Maharaja Sayajirao University of Baroda)

193. Sheth M., Assudani A. (2014). Newer strategy to combat obesity amongst the bank employees of urban Vadodara- Insights into its mechanism. *World Journal of Pharmacy and Pharmaceutical Sciences*, 4(2), 658-672
194. Sheth M., Khan R., Dehingia M., et al (2019). A comparative study of synbiotic and prebiotic supplementation on gut health, SCFA, HS-CRP and lipid profile of type 2 diabetic subjects with pre hypertension. *European Journal of Biomedical and Pharmaceutical Sciences*, 3 (1), 148-155
195. Sheth, M., Prakash, J., Kumar, A., et al (2016). Daily Intake Of Fructooligosaccharide Reduces Hs-Crp And Other Inflammatory Markers In Grade 1 Sedentary Obese Individuals Residing In Urban Baroda - A Double Blind Placebo Control Trial. *European Journal of Biomedical and Pharmaceutical sciences*. 4 (2), 238-244
196. Sheth, M., Thakuria, A., Chand, V., et al (2015). Fructooligosaccharide (FOS)-a smart strategy to modulate inflammatory marker and lipid profile in non-insulin dependent diabetes mellitus (NIDDM) subjects residing in assam, India- A randomized control trial. *World Journal of Pharmaceutical Sciences*, 4 (5), 2673-2678
197. Sheth, M., Chand, V., Thakuria, A. (2015). Inflated levels of SCFA, Bifidobacteria and Lactobacillus improves the status of pre hypertension and type 2 diabetes mellitus in subjects residing in north east India– A randomized control trial with synbiotic supplementation. *International Journal of Current Pharmaceutical Research*. 7 (3), 33-36.
198. Shi, W., Xu, X., Zhang, Y., et al (2015) Epidemiology and risk factors of functional constipation in pregnant women. *Plos One*, 10(7), 1-10
199. Silva, A.Y.S.L., Binduhewa, A.M.C.U., Subodinee, A.A.M. (2014). A study to recruit and train the product oriented sensory panel. *International Journal of Multidisciplinary Studies*. 1(2), 83-86
200. Silveira, E.A., Santos, A.S.e.A., Ribeiro, J.N. et al. (2021) Prevalence of constipation in adults with obesity class II and III and associated factors. *BMC Gastroenterology*, 21, 217
201. Smith PG, Morrow RH, Ross DA. (2015). Field Trials of Health Interventions: A Toolbox. 3rd edition. Chapter 11, Randomization, blinding, and coding, *Oxford (UK): OUP Oxford*
202. Souza, D. D. S., Tahan, S., Weber, T. K., et al (2018). Randomized, Double-Blind, Placebo-Controlled Parallel Clinical Trial Assessing the Effect of Fructooligosaccharides in Infants with Constipation. *Nutrients*, 10 (11), 1602

203. Staudacher, Heidi M., Loughman Amy. (2021) Gut health: definitions and determinants. *The Lancet Gastroenterology & Hepatology*, 6 (4), 269
204. Stojanov, S., Berlec, A., Štrukelj, B. (2020). The Influence of Probiotics on the Firmicutes/Bacteroidetes Ratio in the Treatment of Obesity and Inflammatory Bowel disease. *Microorganisms*, 8(11), 1715
205. Sudharsan, M. B., Ziegler, G. R., Duda, J. L. (2004). Modeling diffusion of moisture during stoving of starch-molded confections. *Food and Bioproducts Processing*, 82(1), 60–72
206. Suri H., Suri D., Bansal K. (2020). Squatting or Western Toilet- A Review. *Journal of Advanced Medical and Dental Science Research*, 8(11), 102-104
207. Świątkiewicz I, Woźniak A, Taub PR. (2021). Time-Restricted Eating and Metabolic Syndrome: Current Status and Future Perspectives. *Nutrients*, 13(1), 221
208. Tack, J. Muller-Lissner, S., Stanghellini, V. et al (2011). Diagnosis and treatment of chronic constipation- a European perspective. *Neurogastroenterology and Motility*, 23(8), 697-710
209. Teixeira-L.E., Almeida, A. R., Vouga B. et al (2021). Development and characterization of healthy gummy jellies containing natural fruits. *Open Agriculture*, 6 (1), 466-478
210. Teuri U., Korpela R. (1998). Galacto-oligosaccharides relieve constipation in elderly people. *Annals of Nutrition and Metabolism*, 42, 319–327
211. Thakuria, A., Sheth, M. (2019). An In vitro study of the prebiotic properties of Xylooligosaccharide (XOS) and organoleptic evaluation of XOS added Prawn patia and Black rice kheer, *Bioactive Compounds in Health and Disease*, 3 (1), 1-5
212. Thompson W., Longstreth G., Drossman D., et al (1999). Functional bowel disorders and functional abdominal pain. *Gut*, 45, II43–II46
213. Thorakkattu, P., Khanashyam, A. C., Shah, K. et al (2022). Postbiotics: Current Trends in Food and Pharmaceutical Industry. *Foods*, 11(19), 3094
214. Tian S., Wang J., Yu H., et al (2019). Changes in Ileal Microbial Composition and Microbial Metabolism by an Early-Life Galacto-Oligosaccharides Intervention in a Neonatal Porcine Model. *Nutrients*, 11, 1753
215. Tojo, R., Suárez, A., Clemente, M. G. et al (2014). Intestinal microbiota in health and disease: role of bifidobacteria in gut homeostasis. *World journal of gastroenterology*, 20(41), 15163–15176

216. Toktas, N., Erman, A., Mert, Z. (2018). Nutritional Habits According to Human Chronotype and Nutritional Status of Morningness and Eveningness. *Journal of Education and Training Studies*. 6, 61
217. Torres, D. P. M., Gonçalves, M. D. P. F., Teixeira, J. A., et al (2010). Galacto-Oligosaccharides: Production, Properties, Applications, and Significance as Prebiotics. *Comprehensive reviews in food science and food safety*, 9(5), 438–454
218. Tosello, A., Foti, B., Sédarat, C., et al (2001). Oral functional characteristics and gastrointestinal pathology: an epidemiological approach. *Journal of oral rehabilitation*, 28(7), 668–672
219. UKTIS (2013). Treatment of constipation in pregnancy. UK Teratology Information Service. <http://www.uktis.org>
220. Verkuijl, S.J., Meinds, R.J., Trzpis, M. et al. (2020). The influence of demographic characteristics on constipation symptoms: a detailed overview. *BMC Gastroenterology*, 20, 168
221. Voigt R.M., Forsyth C.B., Green S.J., et al (2014). Circadian disorganization alters intestinal microbiota. *PLoS One*, 9(5)
222. W. M. Fernando, J. Hill, G. Zello, et al (2010). Diet supplemented with chickpea or its main oligosaccharide component raffinose modify faecal microbial composition in healthy adults. *Beneficial Microbes*, 1, 197–207
223. Wagner, C. L., Shary, J. R., Nietert, P. J., et al (2019). Bioequivalence Studies of Vitamin D Gummies and Tablets in Healthy Adults: Results of a Cross-Over Study. *Nutrients*, 11(5), 1023
224. Wald, A., Scarpignato, C., Kamm, M.A., et al (2007). The Burden Of Constipation On Quality Of Life: Results of a Multinational Survey. *Alimentary Pharmacology & Therapeutics*; 26, 227-236
225. Wang, X., Yin, J. (2015). Complementary and Alternative Therapies for Chronic Constipation. *Evidence-based complementary and alternative medicine*
226. Wehrens, S. M. T., Christou, S., Isherwood, C., et al (2017). Meal timing regulates the human circadian system. *Current Biology*, 27, 1768–1775
227. Werth, B. L., Christopher, S.A. (2021). Potential risk factors for constipation in the community. *World journal of gastroenterology*, 27(21), 2795-2817

228. Wilk, K., Korytek, W., Pelczyńska, M., et al. (2022). The Effect of Artificial Sweeteners Use on Sweet Taste Perception and Weight Loss Efficacy: A Review. *Nutrients*, 14(6), 1261
229. Wu J. N., Zhang B. Y., Zhu W. Z., et al (2014) Comparison of efficacy on functional constipation treated with electroacupuncture of different acupoint prescriptions: a randomized controlled pilot trial. *Zhongguo Zhen Jiu*, 34(6), 521–528.
230. Yadav N., Kumari N., Chauhan A. K., et al (2021). Development of Functional Candy with Banana, Ginger and Skim Milk Powder as a Source of Phenolics and Antioxidants. *Current Research in Nutrition and Food Science Journal*, 9(3)
231. Yamada, M., Sekine, M., Tatsuse, T. et al. (2021). Lifestyle, psychological stress, and incidence of adolescent constipation: results from the Toyama birth cohort study. *BMC Public Health*, 21 (1), 47
232. Yildirim, M. A., Cakir, M., Bicer, M., et al (2021). Lifestyle and Chronic Constipation in Medical Students. *Gastroenterology research and practice*, 1-4
233. Yost K.J., Haan M.N., Levine RA., et al (2005). Comparing SF-36 scores across three groups of women with different health profiles. *Quality of Life Research*, 14, 1251–1261
234. Yu-yong H.E., Pen M.A., Xiao-lan L.I.U., et al (2014). Effect of Different Initial pH on the Storage Characteristics and Shelf Life of Liquid Diet for Suckling and Weanling Piglets. *Journal of Integrative Agriculture*, 13(1), 134-139
235. Z. Dai, D. Su, Y. Zhang et al (2014). Immunomodulatory activity in vitro and in vivo of verbascose from mung beans (*Phaseolus aureus*). *Journal of Agricultural and Food Chemistry*, 62, 10727–10735
236. Zhao, Z., Wen. G., Li, C., et al (2018). HPLC Determination of Fructo-Oligosaccharides in Dairy Products. *International Journal of Food Engineering and Technology*, 2(2), 36-40
237. Zhu L., Liu W., Alkhoury R., et al (2014). Structural changes in the gut microbiome of constipated patients. *Physiological Genomics*, 46(18), 679–686
238. Zoppi, G., Cinquetti, M., Luciano, A., et al (1998). The intestinal ecosystem in chronic functional constipation. *Acta paediatrica*, 87(8), 836–841