
REFERENCES

Abbas, S. A., Sharif, M. K., Faiz-ul-Hassan Shah, F. U. H. S., & Rebia Ejaz, R. E. (2016). Preparation of sesame flour supplemented high protein and energy food bars.

Abd El-Salam, M. H., & El-Shibiny, S. (2020). Hardness of high protein nutrition bars on milk protein concentrates: A review. *Biointerface Res. Appl. Chem*, 10, 4914-4921.

Agarwal, A., Rizwana, Tripathi, A. D., Kumar, T., Sharma, K. P., & Patel, S. K. S. (2023). Nutritional and functional new perspectives and potential health benefits of quinoa and chia seeds. *Antioxidants*, 12(7), 1413.

Agarwal, S., Beausire, R., Patel, S., & Patel, H. (2015). Innovative Uses of Milk Protein Concentrates in Product Development. *Journal of Food Science*, 80, A 23-29.

Aggarwal, D., Sabikhi, L., & Kumar, M. S. (2016). Formulation of reduced-calorie biscuits using artificial sweeteners and fat replacer with dairy–multigrain approach. *NFS journal*, 2, 1-7.

Alfheaid, H. A., Barakat, H., Althwab, S. A., Musa, K. H., & Malkova, D. (2023). Nutritional and physicochemical characteristics of innovative high energy and protein fruit-and date-based bars. *Foods*, 12(14), 2777.

Aljaloud, S. O., & Ibrahim, S. A. (2013). Use of dietary supplements among professional athletes in Saudi Arabia. *Journal of nutrition and metabolism*, 2013.

Altoaimi, B. (2015). Developing a gluten, soy, dairy, and nut free energy bar with a suggested haccp plan (Doctoral dissertation, Oklahoma State University).

Amoye, S. (2006). Cocoa sourcing, world economics and supply. *The Manufacturing Confectioner*, 86(1), 81-85.

Aniche, G. N., & Palmer, G. H. (1990). Development of amylolytic activities in sorghum and barley malt. *Journal of the Institute of Brewing*, 96(6), 377-379.

References

- Anon, 2017, Central Food Technological Research Institute. Cereal bar, Mysore. India. <https://cftri.res.in/technologies/CONP/cb.pdf>.
- Anton, A. A., Fulcher, R. G., & Arntfield, S. D. (2009). Physical and nutritional impact of fortification of corn starch-based extruded snacks with common bean (*Phaseolus vulgaris* L.) flour: Effects of bean addition and extrusion cooking. *Food chemistry*, 113(4), 989-996.
- Aramouni, F. M., & Abu-Ghoush, M. H. (2011). Physicochemical and sensory characteristics of no-bake wheat–soy snack bars. *Journal of the Science of Food and Agriculture*, 91(1), 44-51.
- Arenas-Jal, M., Suñé-Negre, J. M., Pérez-Lozano, P., & García-Montoya, E. (2020). Trends in the food and sports nutrition industry: A review. *Critical reviews in food science and nutrition*, 60(14), 2405-2421.
- Australian Institute of Sports. (2014). Calcium Supplement. (www.ausport.gov.au/ais/nutrition/supplements) Last accessed on 22-7-22
- Ayatti, A. (2021). Incorporation of essential oils to improve the quality and shelf life of Protein Bars. <http://hdl.handle.net/10603/440805>
- Ayatti, A., Joshi, N., Jamuna, K. V., & KB, S. (2021). Effect of type of sweetener on the sensory parameters of protein bars.
- Babault, N., Païzis, C., Deley, G., Guérin-Deremaux, L., Saniez, M. H., Lefranc-Millot, C., & Allaert, F. A. (2015). Pea proteins oral supplementation promotes muscle thickness gains during resistance training: a double-blind, randomized, Placebo-controlled clinical trial vs. Whey protein. *Journal of the International Society of Sports Nutrition*, 12, 1-9.
- Bafna, P., & Manimehalai, N. (2014). Kokum Fruit Bar Development via Response Surface Methodology (RSM). *International Journal of Engineering Research and Applications*, 4(2), 223-230.

References

- Baixauli, R., Salvador, A., Hough, G., & Fiszman, S. M. (2008b). How information about fibre (traditional and resistant starch) influences consumer acceptance of muffins. *Food Quality and Preference*, 19(7), 628-635.
- Baixauli, R., Salvador, A., Martínez-Cervera, S., & Fiszman, S. M. (2008a). Distinctive sensory features introduced by resistant starch in baked products. *LWT-Food Science and Technology*, 41(10), 1927-1933.
- Balasubramanian, S., Singh, K.K., Patil, R.T. and Onkar, K.K. 2012. Quality evaluation of millet-soy blended extrudates formulated through linear programming. *Journal of Food Science and Technology*, 49(4): 450-458.
- Banach, J. C., Clark, S., & Lamsal, B. P. (2016). Instrumental and sensory texture attributes of high-protein nutrition bars formulated with extruded milk protein concentrate. *Journal of Food Science*, 81(5), S1254-S1262.
- Banaszek, A., Townsend, J. R., Bender, D., Vantrease, W. C., Marshall, A. C., & Johnson, K. D. (2019). The effects of whey vs. pea protein on physical adaptations following 8-weeks of high-intensity functional training (HIFT): A pilot study. *Sports*, 7(1), 12.
- Barakat, H., & Alfheaid, H. A. (2023). Date palm Fruit (*Phoenix dactylifera*) and its promising potential in developing functional energy bars: Review of chemical, nutritional, functional, and sensory attributes. *Nutrients*, 15(9), 2134.
- Baş, D., & Boyacı, İ. H. (2007). Modeling and optimization I: Usability of response surface methodology. *Journal of food engineering*, 78(3), 836-845.
- Beck, K. L., Thomson, J. S., Swift, R. J., & Von Hurst, P. R. (2015). Role of nutrition in performance enhancement and postexercise recovery. *Open access journal of sports medicine*, 259-267.
- Bergström, J., Hermansen, L., Hultman, E., & Saltin, B. (1967). Diet, muscle glycogen and physical performance. *Acta physiologica scandinavica*, 71(2-3), 140-150.
- Berrios, J. D. J. (2006). Extrusion cooking of legumes: Dry bean flours. *Encyclopedia of agricultural, food and biological engineering*, 1, 1-8.

References

- Bezerra, M. A., Santelli, R. E., Oliveira, E. P., Villar, L. S., & Escaleira, L. A. (2008). Response surface methodology (RSM) as a tool for optimization in analytical chemistry. *Talanta*, 76(5), 965-977.
- Bhide and Mandalika, (2018). Nutritional guidelines for sportspersons. Jaypee brothers medical publishers Ltd, first edition, ISBN: 978-93-5270-345-6
- Bili, M., & Taoukis, P. S. (1998). Evaluation of shelf life of flavored dehydrated products using accelerated shelf life testing and the Weibull Hazard sensory analysis. In *Developments in Food Science* (Vol. 40, pp. 627-637). Elsevier.
- Borror, C. M., Montgomery, D. C., & Myers, R. H. (2002). Evaluation of statistical designs for experiments involving noise variables. *Journal of Quality Technology*, 34(1), 54-70.
- Bourekoua, H., Djeghim, F., Ayad, R., Benabdelkader, A., Bouakkaz, A., Dziki, D., & Różyło, R. (2023). Development of Energy-Rich and Fiber-Rich Bars Based on Puffed and Non-Puffed Cereals. *Processes*, 11(3), 813.
- Bower, J. A., & Whitten, R. (2000). Sensory characteristics and consumer liking for cereal bar snack foods. *Journal of Sensory Studies*, 15(3), 327-345.
- Braun, H., Koehler, K., Geyer, H., Kleinert, J., Mester, J., & Schänzer, W. (2009). Dietary supplement use among elite young German athletes. *International journal of sport nutrition and exercise metabolism*, 19(1), 97-109.
- Bruns, R. E., Scarminio, I. S., & de Barros Neto, B. (2006). *Statistical design-chemometrics*. Elsevier.
- Burke, L. M. (2015). Re-examining high-fat diets for sports performance: did we call the 'nail in the coffin' too soon? *Sports medicine*, 45, 33-49.
- Burke, L. M., Castell, L. M., Casa, D. J., Close, G. L., Costa, R. J., Desbrow, B., & Stellingwerff, T. (2019). International association of athletics federations consensus statement 2019: nutrition for athletics. *International journal of sport nutrition and exercise metabolism*, 29(2), 73-84.

References

- Burke, L. M., Collier, G. R., Broad, E. M., Davis, P. G., Martin, D. T., Sanigorski, A. J., & Hargreaves, M. (2003). Effect of alcohol intake on muscle glycogen storage after prolonged exercise. *Journal of Applied Physiology*, 95(3), 983-990.
- Burke, L. M., Hawley, J. A., Wong, S. H., & Jeukendrup, A. E. (2013). Carbohydrates for training and competition. *Food, Nutrition and Sports Performance III*, 17-27.
- Burke, L. M., Ross, M. L., Garvican-Lewis, L. A., Welvaert, M., Heikura, I. A., Forbes, S. G. ... & Hawley, J. A. (2017). Low carbohydrate, high fat diet impairs exercise economy and negates the performance benefit from intensified training in elite race walkers. *The Journal of physiology*, 595(9), 2785-2807.
- Burke, L., & Cox, G. (1995). *Food for sports performance*. Allen & Unwin-Australia-1995.
- Burkhart, S. J., & Pelly, F. E. (2016). Dietary intake of athletes seeking nutrition advice at a major international competition. *Nutrients*, 8(10), 638.
- Candioti, L. V., De Zan, M. M., Cámara, M. S., & Goicoechea, H. C. (2014). Experimental design and multiple response optimization. Using the desirability function in analytical methods development. *Talanta*, 124, 123-138.
- Capling, L., Beck, K. L., Gifford, J. A., Slater, G., Flood, V. M., & O'Connor, H. (2017). Validity of dietary assessment in athletes: a systematic review. *Nutrients*, 9(12), 1313.
- Cermak, N. M., de Groot, L. C., Saris, W. H., & Van Loon, L. J. (2012). Protein supplementation augments the adaptive response of skeletal muscle to resistance-type exercise training: a meta-analysis. *The American journal of clinical nutrition*, 96(6), 1454-1464.
- Cessna, J. (2004). *Milk protein products and related government policy issues*. USDA, Agricultural Marketing Service.
- Chan, E. K., Quach, J., Mensah, F. K., Sung, V., Cheung, M., & Wake, M. (2012). Dark chocolate for children's blood pressure: randomised trial. *Archives of disease in childhood*, 97(7), 637-640.

References

Chandorkar S, Bardoliwala Y (2015). "An exploratory study on nutritional status, physical fitness and nutrition awareness among the foot ballers and cricketers of urban Vadodara". (Master's thesis). Department of foods and nutrition, Faculty of family and community sciences, The M.S.University, Baroda.

Chapman, K. W., Lawless, H. T., & Boor, K. J. (2001). Quantitative descriptive analysis and principal component analysis for sensory characterization of ultrapasteurized milk. *Journal of dairy science*, 84(1), 12-20.

Chapple, C. I., Burnett, A. J., Woods, J. L., & Russell, C. G. (2024). A cross-sectional study of sports food consumption patterns, experiences, and perceptions amongst non-athletes.

Chauhan (2017)

<https://epgp.inflibnet.ac.in/Home/ViewSubject?catid=NuAs6SreCGryddEfs4kkBA==>

Chauhan K, Inamdar V (2015). "Nutritional status, physical fitness profile and assessment of knowledge and practices of hockey and tennis players of urban Vadodara". (Master's thesis). Department of foods and nutrition, Faculty of family and community sciences, The M.S.University, Baroda.

Chauhan, Komal & Joshi, Nikita. (2019). Impact Evaluation of Nutrition Health Education on Nutritional and Physiological Knowledge Scores of Hockey Athletes. *The Indian Journal of Home Science*, The Home Science Association Of India, 31(2), 78-84.

Cherian, K. S., Gavaravarapu, S. M., Sainoji, A., & Yagnambhatt, V. R. (2020). Coaches' perceptions about food, appetite, and nutrition of adolescent Indian athletes- A qualitative study. *Heliyon*, 6(2).

Chitkara, M. A. N. S. I., Kohli, R. A. J. N. I. T., Sandhu, I. S., Singh, D. I. D. A. R., & Sindhu, R. K. (2017). Development and nutritional, organoleptic, biochemical analysis of polyherbal (stevia, banana, cocoa butter, oats) energy bar. *Journal of Advances in Food Science & Technology*, 4(2), 63.

Clifford, J., & Maloney, K. (2015). *Nutrition for athletes*. Colorado State: University Extension.

References

- Colombani, P. C., & Mettler, S. (2011). Role of dietary proteins in sports. *International Journal for Vitamin and Nutrition Research*, 81(2), 120.
- Constantin, O. E., & Istrati, D. I. (2018). Functional properties of snack bars. *Functional foods*, 1-14.
- Coyle, E. F. (2004). Fluid and fuel intake during exercise. *Food, Nutrition and Sports Performance II*, 63-91.
- Coyle, E. F., Jeukendrup, A. E., Wagenmakers, A. J., & Saris, W. H. (1997). Fatty acid oxidation is directly regulated by carbohydrate metabolism during exercise. *American Journal of Physiology-Endocrinology and Metabolism*, 273(2), E268-E275.
- Cribb, P. J., Williams, A. D., Carey, M. F., & Hayes, A. (2006). The effect of whey isolate and resistance training on strength, body composition, and plasma glutamine. *International journal of sport nutrition and exercise metabolism*, 16(5), 494-509.
- Cui, P., Li, M., Yu, M., Liu, Y., Ding, Y., Liu, W., & Liu, J. (2022). Advances in sports food: Sports nutrition, food manufacture, opportunities and challenges. *Food Research International*, 157, 111258.
- Da Silva, E. P., Siqueira, H. H., do Lago, R. C., Rosell, C. M., & Vilas Boas, E. V. D. B. (2014). Developing fruit-based nutritious snack bars. *Journal of the Science of Food and Agriculture*, 94(1), 52-56.
- Da Silveira, M. P., da Silva Fagundes, K. K., Bizuti, M. R., Starck, É., Rossi, R. C., & de Resende E Silva, D. T. (2021). Physical exercise as a tool to help the immune system against COVID-19: an integrative review of the current literature. *Clinical and experimental medicine*, 21(1), 15-28. 1
- Dantas de Lucas, R., Caputo, F., Mendes de Souza, K., Sigwalt, A. R., Ghisoni, K., Lock Silveira, P. C., ... & Latini, A. (2014). Increased platelet oxidative metabolism, blood oxidative stress and neopterin levels after ultra-endurance exercise. *Journal of sports sciences*, 32(1), 22-30.
- Dar, S. N., Zehra, N., Javed, F., Fatima, M., Saleem, S., Firdous, K., & Nadeem, A. (2023). DEVELOPMENT OF COST-EFFECTIVE AND NUTRITIOUS SNACK BAR

References

- FROM LOCALLY AVAILABLE INGREDIENTS. *International Journal of Pharmacy & Integrated Health Sciences*, 4(2), 112-117.
- Darniadi, S., Adiandri, R. S., & Hidayah, N. (2012). Optimizing formula of composite flour-based snack bar for emergency food product (efp). In *II Asia Pacific Symposium on Postharvest Research Education and Extension: APS2012 1011* (pp. 251-258).
- De la Fuente, M. A., Singh, H., & Hemar, Y. (2002). Recent advances in the characterisation of heat-induced aggregates and intermediates of whey proteins. *Trends in Food Science & Technology*, 13(8), 262-274.
- DeCesaris, L. (2023). The Role of Functional Nutrition in Preventing Overtraining Syndrome & Optimizing Athletic Performance. *Nutrition*.
- Deepa, M., Nirmal, R. M., Vimalarani, M., & Sudha, K. (2021). Optimization and evaluation of nutritional quality of breakfast bar using response surface methodology.
- Demirel, M., & Kayan, B. (2012). Application of response surface methodology and central composite design for the optimization of textile dye degradation by wet air oxidation. *International Journal of Industrial Chemistry*, 3, 1-10.
- Deota, P., & Chandorkar, S. (2016). Composition of Protein Supplements-A Web Based Survey. *Int J Sci Res*, 5(11), 786-9.
- Deota, P., & Chandorkar, S. (2023). Knowledge, Attitude and Practices with respect to Sports Nutrition of Elite Cricketers from India and Impact Evaluation of Nutrition Education Module, 19 January 2023, PREPRINT (Version 1) available at Research Square.
- Devi, M. P., & Sangeetha, N. (2013). Extraction and dehydration of millet milk powder for formulation of extruded product. *IOSR Journal of Environmental Science, Toxicology and Food Technology*, 7(1), 63-70.
- Devries, M. C., & Phillips, S. M. (2015). Supplemental protein in support of muscle mass and health: advantage whey. *Journal of food science*, 80(S1), A8-A15.

References

- Duke, S. H., & Henson, C. A. (2008). A comparison of barley malt quality measurements and malt sugar concentrations. *Journal of the American Society of Brewing Chemists*, 66(3), 151-161.
- Dumbrava, D. G., Tulpan, R. M., Moldovan, C., Atena Poiana, M., Raba, D. N., Popa, V. M., & Hadaruga, N. G. (2021). Innovative protein bar-obtaining and evaluating of some physico-chemical and nutritional characteristics. *Journal of Agroalimentary Processes & Technologies*, 27(2).
- Egal, A., & Oldewage-Theron, W. (2020). Extruded food products and their potential impact on food and nutrition security. *South African Journal of Clinical Nutrition*, 33(4), 142-143.
- Eggum, B. (1991). Comments on report of a joint FAO/WHO expert consultation on protein quality evaluation, Rome 1990. *Zeitschrift für Ernährungswissenschaft*, 30, 81-88.
- Ek, P., Baner, J. M., & Ganjyal, G. M. (2020). Extrusion processing of cereal grains, tubers, and seeds. In *Extrusion Cooking* (pp. 225-263). Woodhead Publishing.
- Elliot, T. A., Cree, M. G., Sanford, A. P., Wolfe, R. R., & Tipton, K. D. (2006). Milk ingestion stimulates net muscle protein synthesis following resistance exercise. *Medicine & Science in Sports & Exercise*, 38(4), 667-674.
- Fang, Y., Rogers, S., Selomulya, C., & Chen, X. D. (2012). Functionality of milk protein concentrate: Effect of spray drying temperature. *Biochemical Engineering Journal*, 62, 101-105.
- Farajzadeh, D., & Golmakani, M. T. (2011). Formulation and experimental production of energy bar and evaluating its shelf-life and qualitative properties. *Journal of Military Medicine*, 13(3), 181-187.
- Faria, W. C. S., Giordani, M. A., da Silva Arcas, A., Cavenaghi, D. F. L. C., de Oliveira, A. P., Dos Santos, J. F., & Barros, W. M. (2018). Novel soybean-based high protein bar rich in isoflavones improves insulin sensitivity in diabetic Wistar rats. *Journal of food science and technology*, 55(1), 21–32.

References

- Ferreira, M. S., Santos, M. C., Moro, T. M., Basto, G. J., Andrade, R. M., & Gonçalves, É. C. (2015). Formulation and characterization of functional foods based on fruit and vegetable residue flour. *Journal of food science and technology*, 52, 822-830.
- Filli, K. B., Jideani, A. I., & Jideani, V. A. (2014). Extrusion bolsters food security in Africa. *Food Technology*, 68(8), 45-55.
- Fink, H. H., & Mikesky, Burgoon, L. A. (2011). *Practical Applications in Sports Nutrition*. Jones & Bartlett Learning.
- Foegeding, E. A., Daubert, C. R., Drake, M. A., Essick, G., Trulsson, M., Vinyard, C. J., & Van de Velde, F. (2011). A comprehensive approach to understanding textural properties of semi-and soft-solid foods. *Journal of Texture Studies*, 42(2), 103-129.
- Food Safety and Standards (Advertising and Claims) Regulations, 2018, https://www.fssai.gov.in/upload/uploadfiles/files/Compendium_Advertising_Claims_Regulations_14_12_2022.pdf.
- Fouillet, H., Gaudichon, C., Mariotti, F., Bos, C., Huneau, J. F., & Tome, D. (2001). Energy nutrients modulate the splanchnic sequestration of dietary nitrogen in humans: a compartmental analysis. *American Journal of Physiology-Endocrinology and Metabolism*, 281(2), E248-E260.
- Franzen, K. L., & Kinsella, J. E. (1976). Functional properties of succinylated and acetylated soy protein. *Journal of Agricultural and Food Chemistry*, 24(4), 788-795.
- FSS Regulations (www.fssai.gov.in). Ministry of Health and Family Welfare. The Food Safety and Standards Rules, 2019.
- Galloway, S. D., & Maughan, R. J. (1997). Effects of ambient temperature on the capacity to perform prolonged cycle exercise in man. *Medicine and science in sports and exercise*, 29(9), 1240-1249.
- Garcia, M. C., Lobato, L. P., Benassi, M. D. T., & Soares Júnior, M. S. (2012). Application of roasted rice bran in cereal bars. *Food science and technology*, 32, 718-724.
- Garthe, I., & Maughan, R. J. (2018). Athletes and supplements: prevalence and perspectives. *International journal of sport nutrition and exercise metabolism*, 28(2), 126-138.

References

- Gazettedoi, N. U. T. R. I. T. I. O. N. (2019). James Hill, PhD, New Chair Of Nutrition Sciences And Director Of Nutrition Obesity Research Centre At University Of Alabama, Birmingham.
- Géci, A., Krivošíková, A., Nagyová, Ľ., & Cagáňová, D. (2020). The influence of lifestyle on consumer behavior and decision making in research aimed at protein bars. *Slovak Journal of Food Sciences*, 14.
- George, W., & Latimer, J. (2019). Official method of analysis of AOAC by AOAC International.
- Ghorbannezhad, P., Bay, A., Yolmeh, M., Yadollahi, R., & Moghadam, J. Y. (2016). Optimization of coagulation–flocculation process for medium density fiberboard (MDF) wastewater through response surface methodology. *Desalination and Water Treatment*, 57(56), 26916-26931.
- Gilbert, K., & Prusa, K. J. (2021). Food Product Development Lab Manual. Iowa State University.
- Gill, A., & Singh, A. K. (2020). Energy bars: quick, healthy and wholesome snack for adolescents. *Traditional Lifestyle and Adolescents*.
- Giri, N. A., & Mridula, D. (2016). Development of energy bar utilizing potato extrudates. *Asian Journal of Dairy and Food Research*, 35(3), 241-246.
- Gleeson, M., Nieman, D. C., & Pedersen, B. K. (2004). Exercise, nutrition and immune function. *Journal of sports sciences*, 22(1), 115-125.
- Gojiya, N.S., & Patel, S.M. (1998). Soya-milk chocolate by panning process. *Journal of Dairying, Foods and Home Sciences*, 17, 149-156.
- Gonzalez, E., & Draganchuk, M. (2003). Flavoring nutrition bars. *Cereal foods world*, 48(5), 250.
- Gordon, M. (1993). Fats and fatty foods. In *Food industries manual* (pp. 288-327). Boston, MA: Springer US.
- Graham-Paulson, T. S., Perret, C., Smith, B., Crosland, J., & Goosey-Tolfrey, V. L. (2015). Nutritional supplement habits of athletes with an impairment and their sources

References

- of information. *International journal of sport nutrition and exercise metabolism*, 25(4), 387-395.
- Gray, J., Armstrong, G., & Farley, H. (2003). Opportunities and constraints in the functional food market. *Nutrition & Food Science*, 33(5), 213-218.
- Gu, L., House, S. E., Rooney, L. W., & Prior, R. L. (2008). Sorghum extrusion increases bioavailability of catechins in weanling pigs. *Journal of Agricultural and Food Chemistry*, 56(4), 1283-1288.
- Gunyaphan, S., On-Nom, N., Suttisansanee, U., Nana, A., Chamchan, R., Khemthong, C., & Chupeerach, C. (2020). Product qualities and sensory evaluation of high protein snack bar incorporated with pea protein isolate. *Food Research*, 4, 51-55.
- Gupta, K. Formulation Of Health Promoting Geriatric Food Products Physicochemical Microbiological And Organoleptic Characterization (2016)-PhD Thesis. <http://hdl.handle.net/10603/190817>
- Gupta, K., Verma, M., Jain, P., & Jain, M. (2014). Process optimization for producing cowpea added instant kheer mix using response surface methodology. *Journal of Nutrition Health and Food Engineering*, 1(5), 00030.
- Gupta, M., & Sridevi, D. (2022) EVALUATION OF SENSORY, PHYSICAL AND PHYSIO-CHEMICAL ANALYSIS OF HIGH FIBRE ROASTED MULTI MIX FORMULATED PASTA. *Dogo Rangsang Research Journal UGC Care Group I Journal*, Vol-12(12), 1-11.
- Gurumani, N. (2019). *Scientific thesis writing and paper presentation*. MJP Publisher.
- Ha, E., & Zemel, M. B. (2003). Functional properties of whey, whey components, and essential amino acids: mechanisms underlying health benefits for active people. *The Journal of nutritional biochemistry*, 14(5), 251-258.
- Harper, J. M. (1994). *The technology of extrusion cooking*. N. Frame (Ed.). Glasgow: Blackie Academic & Professional.
- Hartman, J. W., Tang, J. E., Wilkinson, S. B., Tarnopolsky, M. A., Lawrence, R. L., Fullerton, A. V., & Phillips, S. M. (2007). Consumption of fat-free fluid milk after

References

resistance exercise promotes greater lean mass accretion than does consumption of soy or carbohydrate in young, novice, male weightlifters. *The American journal of clinical nutrition*, 86(2), 373-381.

Hasler, C. M. (2002). The cardiovascular effects of soy products. *Journal of cardiovascular nursing*, 16(4), 50-63.

Hawley, J. A., & Burke, L. M. (2010). Carbohydrate availability and training adaptation: effects on cell metabolism. *Exercise and sport sciences reviews*, 38(4), 152-160.

Hayes, A., & Cribb, P. J. (2008). Effect of whey protein isolate on strength, body composition and muscle hypertrophy during resistance training. *Current Opinion in Clinical Nutrition & Metabolic Care*, 11(1), 40-44.

Heaton, L. E., Davis, J. K., Rawson, E. S., Nuccio, R. P., Witard, O. C., Stein, K. W., ... & Baker, L. B. (2017). Selected in-season nutritional strategies to enhance recovery for team sport athletes: a practical overview. *Sports Medicine*, 47, 2201-2218.

Hector, A. J., & Phillips, S. M. (2018). Protein recommendations for weight loss in elite athletes: A focus on body composition and performance. *International journal of sport nutrition and exercise metabolism*, 28(2), 170-177.

Helland, H. S., Leufvén, A., Bengtsson, G. B., Skaret, J., Lea, P., & Wold, A. B. (2016). Storage of fresh-cut swede and turnip in modified atmosphere: effects on vitamin C, sugars, glucosinolates and sensory attributes. *Postharvest Biology and Technology*, 111, 150-160.

Hida, A., Hasegawa, Y., Mekata, Y., Usuda, M., Masuda, Y., Kawano, H., & Kawano, Y. (2012). Effects of egg white protein supplementation on muscle strength and serum free amino acid concentrations. *Nutrients*, 4(10), 1504-1517.

Ho, L. H., Tang, J. Y. H., Akma, S. M., Aiman, H. M., & Roslan, A. (2016). Development of novel "energy" snack bar by utilizing local Malaysian ingredients. *International Food Research Journal*, 23(5), 2280.

Hoffman J, & Falvo M. (2004). Protein – Which is best ? *Journal of Sports Science and Medicine*, 3, 118–130.

References

- Hoffman, J. R., & Maresh, C. M. (2011). Nutrition and hydration issues for combat sport athletes. *Strength & Conditioning Journal*, 33(6), 10-17.
- Hogan, S. A., Chaurin, V., O'Kennedy, B. T., & Kelly, P. M. (2012). Influence of dairy proteins on textural changes in high-protein bars. *International Dairy Journal*, 26(1), 58-65.
- Hogenkamp, P. S., Stafleu, A., Mars, M., Brunstrom, J. M., & de Graaf, C. (2011). Texture, not flavor, determines expected satiation of dairy products. *Appetite*, 57(3), 635-641.
- Hopkins, E., Sanvictores, T., & Sharma, S. (2022). *Physiology, acid base balance*. In StatPearls Publishing.
- <https://www.grandviewresearch.com/industry-analysis/healthy-snack-market>
- <https://www.polarismarketresearch.com/industry-analysis/protein-bar-market>.
- Hull, P. (2010). *Glucose syrups: technology and applications*. John Wiley & Sons.
- Hulmi, J. J., Lockwood, C. M., & Stout, J. R. (2010). Effect of protein/essential amino acids and resistance training on skeletal muscle hypertrophy: A case for whey protein. *Nutrition & metabolism*, 7, 1-11.
- Hunnicut, D. (2006). *Getting Active*.
- ILSI- India, NIN, SAI. *Nutrition and hydration Guidelines for excellence in sports performance*; 2007: 48-49.
- Imtiaz, S. R., KUHN-SHERLOCK, B. A. R. B. A. R. A., & Campbell, M. (2012). Effect of dairy protein blends on texture of high protein bars. *Journal of texture studies*, 43(4), 275-286.
- Irlandoust, K. (2023). The Interplay of Nutrition, Physiology, and Performance in Sports: A Comprehensive Review. *Health Nexus*, 1(3), 21-30.
- Ixtaina, V. Y., Martínez, M. L., Spotorno, V., Mateo, C. M., Maestri, D. M., Diehl, B. W., ... & Tomás, M. C. (2011). Characterization of chia seed oils obtained by pressing and solvent extraction. *Journal of Food Composition and Analysis*, 24(2), 166-174.

References

- Izydorczyk, M. S., Storsley, J., Labossiere, D., MacGregor, A. W., & Rossnagel, B. G. (2000). Variation in total and soluble β -glucan content in hulless barley: effects of thermal, physical, and enzymic treatments. *Journal of Agricultural and Food Chemistry*, 48(4), 982-989.
- Jabeen, S., Huma, N., Sameen, A., & Zia, M. A. (2020). Formulation and characterization of protein-energy bars prepared by using dates, apricots, cheese and whey protein isolate. *Food science and technology*, 41, 197-207.
- Jäger, R., Kerksick, C. M., Campbell, B. I., Cribb, P. J., Wells, S. D., Skwiat, T. M., ... & Antonio, J. (2017). International society of sports nutrition position stand: protein and exercise. *Journal of the International Society of Sports Nutrition*, 14, 1-25.
- Jatav, A. K., & Bhatt, D. K. (2020). Development and evaluation of protein rich extruded puffed product using corn, rice, and soy protein isolate (SPI) flour. *Plant Archives*, 20(2), 1718-1721.
- Jayabalan, K., & Karthikeyan, C. (2013). Optimization of ingredients for sensory evaluation of Aloe vera jam preparation using response surface methodology (RSM). *International Journal of Engineering Research and Applications*, 3(1), 1224-1234.
- Jentjens, R. L., & Jeukendrup, A. E. (2005). High rates of exogenous carbohydrate oxidation from a mixture of glucose and fructose ingested during prolonged cycling exercise. *British Journal of Nutrition*, 93(4), 485-492.
- Jetavat, K. J., Patel, A. M., & Balakrishnan, S. (2020). Sensory, physico-chemical, textural and microbial changes in milk protein concentrate and cereal based energy bar during storage. *Int. J. Curr. Microbiol. App. Sci*, 9(07), 697-707.
- Jeukendrup, A., & Gleeson, M. (2019). Sport nutrition. *Human Kinetics*.
- Johnson, D. W. (1975). Use of soy products in dairy product replacement.
- Jones, D. B. (1941). Factors for converting percentages of nitrogen in foods and feeds into percentages of proteins (Vol. 183, p. 22). Washington, DC: US Department of Agriculture.
- Josse, A. R., Atkinson, S. A., Tarnopolsky, M. A., & Phillips, S. M. (2011). Increased consumption of dairy foods and protein during diet-and exercise-induced weight loss

References

promotes fat mass loss and lean mass gain in overweight and obese premenopausal women. *The Journal of nutrition*, 141(9), 1626-1634.

Josse, A. R., Tarnopolsky, M., & Phillips, S. M. (2009). Body Composition and Strength Changes in Women with Milk and Resistance Exercise. *Medicine and science in sports and exercise*.

Jovanov, P., Sakač, M., Jurdana, M., Pražnikar, Z. J., Kenig, S., Hadnađev, M., ... & Marić, A. (2021). High-protein bar as a meal replacement in elite sports nutrition: a pilot study. *Foods*, 10(11), 2628.

Kalman, D., Feldman, S., Samson, A., & Krieger, D. R. (2013). A comparative study evaluating raisins versus granola bars on feelings of energy in healthy mothers.

Kamel, B. S., & Kramer, A. (1977). DEVELOPMENT OF HIGH-PROTEIN DATE BARS AND THEIR STABILITY AT DIFFERENT STORAGE TEMPERATURES 1 2. *Journal of Food Quality*, 1(4), 359-371.

Kårlund, A., Gómez-Gallego, C., Turpeinen, A. M., Palo-Oja, O. M., El-Nezami, H., & Kolehmainen, M. (2019). Protein supplements and their relation with nutrition, microbiota composition and health: is more protein always better for sportspeople? *Nutrients*, 11(4), 829.

Kaur, A., Kochhar, A., & Prasad, P. (2016). Nutritional evaluation of value added products using potato flour. *International Journal of Health Sciences and Research*, 6(1), 466-472.

Kaur, L., Mao, B., Beniwal, A. S., Kaur, R., Chian, F. M., & Singh, J. (2022). Alternative proteins vs animal proteins: The influence of structure and processing on their gastro-small intestinal digestion. *Trends in Food Science & Technology*, 122, 275-286.

Kaushik, R., Saran, S., Isar, J., & Saxena, R. K. (2006). Statistical optimization of medium components and growth conditions by response surface methodology to enhance lipase production by *Aspergillus carneus*. *Journal of Molecular Catalysis B: Enzymatic*, 40(3-4), 121-126.

References

- Keefer, H. R. M., Nishku, S., Gerard, P. D., & Drake, M. A. (2020). Role of sweeteners on temporality and bar hardening of protein bars. *Journal of dairy science*, 103(7), 6032-6053.
- Kelkar, G. (2007) Effect of Antioxidant Supplementation on Sports Performance of Selected Indian Athletes. shodhganga.inflibnet.ac.in.
- Kerksick, C. M., Arent, S., Schoenfeld, B. J., Stout, J. R., Campbell, B., Wilborn, C. D., & Antonio, J. (2017). International Society of Sports Nutrition position stand: nutrient timing. *Journal of the international society of sports nutrition*, 14(1), 33.
- Kern, M., Heslin, C. J., & Rezende, R. S. (2007). Metabolic and performance effects of raisins versus sports gel as pre-exercise feedings in cyclists. *The Journal of Strength & Conditioning Research*, 21(4), 1204-1207.
- Knapik, J. J., Steelman, R. A., Hoedebecke, S. S., Austin, K. G., Farina, E. K., & Lieberman, H. R. (2016). Prevalence of dietary supplement use by athletes: systematic review and meta-analysis. *Sports Medicine*, 46, 103-123.
- Kreider, R. B., Wilborn, C. D., Taylor, L., Campbell, B., Almada, A. L., Collins, R., ... & Antonio, J. (2010). ISSN exercise & sport nutrition review: research & recommendations. *Journal of the international society of sports nutrition*, 7(1), 7.
- Kulshrestha, N., Jha, Y. K., & Admassu, S. (2012). Optimization of ingredients level in low calorie-high protein papaya fruit bar using response surface methodology. *J. Food Process Technol*, 3, 193-197.
- Kumar, K. A., Sharma, G. K., Khan, M. A., & Semwal, A. D. (2015). Optimization of multigrain premix for high protein and dietary fibre biscuits using response surface methodology (RSM). *Food and Nutrition Sciences*, 6(09), 747.
- Legg, D., Fay, T., Wolff, E., & Hums, M. (2015). The International Olympic Committee–International Paralympic Committee Relationship: Past, Present, and Future. *Journal of Sport and Social Issues*, 39(5), 371-395.
- Lemon, P. W. (2000). Beyond the zone: protein needs of active individuals. *Journal of the American College of Nutrition*, 19(sup5), 513S-521S.

References

- Li, S. Q., Zhang, H. Q., Tony Jin, Z., & Hsieh, F. H. (2005). Textural modification of soya bean/corn extrudates as affected by moisture content, screw speed and soya bean concentration. *International journal of food science & technology*, 40(7), 731-741.
- Li, Y., Szlachetka, K., Chen, P., Lin, X., & Ruan, R. (2008). Ingredient characterization and hardening of high-protein food bars: an NMR state diagram approach. *Cereal chemistry*, 85(6), 780-786.
- Longvah, T., Anantan, I., Bhaskarachary, K., Venkaiah, K., & Longvah, T. (2017). Indian food composition tables (pp. 2-58). Hyderabad: National Institute of Nutrition, Indian Council of Medical Research.
- Loucks, A. B., Kiens, B., & Wright, H. H. (2013). Energy availability in athletes. *Food, Nutrition and Sports Performance III*, 7-15.
- Loveday, S. M., Hindmarsh, J. P., Creamer, L. K., & Singh, H. (2009). Physicochemical changes in a model protein bar during storage. *Food Research International*, 42(7), 798-806.
- Loveday, S. M., Hindmarsh, J. P., Creamer, L. K., & Singh, H. (2010). Physicochemical changes in intermediate-moisture protein bars made with whey protein or calcium caseinate. *Food Research International*, 43(5), 1321-1328.
- Lu, N., & Zhou, P. (2019). Whey protein-based nutrition bars. In *Whey Proteins* (pp. 495-517). Academic Press.
- Luneeva, O. L., & Zakirova, V. G. (2017). Integration of mathematical and natural-science knowledge in school students' project-based activity. *EURASIA Journal of Mathematics, Science and Technology Education*, 13(7), 2821-2840.
- Lusas, E. W., & Riaz, M. N. (1995). Soy protein products: processing and use. *The Journal of nutrition*, 125, 573S-580S.
- Mahawar, M. K., Jalgaonkar, K., Bibwe, B., Kulkarni, T., Bhushan, B., & Meena, V. S. (2018). Optimization of mixed aonla-guava fruit bar using response surface methodology. *Nutrition & Food Science*, 48(4), 621-630.

References

- Małecki, J., Tomasevic, I., Djekic, I., & Sołowiej, B. G. (2020). The effect of protein source on the physicochemical, nutritional properties and microstructure of high-protein bars intended for physically active people. *Foods*, 9(10), 1467.
- Malla, H. B., Dhingra, M., & Lal, P. R. (2017). Nutritional status of athletes: a review. *Int. J. Phys. Educ. Sports Health*, 2, 895-904.
- Maltby, A. (2014, November-December). Mandy Ingber stretches her limits. *Natural Health*, 44(6), 28.
- Manay, N. S. O. (2001). *Food: facts and principles*. New Age International.
- Manickavasagan, A., Abbas, I., Cork, L., Khan, M. A., Al-Rahbi, S., Subramanian, K., & Reicks, M. (2016). Acceptability of reformulated whole-grain products using net acceptance score (NAS) and relative acceptance score (RAS). *International Journal of Nutrition, Pharmacology, Neurological Diseases*, 6(1), 12-22.
- Martens, M. J., & Westerterp-Plantenga, M. S. (2012). Mode of consumption plays a role in alleviating hunger and thirst. *Obesity*, 20(3), 517-524.
- Martinez, B., Rincón, F., Ibanez, M. V., & Bellán, P. A. (2004). Improving the nutritive value of homogenized infant foods using response surface methodology. *Journal of food science*, 69(1), SNQ38-SNQ43.
- Maughan R, Burke L, Dvorak J, Larson-Meyer D, Peeling P, Phillips S, Rawson E, Walsh N, Garthe I, Geyer H, Meeusen R, Loon L, Shirreffs S, Spriet L, Stuart M, Vern A (2018). IOC consensus statement: dietary supplements and the high-performance athlete. *British Journal of Sports Medicine*, 52, 439–455.
- Maughan, R. J. (2013). Quality assurance issues in the use of dietary supplements, with special reference to protein supplements. *The Journal of nutrition*, 143(11), 1843S-1847S.
- Maughan, R., Burke, L., & Coyle, E. F. (2012). Nutrition for athletes. *IOC Nutrition Guidelines*, 43-47.
- McArdle, W. D. (2018). *Sports and exercise nutrition*. Lippincott Williams & Wilkins.

References

- McDowall, J. A. (2007). Supplement use by young athletes. *Journal of sports science & medicine*, 6(3), 337.
- McMahon, D. J., Adams, S. L., & McManus, W. R. (2009). Hardening of high-protein nutrition bars and sugar/Polyol-Protein Phase Separation. *Journal of Food Science*, 74(6), E312-E321.
- Meilgaard, M. C., Carr, B. T., & Civille, G. V. (1999). *Sensory evaluation techniques*. CRC press.
- Menezes, E. W., de Melo, A. T., Lima, G. H., & Lajolo, F. M. (2004). Measurement of carbohydrate components and their impact on energy value of foods. *Journal of Food Composition and Analysis*, 17(3-4), 331-338.
- Mestdag, I. (2005). Disappearance of the traditional meal: temporal, social and spatial destructuration. *Appetite*, 45(1), 62-74.
- Miller, J., & Miller, J. C. (2018). *Statistics and chemometrics for analytical chemistry*. Pearson education.
- Millward, D. J., Layman, D. K., Tomé, D., & Schaafsma, G. (2008). Protein quality assessment: Impact of expanding understanding of protein and amino acid needs for optimal health. *American Journal of Clinical Nutrition*, 87(5), 1576S-1581S.
- Mizrahi, S. (2004). Accelerated shelf-life tests. Understanding and measuring the shelf-life of food, 318-339.
- Mohammed, S., & Pattan, N. (2022). An overview on nutritional composition and therapeutic benefits of sesame seeds (*Sesamum indicum*). *Int. J. Res. Appl. Sci. Eng. Technol*, 10, 1119-1127.
- Moore, D. R., Robinson, M. J., Fry, J. L., Tang, J. E., Glover, E. I., Wilkinson, S. B., & Phillips, S. M. (2009). Ingested protein dose response of muscle and albumin protein synthesis after resistance exercise in young men. *The American journal of clinical nutrition*, 89(1), 161-168.
- Morton, R. W., Murphy, K. T., McKellar, S. R., Schoenfeld, B. J., Henselmans, M., Helms, E., ... & Phillips, S. M. (2018). A systematic review, meta-analysis and meta-

References

regression of the effect of protein supplementation on resistance training-induced gains in muscle mass and strength in healthy adults. *British journal of sports medicine*, 52(6), 376-384.

Mościcki, L., & van Zuilichem, D. J. (2011). Extrusion-cooking and related technique. *Extrusion-cooking techniques: Applications, theory and sustainability*, 1-24.

Mouécoucou, J., Villaume, C., Sanchez, C., & Méjean, L. (2004). Effects of gum arabic, low methoxy pectin and xylan on in vitro digestibility of peanut protein. *Food Research International*, 37(8), 777-783.

Moure, A., Domínguez, H., & Parajó, J. C. (2006). Antioxidant properties of ultrafiltration-recovered soy protein fractions from industrial effluents and their hydrolysates. *Process biochemistry*, 41(2), 447-456.

Mridula, D., Singh, K. K., & Barnwal, P. (2013). Development of omega-3 rich energy bar with flaxseed. *Journal of Food Science and Technology*, 50(5), 950-957.

Mubarak, A. H., Heikal, Y. A., & Salem, E. (2022). Effect Replacing Sugar With Date Powder On Biscuit Quality. *Journal of Pharmaceutical Negative Results*, 1755-1770.

Muwonge, H., Zavuga, R., Kabenge, P. A., & Makubuya, T. (2017). Nutritional supplement practices of professional Ugandan athletes: a cross-sectional study. *Journal of the International Society of Sports Nutrition*, 14(1), 41.

Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M. (2016). *Response surface methodology: process and product optimization using designed experiments*. John Wiley & Sons.

Nabuco, H. C. G., Rodrigues, V. B., Barros, W. M. D., Ravagnani, F. C. D. P., Espinosa, M. M., & Ravagnani, C. D. F. C. (2017). Use of dietary supplements among Brazilian athletes. *Revista de Nutrição*, 30, 163-173.

Nadeem, M., Haseeb, M., & Aziz Awan, J. (2012). Development and physico-chemical characterization of apricot-date bars. *Journal of Agricultural Research* (03681157), 50(3).

References

- Nadeem, M., Muhammad Anjum, F., Murtaza, M. A., & Mueen-ud-Din, G. (2012). Development, characterization, and optimization of protein level in date bars using response surface methodology. *The Scientific World Journal*, 2012.
- Namdeti, R., & Pulipati, K. (2013). Response surface methodology as an optimizing tool for removal of mercury from aqueous solution using *Ficus Hispida* L.
- National Research Council, Commission on Life Sciences, & Subcommittee on the Tenth Edition of the Recommended Dietary Allowances. (1989). Recommended dietary allowances.
- Ogundele, O. M., Awolu, O. O., Badejo, A. A., Nwachukwu, I. D., & Fagbemi, T. N. (2016). Development of functional beverages from blends of *Hibiscus sabdariffa* extract and selected fruit juices for optimal antioxidant properties. *Food science & nutrition*, 4(5), 679-685.
- Ohr, L. M. (1997). Fortifying for the health of it. *Prepared foods*, 166(12).
- Onwulata, C. I., Konstance, R. P., Smith, P. W., & Holsinger, V. H. (2001). Co-extrusion of dietary fiber and milk proteins in expanded corn products. *LWT-Food Science and Technology*, 34(7), 424-429.
- Orlandi, C. (2022). Dehydration in endurance sports: risks to performance and how to manage it.
- Padmashree, A., Negi, N., Haridas, S., Govindaraj, T., Kumar, K. R. A., Semwal, A. D., & Sharma, G. K. (2018). Development and quality evaluation of choco quinoa nutri bar during storage. *Food and Nutrition Sciences*, 9(7), 899-914.
- Padmashree, A., Sharma, G. K., & Govindaraj, T. (2013). Development and evaluation of shelf stability of flaxoat nutty bar in different packaging materials.
- Padmashree, A., Sharma, G. K., Srihari, K. A., & Bawa, A. S. (2012). Development of shelf stable protein rich composite cereal bar. *Journal of food science and technology*, 49, 335-341.
- Pallavi, B. V., Chetana, R., Ravi, R., & Reddy, S. Y. (2015). Moisture sorption curves of fruit and nut cereal bar prepared with sugar and sugar substitutes. *Journal of food science and technology*, 52, 1663-1669.

References

- Panandiker, D. H. P. (2007). Nutrition and Hydration Guidelines for Excellence in Sports Performance, International life sciences institute, National Institute of nutrition and Sports Authority of India, 36–37.
- Pardo, E., Marín, S., Sanchis, V., & Ramos, A. J. (2004). Prediction of fungal growth and ochratoxin A production by *Aspergillus ochraceus* on irradiated barley grain as influenced by temperature and water activity. *International Journal of Food Microbiology*, 95(1), 79-88.
- Patel, S., Wagh, S., Patil, R. T., Sinha, L. K., & Bakane, P. H. (2004). Studies on value addition of nutri-cereals by extrusion cooking. *J Agric*, (2004), 9.
- Patil, H. N., & Pol, R. (2014). A study on effects of standardized recipes of bakery products in Pune region. *International Journal of Multidisciplinary Consortium*, 1(3), 82-91.
- Paul, G. L. (2009). The rationale for consuming protein blends in sports nutrition. *Journal of the American college of Nutrition*, 28(sup4), 464S-472S.
- Pavithraa, P & Mageshwari, Uma. (2021). Nutritional and Phytochemical Compounds of Hibiscus Herbal Tea Powder. 10. 4394-4404.
- Peeling P, Castell LM, Derave W, de Hon O, Burke LM. (2019) Sports Foods and Dietary Supplements for Optimal Function and Performance Enhancement in Track-and-Field Athletes. *Int J Sport Nutr Exerc Metab*. 1;29(2):198-209.
- Phillips, S. M. (2004). Protein requirements and supplementation in strength sports. *Nutrition*, 20(7-8), 689-695.
- Phillips, S. M. (2014). A Brief Review of Critical Processes in Exercise-Induced Muscular: A Brief Review of Critical Processes in Exercise-Induced Muscular Hypertrophy. *Sports Medicine* 44 (Suppl 1):S71–S77 (May).
- Phillips, S. M. (2017). Current concepts and unresolved questions in dietary protein requirements and supplements in adults. *Frontiers in nutrition*, 4, 13.
- Phillips, S. M., & van Loon, L. J. C. (2011). Dietary protein for athletes: From requirements to optimum adaptation. *Journal of Sports Sciences*, 29(SUPPL.1).

References

- Phillips, S. M., Breen, L., Watford, M., Burke, L. M., Stear, S. J., & Castell, L. M. (2012). A to Z of nutritional supplements: dietary supplements, sports nutrition foods and ergogenic aids for health and performance-Part 32. *British journal of sports medicine*, 46(6), 454.
- Phillips, S. M., Tipton, K. D., Aarsland, A. S. L. E., Wolf, S. E., & Wolfe, R. R. (1997). Mixed muscle protein synthesis and breakdown after resistance exercise in humans. *American journal of physiology-endocrinology and metabolism*, 273(1), E99-E107.
- Pomeranz, Y. (Ed.). (2013). *Food analysis: theory and practice*. Springer Science & Business Media.
- Porcari, J., Bryant, C., & Comana, F. (2015). *Exercise physiology*. FA Davis.
- Potgieter, S. (2013). Sport nutrition: A review of the latest guidelines for exercise and sport nutrition from the American College of Sport Nutrition, the International Olympic Committee, and the International Society for Sports Nutrition. *South African journal of clinical nutrition*, 26(1), 6-16.
- Qingming, Y., Xianhui, P., Weibao, K., Hong, Y., Yidan, S., Li, Z. ... & Guoan, L. (2010). Antioxidant activities of malt extract from barley (*Hordeum vulgare* L.) toward various oxidative stress in vitro and in vivo. *Food chemistry*, 118(1), 84-89.
- Rajabi, F. (2017). High protein bars based on whey proteins (Master's thesis, Norwegian University of Life Sciences, Ås).
- Ramachandra, H. G., & Thejaswini, M. L. (2015). Extrusion technology: A novel method of food processing. *International Journal of Innovative Science, Engineering & Technology*, 2(4), 358-369.
- Ramírez-Jiménez, A. K., Gaytán-Martínez, M., Morales-Sánchez, E., & Loarca-Piña, G. (2018). Functional properties and sensory value of snack bars added with common bean flour as a source of bioactive compounds. *LWT*, 89, 674-680.
- Rangira, I., Gu, B. J., Ek, P., & Ganjyal, G. M. (2020). Pea starch exhibits good expansion characteristics under relatively lower temperatures during extrusion cooking. *Journal of Food Science*, 85(10), 3333-3344.

References

- Rawat, N., & Darappa, I. (2015). Effect of ingredients on rheological, nutritional and quality characteristics of fibre and protein enriched baked energy bars. *Journal of food science and technology*, 52, 3006-3013.
- Ray, S. (2021). Sensory properties of foods and their measurement methods. *Techniques to Measure Food Safety and Quality: Microbial, Chemical, and Sensory*, 345-381.
- Reinhard, C., & Galloway, S. D. (2022). Carbohydrate intake practices and determinants of food choices during training in recreational, amateur, and professional endurance athletes: a survey analysis. *Frontiers in Nutrition*, 9, 862396.
- Research and Markets. *Snack Bar Market—Forecasts from 2020 to 2025*. <https://www.researchandmarkets.com/tag/energy-bar> (accessed on 4 February 2023).
- Riaz, M. N. (Ed.). (2000). *Extruders in food applications*. CRC press.
- Riddell, M. C., Partington, S. L., Stupka, N., Armstrong, D., Rennie, C., & Tarnopolsky, M. A. (2003). Substrate utilization during exercise performed with and without glucose ingestion in female and male endurance-trained athletes. *International journal of sport nutrition and exercise metabolism*, 13(4), 407-421.
- Rietschier, H. L., Henagan, T. M., Earnest, C. P., Baker, B. L., Cortez, C. C., & Stewart, L. K. (2011). Sun-dried raisins are a cost-effective alternative to sports jelly beans in prolonged cycling. *The Journal of Strength & Conditioning Research*, 25(11), 3150-3156.
- Riswanto, F. D. O., Rohman, A., Pramono, S., & Martono, S. (2019). Application of response surface methodology as mathematical and statistical tools in natural product research. *Journal of Applied Pharmaceutical Science*, 9(10), 125-133.
- Robertson, G. L. (2005). *Food packaging: principles and practice*. CRC press.
- Rodriguez, N. R., DiMarco, N. M., & Langley, S. (2009). Position of the American Dietetic Association, Dietitians of Canada, and the American College of Sports Medicine: Nutrition and athletic performance. *Journal of the American Dietetic Association*, 109(3), 509-527.

References

- Rothschild, J. A., Kilding, A. E., & Plews, D. J. (2020). What should I eat before exercise? Pre-exercise nutrition and the response to endurance exercise: current prospective and future directions. *Nutrients*, 12(11), 3473.
- Rukh, L., Nadeem, M., Kausar, T., Murtaza, M. A., Luqman, M., Shahid, M. B., & Shaukat, A. (2021). Studies on effect of addition of date pit powder and soy protein isolate on physicochemical properties of date bars. *Sarhad J. Agric*, 37(4), 1134-1143.
- Rutherford, S. M., & Moughan, P. (1998). The digestible amino acid composition of several milk proteins: application of a new bioassay. *Journal of dairy science*, 81(4), 909-917.
- Sacheck, J. M., Kafka, T., Rasmussen, H., Blumberg, J. B., & Economos, C. D. (2009). The impact of pre exercise snacks on exercise intensity, stress, and fatigue in children. *Med Sci Sports Exerc*, 41(5), 105.
- Safari, A., Kusnandara, F., & Syamsir, E. (2016). Biji chia: Karakteristik gum dan potensi kesehatannya. *Jurnal Pangan*, 25(2), 137-146.
- Samakradhamrongthai, R. S., Jannu, T., & Renaldi, G. (2021). Physicochemical properties and sensory evaluation of high energy cereal bar and its consumer acceptability. *Heliyon*, 7(8).
- Sampaio, C. R. P., Ferreira, S. M. R., & Canniatti-Brazaca, S. G. (2010). Caracterização físico-química e composição de barras de cereais fortificadas com ferro. *Alimentos e Nutrição*, 21(4), 607-616.
- Sawant, A. A., Thakor, N. J., Swami, S. B., Divate, A. D., & Vidyapeet, B. S. (2013). Physical and sensory characteristics of ready-to-eat food prepared from finger millet based composite mixer by extrusion. *Agricultural Engineering International: CIGR Journal*, 15(1), 100-105.
- Saxena, J., MacGowan, A., Kim, K. Y., & Nahman, H. (2018). The History of Energy Bars and a Nation Obsessed With Food. Retrieved December 8, 2019.
- Schek, A., Braun, H., Carlsohn, A., Grosshauser, M., Koenig, D., Lampen, A., ... & Hesecker, H. (2019). Fats in sports nutrition. Position of the working group sports

References

- nutrition of the German Nutrition Society (DGE). *Ernahrungs Umschau*, 66(9), 181-188.
- Schneider, M. B., Benjamin, H. J., & Committee on Nutrition and the Council on Sports Medicine and Fitness. (2011). Sports drinks and energy drinks for children and adolescents: are they appropriate?. *Pediatrics*, 127(6), 1182-1189.
- Schuck, P., Perugini, M. A., Gonzales, N. R., Howlett, G. J., & Schubert, D. (2002). Size-distribution analysis of proteins by analytical ultracentrifugation: strategies and application to model systems. *Biophysical journal*, 82(2), 1096-1111.
- Seth, D., & Rajamanickam, G. (2012). Development of extruded snacks using soy, sorghum, millet and rice blend—A response surface methodology approach. *International Journal of Food Science & Technology*, 47(7), 1526-1531.
- Settaluri, V. S., Kandala, C. V. K., Puppala, N., & Sundaram, J. (2012). Peanuts and their nutritional aspects—a review.
- Seyam, A. A., Banasik, O. J., & Breen, M. D. (1983). Protein isolates from navy and pinto beans: their uses in macaroni products. *Journal of Agricultural and Food Chemistry*, 31(3), 499-502.
- Shaikh, A., Mehta, B. M., & Jana, A. H. (2022). Chemistry, nutritional properties and application of Mare's milk: A review. *Agricultural Reviews*, 43(3), 355-361.
- Shankar, J., & Bansal, G. (2013). A study on health benefits of whey proteins. *International Journal of Advance Biotechnology and Research*, 4(1), 15–19.
- Sharifah S, M., Noor Azizah, A., Moey, S. W., & Latifah, M. S. (2010). Accelerated shelf life studies of high energy pineapple granola bar. In VII International Pineapple Symposium 902 (pp. 539-545).
- Silva, E. C. D., Santos Sobrinho, V. D., & Cereda, M. P. (2013). Stability of cassava flour-based food bars. *Food Science and Technology*, 33, 192-198.
- SILVA, E. P. D., Siqueira, H. H., Damiani, C., & VILAS BOAS, E. V. D. B. (2016). Physicochemical and sensory characteristics of snack bars added of jerivá flour (*Syagrus romanzoffiana*). *Food Science and Technology*, 36, 421-425.

References

- Singh, J., Sharma, B., Madaan, M., Sharma, P., Kaur, T., Kaur, N., ... & Rasane, P. (2020). Chia seed-based nutri bar. *Current Science*, 118(9), 1394-1400.
- Singh, P., Kumar, R., Sabapathy, S. N., & Bawa, A. S. (2008). Functional and edible uses of soy protein products. *Comprehensive reviews in food science and food safety*, 7(1), 14-28.
- Singh, R. P., & Anderson, B. A. (2004). The major types of food spoilage: an overview. *Understanding and measuring the shelf-life of food*, 3-23.
- Singh, R., Singh, K., & Nain, M. S. (2021). Nutritional evaluation and storage stability of popped pearl millet bar. *Current Science*, 1374-1381.
- Sinha, R., Radha, C., Prakash, J., & Kaul, P. (2007). Whey protein hydrolysate: Functional properties, nutritional quality and utilization in beverage formulation. *Food Chemistry*, 101(4), 1484-1491.
- Size, E. N. M. (2023). *Share Analysis—Growth Trends & Forecasts (2023–2028)*. Mordor Intelligence: Telangana, India. <https://www.mordorintelligence.com/industry-reports/india-energy-bar-market>
- Slater, G., & Phillips, S. M. (2013). Nutrition guidelines for strength sports: sprinting, weightlifting, throwing events, and bodybuilding. In *Food, Nutrition and Sports Performance III* (pp. 67-77). Routledge.
- Sloan, A. (2022). *Functional Food Trends*. *Food technology magazine*, (10).
- Smitha, B. (2011). *Studies on physico-chemical and sensory characteristics of nutrient rich biscuits prepared from blends of partially deoiled groundnut meal, cow milk coprecipitate and cereal products and their storage stability* (Doctoral dissertation, Ph. D. Thesis submitted to Anand Agricultural University, Anand, India).
- Sobana, R. M. (2017). Quality evaluation of millet based composite sports bar. *Int J Food Sci Nutr*, 2(4), 65-68.
- Srebernich, S. M., GONÇALVES, G. M. S., ORMENESE, R. D. C. S. C., & RUFFI, C. R. G. (2016). Physico-chemical, sensory and nutritional characteristics of cereal bars with addition of acacia gum, inulin and sorbitol. *Food Science and Technology*, 36, 555-562.

References

- Srilakshmi, B. (2003). Food science. New Age International.
- Starck, S. R., Jiang, V., Pavon-Eternod, M., Prasad, S., McCarthy, B., Pan, T., & Shastri, N. (2012). Leucine-tRNA initiates at CUG start codons for protein synthesis and presentation by MHC class I. *Science*, 336(6089), 1719-1723.
- Stellingwerff, T., & Cox, G. R. (2014). Systematic review: Carbohydrate supplementation on exercise performance or capacity of varying durations. *Applied physiology, nutrition, and metabolism*, 39(9), 998-1011.
- Stokes, T., Hector, A. J., Morton, R. W., McGlory, C., & Phillips, S. M. (2018). Recent perspectives regarding the role of dietary protein for the promotion of muscle hypertrophy with resistance exercise training. *Nutrients*, 10(2), 180.
- Sumathi, A., Ushakumari, S. R., & Malleshi, N. G. (2007). Physico-chemical characteristics, nutritional quality and shelf-life of pearl millet based extrusion cooked supplementary foods. *International journal of food sciences and nutrition*, 58(5), 350-362.
- Sundgot-Borgen, J., Meyer, N. L., Lohman, T. G., Ackland, T. R., Maughan, R. J., Stewart, A. D., & Müller, W. (2013). How to minimise the health risks to athletes who compete in weight-sensitive sports review and position statement on behalf of the Ad Hoc Research Working Group on Body Composition, Health and Performance, under the auspices of the IOC Medical Commission. *British journal of sports medicine*, 47(16), 1012-1022.
- Sun-Waterhouse, D., Teoh, A., Massarotto, C., Wibisono, R., & Wadhwa, S. (2010). Comparative analysis of fruit-based functional snack bars. *Food chemistry*, 119(4), 1369-1379.
- Svisco, E., Byker Shanks, C., Ahmed, S., & Bark, K. (2019). Variation of Adolescent Snack Food Choices and Preferences along a Continuum of Processing Levels: The Case of Apples. *Foods*, 8, 50.
- Taillie, S. A. (2006). Food bars. *Soy applications in food*, 185-198.

References

- Tang, J. E., Moore, D. R., Kujbida, G. W., Tarnopolsky, M. A., & Phillips, S. M. (2009). Ingestion of whey hydrolysate, casein, or soy protein isolate: effects on mixed muscle protein synthesis at rest and following resistance exercise in young men. *Journal of applied physiology*.
- Tanyildizi, M. Ş., Selen, V., & Özer, D. (2009). Optimization of α -amylase production in solid substrate fermentation. *The Canadian Journal of Chemical Engineering*, 87(3), 493-498.
- Tarnopolsky, M. A. (2003). Females and males: should nutritional recommendations be gender specific?. *Schweizerische Zeitschrift für Sportmedizin und Sporttraumatologie*, 51(1), 39-46.
- Taylor IV, L. W. (Ed.). (2012). *Nutritional guidelines for athletic performance: the training table*. CRC Press.
- Thomas, D. T., Erdman, K. A., & Burke, L. M. (2016). Nutrition and athletic performance. *Med. Sci. Sports Exerc*, 48(3), 543-568.
- Thomas, D. T., Erdman, K. A., & Burke, L. M. (2016). Position of the Academy of Nutrition and Dietetics, Dietitians of Canada, and the American College of Sports Medicine: nutrition and athletic performance. *Journal of the Academy of Nutrition and Dietetics*, 116(3), 501-528.
- Thorat, S. T., & Thorat, R. S. (2016). Assessment of Nutritional Status of Female Athletes. *RESEARCH JOURNAL OF PHARMACEUTICAL BIOLOGICAL AND CHEMICAL SCIENCES*, 7(2), 1237-1247.
- Tipton, K. D. (2001). Gender differences in protein metabolism. *Current Opinion in Clinical Nutrition & Metabolic Care*, 4(6), 493-498.
- Tipton, K. D., & Wolfe, R. R. (2004). Protein and amino acids for athletes. *Food, Nutrition and Sports Performance II*, 104-129.
- Tiwari, R. B. (2019). Advances in technology for production of fruit bar: A review.

References

- Twombly, W. (2020). Raw material behaviors in extrusion processing II (Proteins, lipids, and other minor ingredients). In *Extrusion Cooking* (pp. 153-178). Woodhead Publishing.
- Ukwuru, M. U., & Adama, A. (2003). Chemical evaluation and storage stability of a beverage formulated from soybean and papaya pulp flour blends. *Plant foods for human nutrition*, 58, 1-11.
- United States Dairy Export Council (1999) Reference Manual for U.S. Whey Products 2nd Edition.
- Ushakumari, S. R., Rastogi, N. K., & Malleshi, N. G. (2007). Optimization of process variables for the preparation of expanded finger millet using response surface methodology. *Journal of Food Engineering*, 82(1), 35-42.
- Van der Zanden, L. D., van Kleef, E., de Wijk, R. A., & van Trijp, H. C. (2014). Knowledge, perceptions and preferences of elderly regarding protein-enriched functional food. *Appetite*, 80, 16-22.
- Van Hung, P. (2016). Phenolic compounds of cereals and their antioxidant capacity. *Critical reviews in food science and nutrition*, 56(1), 25-35.
- Vetter, J. L., & Meloan, E. M. (2007). *Food Labeling: Requirements for FDA Regulated Products* (9th ed.). AIB International.
- Wadikar, D. D., & Premavalli, K. S. (2012). Optimization of ginger-based ready-to-drink appetizer by response surface methodology and its shelf stability. *Journal of Food Processing and Preservation*, 36(6), 489-496.
- Wadikar, D. D., Nanjappa, C., Premavalli, K. S., & Bawa, A. S. (2010). Development of ginger based ready-to-eat appetizers by response surface methodology. *Appetite*, 55(1), 76-83.
- Walia, A., Mehta, P., Chauhan, A., & Shirkot, C. K. (2013). Optimization of cellulase-free xylanase production by alkalophilic *Cellulosimicrobium* sp. CKMX1 in solid-state fermentation of apple pomace using central composite design and response surface methodology. *Annals of microbiology*, 63, 187-198.

References

- Wang, J., Rosell, C. M., & de Barber, C. B. (2002). Effect of the addition of different fibres on wheat dough performance and bread quality. *Food chemistry*, 79(2), 221-226.
- Wang, Q., & Xiong, Y. L. (2019). Processing, nutrition, and functionality of hempseed protein: A review. *Comprehensive Reviews in Food Science and Food Safety*, 18(4), 936-952.
- Warburton, D. E., Nicol, C. W., & Bredin, S. S. (2006). Prescribing exercise as preventive therapy. *Cmaj*, 174(7), 961-974.
- Watts, B. M., Ylimaki, G. L., Jeffery, L. E., & Elias, L. G. (1989). Basic sensory methods for food evaluation. IDRC, Ottawa, ON, CA.
- Weeks, E. R. (2007). Soft jammed materials. *Stat. Phys. Complex Fluids*, 2, 87.
- Whetstine, M. C., Croissant, A. E., & Drake, M. A. (2005). Characterization of dried whey protein concentrate and isolate flavor. *Journal of dairy science*, 88(11), 3826-3839.
- Winter, K. (2023). Maximizing Muscle Recovery: The Role of Post-Workout Nutrition. *Nutrition*.
- Witard, O. C., Garthe, I., & Phillips, S. M. (2019). Dietary protein for training adaptation and body composition manipulation in track and field athletes. *International journal of sport nutrition and exercise metabolism*, 29(2), 165-174.
- Xu, H., Gao, Z., Li, X., Jiang, Q., Wu, Y., & Jiang, Z. (2023). Insight into extruded soy protein isolate for improving hardening of high protein-nutrition bars during storage. *Food Science of Animal Products*, 1(3).
- Yadav, L., & Bhatnagar, V. (2016). Consumer Acceptability of Developed Legume Supplemented Ready to Eat Cereal Bars. *Age (Yr)*, 15(20), 20-25.
- Yolmeh, M., & Jafari, S. M. (2017). Applications of response surface methodology in the food industry processes. *Food and bioprocess technology*, 10(3), 413-433.

References

Young, V. R., Scrimshaw, N. S., Torun, B., & Viteri, F. (1979). Soybean protein in human nutrition: an overview. *Journal of the American Oil Chemists' Society*, 56(3Part1), 110-120.

Zhou, P., Liu, X., & Labuza, T. P. (2008). Effects of moisture-induced whey protein aggregation on protein conformation, the state of water molecules, and the microstructure and texture of high-protein-containing matrix. *Journal of agricultural and food chemistry*, 56(12), 4534-4540.