

List of Tables

- Table 3.1** Structural parameters, E_{HOMO} and E_{LUMO} , HOMO-LUMO gap (E_{G}) and dipole moment for C_{18} nanocluster..... (33)
- Table 3.2** Adsorption energy (E_{ad}), HOMO and LUMO energies (E_{HOMO} and E_{LUMO}), HOMO-LUMO gap (E_{G}), change in E_{G} (ΔE_{G}), work function (φ), average adsorption distance (d) and dipole moment (D) of CO, NO and NH_3 adsorbed C_{18} nanoclusters, respectively (38)
- Table 3.3** Calculated recovery time (τ_I , τ_V and τ_U) of CO, NO and NH_3 adsorbed C_{18} nanoclusters at $T = 300 \text{ K}$ and $T = 500 \text{ K}$, respectively (42)
- Table 3.4** Chemical potential (μ), hardness (η), softness (S) and electrophilicity (ω) for CO, NO and NH_3 adsorbed C_{18} nanoclusters, respectively..... (46)
- Table 3.5** Comparison of CO, NO and NH_3 gas adsorption properties of C_{18} nanocluster with other carbon based nanomaterials (47)
- Table 4.6** Bond length and Angle, E_{HOMO} and E_{LUMO} , and E_{G} for C_{17}X nanoclusters (55)
- Table 4.7** E_{ad} , E_{HOMO} and E_{LUMO} , E_{F} and corresponding shift (δE_{F}), E_{G} and its relative change (ΔE_{G}), work function (φ), change in work function ($\Delta\varphi$) and adsorption distance (d) of CO, NO and NH_3 adsorbed C_{17}X ($\text{X}=\text{B},\text{N}$) nanoclusters, respectively (59)
- Table 4.8** Calculated recovery time of CO, NO and NH_3 adsorbed C_{17}B , C_{17}N nanoclusters for $T = 300 \text{ K}$, $\nu = 10^{12} \text{ s}^{-1}$ (61)
- Table 4.9** Chemical potential (μ), hardness (η), softness (S) and electrophilicity (ω) for CO, NO and NH_3 adsorbed C_{17}X nanoclusters, respectively ... (62)
- Table 5.10** Bond lengths, binding distances, binding energies for C_{18}TM nanoclusters (68)
- Table 5.2** Adsorption energies, HOMO-LUMO energy levels, energy gaps, and Fermi levels following the adsorption of CO, NO, and NH_3 onto C_{18}TM nanoclusters (72)
- Table 5.3** Electron density, Laplacian, total energy density, and the ratio $|V(r)| / (G(r))$ (77)

Table 5.4	Sensing response and recovery times of C ₁₈ TM nanoclusters for CO, NO, and NH ₃ adsorptions	(85)
Table 5.5	Adsorption energies and distances of C ₁₈ TM as compared to the Pristine and Doped C ₁₈ Nanoclusters	(86)
Table 6.1	Structural parameters (bond length and Angle), binding distance, binding energies of C ₁₈ X nanocluster	(94)
Table 6.2	HOMO and LUMO energies (E _{HOMO} and E _{LUMO}), HOMO-LUMO gap (E _G), Fermi level (E _F), change in E _G (ΔE _G), shift in Fermi level (δE _F) and dipole moment (D) of C ₁₈ Al, C ₁₈ Si and C ₁₈ P as compared to pristine C ₁₈ nanocluster	(95)
Table 6.3	Adsorption energies (E _{ad}), HOMO and LUMO energies (E _{HOMO} and E _{LUMO}), Fermi level (E _F), shift in Fermi level (δE _F), HOMO-LUMO gap (E _G), change in E _G (ΔE _G), adsorption distance (d) and dipole moment (D) of HCN adsorbed C ₁₈ Al, C ₁₈ P, C ₁₈ Si, as compared to HCN adsorbed pristine C ₁₈ nanocluster	(98)
Table 6.4	Work function(φ), change in work function (Δφ), recovery time (τ) of HCN adsorbed C ₁₈ , C ₁₈ Al, C ₁₈ Si, C ₁₈ P nanoclusters respectively	(101)
Table 7.1	Adsorption properties of the C ₁₈ nanocluster both before and after the process of doping and decoration	(109)