

## List of Figures

<b>Figure 1.1</b>	Structural Models of (a) C <sub>36</sub> (b) C <sub>70</sub> fullerene .....	(4)
<b>Figure 1.2</b>	Reaction Scheme for the Formation of C <sub>18</sub> .....	(5)
<b>Figure 1.3</b>	(a) Structural Formula (b) Experimentally Realized Structure through AFM for C <sub>18</sub> .....	(6)
<b>Figure 3.4</b>	Optimized molecular structure (a), HOMO electron density (b), LUMO electron density (c) and Mulliken atomic charge distribution (d) of C <sub>18</sub> nanocluster, respectively .....	(32)
<b>Figure 3.5</b>	DOS spectrum for pristine C <sub>18</sub> nanocluster .....	(33)
<b>Figure 3.3</b>	Stable-most configurations for the CO (a), NO (b) and NH <sub>3</sub> (c) adsorbed C <sub>18</sub> nanoclusters .....	(34)
<b>Figure 3.6</b>	Mulliken charge population analysis of the CO (a), NO (b) and NH <sub>3</sub> (c) adsorbed C <sub>18</sub> nanocluster, respectively .....	(36)
<b>Figure 3.7</b>	DOS spectra for CO (a), NO (b) and NH <sub>3</sub> (c) adsorbed C <sub>18</sub> nanocluster, respectively .....	(37)
<b>Figure 3.8</b>	HOMO (a) and LUMO (b) electron density of CO adsorbed C <sub>18</sub> nanocluster, respectively .....	(38)
<b>Figure 3.7</b>	$\alpha$ -HOMO (a), $\alpha$ -LUMO (b), $\beta$ -HOMO (c) and $\beta$ -LUMO (d) electron density of NO adsorbed C <sub>18</sub> nanocluster, respectively .....	(38)
<b>Figure 3.8</b>	HOMO (a) and LUMO (b) electron density of NH <sub>3</sub> adsorbed C <sub>18</sub> nanocluster, respectively .....	(39)
<b>Figure 3.9</b>	ESP maps of C <sub>18</sub> nanocluster (a) and CO (b), NO (c) and NH <sub>3</sub> (d) adsorbed C <sub>18</sub> nanocluster, respectively .....	(40)
<b>Figure 3.10</b>	Absorption spectra for pristine (a) and CO (b), NO (c) and NH <sub>3</sub> (d) adsorbed C <sub>18</sub> .....	(44)
<b>Figure 3.11</b>	Raman spectra of pristine (a) and CO (b), NO (c) and NH <sub>3</sub> (d) adsorbed C <sub>18</sub> nanocluster, respectively .....	(45)
<b>Figure 4.1</b>	Optimized geometries of (a) C <sub>17</sub> B nanocluster (b) C <sub>17</sub> N nanocluster .....	(53)

<b>Figure 4.2</b>	(a, b) Mulliken charge population and Mulliken plot of (a, b) C <sub>17</sub> B and (c,d) C <sub>17</sub> N nanocluster .....	(54)
<b>Figure 4.3</b>	DOS plots for (a) C <sub>17</sub> B nanocluster (b) C <sub>17</sub> N nanocluster .....	(55)
<b>Figure 4.4</b>	Lowest energy configurations of (a) CO (b) NO (c) NH <sub>3</sub> adsorbed C <sub>17</sub> N nanocluster .....	(56)
<b>Figure 4.5</b>	Lowest energy configurations of (a) CO (b) NO (c) NH <sub>3</sub> adsorbed C <sub>17</sub> N nanocluster .....	(57)
<b>Figure 4.6</b>	(a, b, c) Mulliken charge distributions (d, e, f) Mulliken plots of CO, NO and NH <sub>3</sub> adsorbed C <sub>17</sub> B nanocluster, respectively .....	(58)
<b>Figure 4.7</b>	(a, b, c) Mulliken charge populations (d, e, f) Mulliken plots of CO, NO and NH <sub>3</sub> adsorbed C <sub>17</sub> N nanocluster, respectively .....	(58)
<b>Figure 4.8.</b>	DOS plots for CO, NO and NH <sub>3</sub> adsorbed (a, b, c) C <sub>17</sub> B nanocluster (d, e, f) C <sub>17</sub> N nanocluster, respectively .....	(59)
<b>Figure 5.1</b>	(a, b, c): optimized geometries (d, e, f) molecular orbital spectra for C <sub>18</sub> TM nanoclusters .....	(69)
<b>Figure 5.2</b>	(a) Bond length alteration (BLA) (b) angle alteration (AA) plots for C <sub>18</sub> TM nanoclusters .....	(70)
<b>Figure 5.3</b>	IR spectra for (a) C <sub>18</sub> Ni (b) C <sub>18</sub> Pd (c) C <sub>18</sub> Pt nanoclusters .....	(70)
<b>Figure 5.4</b>	(a, b, c) minimum energetic configurations (d, e, f) molecular orbital spectra of C <sub>18</sub> Ni nanocluster after CO, NO, NH <sub>3</sub> adsorption	(73)
<b>Figure 5.5</b>	(a, b, c) minimum energetic configurations (d, e, f) molecular orbital spectra of C <sub>18</sub> Pd nanocluster after CO, NO, NH <sub>3</sub> adsorption	(74)
<b>Figure 5.6</b>	(a, b, c) minimum energetic configurations (d, e, f) molecular orbital spectra of C <sub>18</sub> Pt nanocluster after CO, NO, NH <sub>3</sub> adsorption	(75)
<b>Figure 5.7</b>	Mulliken atomic charge distributions of C <sub>18</sub> TM nanoclusters after CO, NO, NH <sub>3</sub> adsorption .....	(76)
<b>Figure 5.8</b>	Molecular topographical maps for C <sub>18</sub> TM nanoclusters after CO, NO, and NH <sub>3</sub> adsorption .....	(78)

<b>Figure 5.9</b>	(a, b, c) reduced density gradient (RDG) plots and (d, e, f) non-covalent interaction (NCI) diagrams for C <sub>18</sub> Ni nanocluster after CO, NO, and NH <sub>3</sub> adsorption .....	(79)
<b>Figure 5.10</b>	(a, b, c) reduced density gradient (RDG) plots and (d, e, f) non-covalent interaction (NCI) diagrams for C <sub>18</sub> Pd nanocluster after CO, NO, and NH <sub>3</sub> adsorption .....	(80)
<b>Figure 5.11</b>	(a, b, c) reduced density gradient (RDG) plots and (d, e, f) non-covalent interaction (NCI) diagrams for C <sub>18</sub> Pt nanocluster after CO, NO, and NH <sub>3</sub> adsorption .....	(81)
<b>Figure 5.12</b>	Raman spectra for (a) C <sub>18</sub> Ni (b) C <sub>18</sub> Pt (c) C <sub>18</sub> Pt nanocluster after CO, NO, and NH <sub>3</sub> adsorption .....	(83)
<b>Figure 6.1</b>	Geometrical structure of (a) pristine and (b) HCN adsorbed C <sub>18</sub> nanocluster .....	(92)
<b>Figure 6.2</b>	(a) HOMO and (b) LUMO electron densities of HCN adsorbed C <sub>18</sub> nanocluster .....	(92)
<b>Figure 6.3</b>	Optimized geometries of (a) C <sub>18</sub> Al, (b) C <sub>18</sub> Si and (c) C <sub>18</sub> P nanoclusters .....	(94)
<b>Figure 6.4</b>	(a) α-HOMO (b) α-LUMO (c) β-HOMO (d) β-LUMO electron densities for C <sub>18</sub> Al nanocluster .....	(96)
<b>Figure 6.5</b>	(a) HOMO and (b) LUMO electron densities for C <sub>18</sub> Si nanocluster	(96)
<b>Figure 6.6</b>	(a) α-HOMO (b) α-LUMO (c) β-HOMO (d) β-LUMO electron densities for C <sub>18</sub> P nanocluster .....	(96)
<b>Figure 6.7</b>	Structural geometries of HCN adsorbed (a) C <sub>18</sub> Al (b) C <sub>18</sub> Si and (c) C <sub>18</sub> P nanoclusters .....	(98)
<b>Figure 6.8</b>	(a) α-HOMO (b) α-LUMO (c) β-HOMO (d) β-LUMO electron densities for HCN adsorbed C <sub>18</sub> Al nanocluster .....	(98)
<b>Figure 6.9</b>	(a) HOMO and (b) LUMO electron densities of HCN adsorbed C <sub>18</sub> Si nanocluster .....	(98)
<b>Figure 6.10</b>	(a) α-HOMO (b) α-LUMO (c) β-HOMO (d) β-LUMO electron densities for HCN adsorbed C <sub>18</sub> P nanocluster .....	(98)

**Figure 6.11** Mulliken atomic charge distribution of the HCN adsorbed (a)  $C_{18}$ ,  
(b)  $C_{18}Al$ , (c)  $C_{18}Si$ , and (d)  $C_{18}P$  nanoclusters respectively ..... (100)

**Figure 7.1** Objectives Achieved in the Thesis ..... (101)