List of Figures

1.1 A schematic representation about catalysis, its types and evolution of heterogeneous catalysis[2, 3]. 3
1.2 A schematic representation about physical phenomena occuring over the surface of heterogeneous catalyst. 5
1.3 (a) Volcano plot of the predicted oxygen reduction reaction (ORR) activity of close-packed transition metal surfaces as a function of thecalculated binding energy of O* [33]. (b) Two-dimensional volcano plot of the predicted CO methanation turnover frequencies (TOF) as a function of thecalculated binding energies of O* and C* on the (211) stepped surfaces of transition metals[34]. 8
1.4 Progress in single-atom catalysis[55]. 11

2.1 A schematic representation of pseudopotential. Adopted from Phys. Rev. B., 50, 17953-17979, (1994). 40
2.2 Schematic illustration of broken symmetry and functional form of the density of states in 1D, 2D, and 3D confined materials. 43
2.3 Schematic representation of NEB and difference between regular NEB and CI-NEB. 46
2.4 A typical self-consistency loop implemented in Quantum ESPRESSO code to compute the ground state of a material by solving the Kohn-Sham equations. 47

3.1 Graphical Abstract 52
3.2 Side and Top view of (a) optimized geometry of PG unit cell with the optimized lattice parameters and (b) 2×2 super cell of PG with representation of possible anchoring site for single atom catalyst. . . 58
3.3 (a) Top and Side view of Co adsorbed over H4 site over PG (Co@PG). Blue and orange sphere represent C of PG and Co atoms, respectively (b) The plot of spin polarized partial density of states (PDOS) projected on Co-4d (dark blue) and C-2p (red) states of Co@PG system. The fermi level is set to zero. The corresponding ERDs data are presented in inset and the dashed light blue represent d-band centre for spin-up and spin-down states. 58
3.4 The diffusion pathway of Co atom from one H4 site to next nearest H4 site over PG.The corresponding diffusion barrier is 3.18 eV. . . . 59

3.5 Top and Side view of (a) Two Co atoms adsorbed over two different H4 sites of PG (b)Co dimer adsorbed over a H4 site. 60
3.6 (a) Top and side views of most stable configuration of $O_2/Co@PG$. (b) spin polarized PDOS plot of $O_2/Co@PG$ along with calculated ERDs. The Fermi level is set to zero. Red sphere represents O atom. 61
3.7 (a) Top and side views of most stable configuration of CO/Co@PG. (b) spin-polarized PDOS plot of CO/Co@PG along with calculated ERDs. The Fermi level is set to zero. Green sphere represents C atom of CO. 61
3.8 Top and side views of most stable configuration of (a) O adatom and (b) CO_2 in the gas phase over Co@PG. 63
3.9 Top and side views of most stable configuration of (a) CO+O_2/Co@PG and (b) CO+CO/Co@PG. 64
3.10 The minimum energy pathway and geometric configurations of different states like IS, IM, TS and FS for CO oxidation reaction via LH mechanism on Co@PG. Hereafter, IS, IM, TS and FS represents initial, intermediate, transition and final states of the reaction.The corresponding bond lengths (in Å) between various species are mentioned in respective images. 65
3.11 The minimum energy pathway and geometric configurations of different states like IS, IM, TS and FS for first half CO oxidation reaction via ER mechanism on Co@PG. 66

4.1 Graphical Abstract 74
4.2 Optimized geometry of 4 × 4 × 1 supercell of (a) Graphene, (b) AlC, (c) AlN, (d) h-BN (e) BeO and (f) MgO. Yellow, blue, light green, orange, gray, red and cream sphere represent C, Al, N, B, Be, O and Mg atom, respectively. 78
4.3 (a) differential Gibbs free energy (ΔG_H) of hydrogen adsorption over Ni@2D on various sites/substrates. (b) Volcano plot between exchange current density and ΔG_H for Ni@2D. 80
4.4 Generalized reaction profile of HER via VH mechanism over Ni@2D. 82
4.5 Complete energy profile of HER via (a) VH mechanism and (b) VT mechanism over selected configurations of Ni@2D. 83
4.6 Generalized reaction profile of HER via VT mechanism over Ni@2D. 83

5.1 Graphical Abstract 89
5.2 Top and side view of (a) optimized geometry of AlN supercell with representation of possible anchoring sites for SACs and (b) Top and side view of M@AlN (M=Ni, Pd, Pt, Cu, Ag, Au) at the Al-d site. Red, light blue and light green sphere represents Al, N and M-atom, respectively. 93
5.3 The diffusion pathway and corresponding energy profile of M-atom from one Al-d site to nearest Al-d site. The corresponding geometries for initial state (IS), transition state (TS) and final state (FS) are represented inset. 94

5.4 Optimized geometry of (a) CO, (b) OH, (c) H_2O, (d) CO+OH and (e) CO+H_2O adsorbed M@AlN. Orange, purple and blue sphere represent C, O and H-atom, respectively. 95
5.5 A plot of binding energy (E_b) of M@AlN and adsorption/co-adsorption (E_{ads}) energies of reactants over M@AlN. 95
5.6 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via formate mechanism on Au@AlN. 97
5.7 The complete energy profile for WGS reaction via (a) formate mechanism and (b) via OH-assistive mechanism over M@AlN. 98
5.8 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via OH-assistive mechanism on Au@AlN. 99
5.9 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via OH-assistive mechanism on Cu@AlN. 99
5.10 Relationship between (a) activation energy (E_a) and co-adsorption energy of CO-OH molecule on M@AlN and (b) activation energy (E_a) and ε_d, for M@AlN. 100
5.11 (a) A general energy profile for an exothermic reaction and (b) a comparision between activation energy (E_a) and reaction energy (E_R) of WGS reaction via OH-assistive mechanism on M@AlN. . . . 102

A.1 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via formate mechanism on Ni@AlN. 114
A.2 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via formate mechanism on Pd@AlN. 114
A.3 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via formate mechanism on Pt@AlN. 115
A.4 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via formate mechanism on Cu@AlN. 115
A.5 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via formate mechanism on Ag@AlN. 115
A.6 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via OH-assistive mechanism on Ni@AlN. 116
A.7 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via OH-assistive mechanism on Pd@AlN. 116

A.8 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via OH-assistive mechanism on Pt@AlN. 116
A.9 The complete reaction profile and optimized geometric configurations of various states for WGS reaction via OH-assistive mechanism on Ag@AlN. 117