

BIBLIOGRAPHY

1. Agostini, S., Harvey, B. P., & Wada, S. (2020). Marine Ecology: Temperate to Tropical. *Japanese Marine Life: A Practical Training Guide in Marine Biology*, 231-239. https://doi.org/10.1007/978-981-15-1326-8_19
2. Ai-gen, G. A. O., Jiang-ning, Z. E. N. G., Quan-zhen, C. H. E. N., Xi-gang, H. U., Jun-yi, Y. A. N. G., Yi-bo, L. I. A. O., ... & Yue-mei, H. U. (2007). Time and space distribution of Molluscas of intertidal zone in Nanji Archipalego Marine Nature Reserve, *Acta Oceanologica Sinica*, 29(2), 105-111.
3. Ajay, C. H., Karuna, P., & Kavya, M. (2016). Climatic Influence on Marine Ecosystem, *Research and Reviews Journal of Zoological Sciences*.
4. Akira, Watanuki., Norikazu, Hirose., Minoru, Hasegawa., Kunimasa, Takahashi., Akira, Hurusawa. (1999). Development of artificial tide pool units. 15, 101-106. <https://doi.org/10.2208/PROOE.15.101>
5. Alberto, Carlos, Riccardi., Alberto, Colletti., Riccardo, Virgili., Carlo, Cerrano. (2022). Diversity and behavior of sea slugs (Heterobranchia) in the rocky tide pools of Conero Riviera (western Adriatic Sea). *The European zoological journal*, <https://doi.org/10.1080/24750263.2022.2095047>
6. Al-Sodany, Y. M., & Diab, A. M. (2023). Productivity of Marine Ecosystem Components. *Marine Ecosystems: A Unique Source of Valuable Bioactive Compounds*, 3, 43-79.
7. Alves, P. V., Vieira, F. M., Santos, C. P., Scholz, T., & Luque, J. L. (2015). A checklist of the Aspidogastrea (Platyhelminthes: Trematoda) of the world. *Zootaxa*, 3918(3), 339-396.)
8. Anna, Metaxas., Robert, Eric, Scheibling. (1993). Community structure and organization of tidepools. *Marine Ecology Progress Series*, <https://doi.org/10.3354/MEPS098187>
9. Annandale, N., & Kemp, S. (1915). Fauna of the Chilka lake. *Sponges. Mem. Indian Mus*, 5(1), 21-54. <https://core.ac.uk/download/pdf/14512187.pdf>
10. Armonies, W. (2023). Platyhelminth fauna of the Island of Sylt: a meta-analysis of distributional patterns and description of 19 new species. *Marine Biodiversity*, 53(1), 17. <https://doi.org/10.1007/s12526-022-01309-w>

11. Arndt, E., & Fricke, R. (2019). Intertidal fishes of Mauritius with special reference to shallow tidepools. *Biodivers Data J.* 7: e36754. <https://doi.org/10.3897/BDJ.7.e36754>
12. Atherton, S., & Jondelius, U. (2018). Wide distributions and cryptic diversity within a *Microstomum* (Platyhelminthes) species complex. *Zoologica scripta*, 47(4), 486-498. <https://doi.org/10.1111/zsc.12290>
13. Aturu, J. K., & Uppaluri, A. (2013). Biota Structure in Relation to Physiography of Rockpools of Visakhapatnam, Middle East Coast of India, *International Journal of Science and Research (IJSR)*, 2587-2598.
14. Bambhaniya, G. B., & Raval, J. V. (2023). Community Structure of Marine Macrofauna at Diu Coast, Gujarat, India. *Environment and Ecology*, 41(4A), 2474-2484. <https://doi.org/10.60151/envec/HCRX5215>
15. Baroliya, H., Solanki, B., & Kundu, R. (2022). Intertidal Ophiuroidea from the Saurashtra coastline, Gujarat, India. *Journal of Threatened Taxa*, 14(10), 21968-21975. <https://doi.org/10.11609/jott.2785.8.7.8953-8969>
16. Barreiros, J. P., Bertoncini, Á., Machado, L., Hostim-Silva, M., & Santos, R. S. (2004). Diversity and seasonal changes in the ichthyofauna of rocky tidal pools from Praia Vermelha and São Roque, Santa Catarina. *Brazilian Archives of Biology and Technology*, 47, 291-299. <https://doi.org/10.1590/S1516-89132004000200017>
17. BASKARANT, M., SAHAI, B., Sood, R. K., & SOMAYAJULUT, B. (1987). Geochronological studies of strandlines of Saurashtra, India, detected by remote sensing techniques. *Int. J. Remote Sens*, 8(2), 169-176.
18. Bather, F. A., & Lankester, E. R. (1900). Part III The Echinoderma. *A Treatise on Zoology*. Adam & Charles Black, London, 1-344.
19. Beesley, P. L., Ross, G. J., & Glasby, C. J. (2000). *Polychaetes & allies: the southern synthesis* (Vol. 4). CSIRO publishing.
20. Begon, M., Harper, J. L., & Townsend, C. R. (1996). *Ecology: individuals, populations and communities*.
21. Belford, S. (2021). Shallow-Water Species Diversity of Common Intertidal Zoantharians (Cnidaria: Hexacorallia: Zoantharia) along the Northeastern Coast of Trinidad, Southern Caribbean. In *Oceans*, 2(3), 477-488. <https://doi.org/10.3390/oceans2030027>

22. Benson, K. R. (2002). The Study of Vertical Zonation on Rocky Intertidal Shores—A Historical Perspective 1, 2. *Integrative and comparative biology*, 42(4), 776-779.
23. Bettcher, L., Fernandez, J. C., Gastaldi, M., Bispo, A., Leal, C. V., Leite, D., ... & Hajdu, E. (2023). Checklist, diversity descriptors and selected descriptions of a highly diverse intertidal sponge (Porifera) assemblage at Costa do Descobrimento (Bahia, Brazil). *Zootaxa*, 5277(3), 443-489. <https://doi.org/10.11646/ZOOTAXA.5277.3.2>
24. Bhadja, P., Poriya, P., & Kundu, R. (2014). Community structure and distribution pattern of intertidal invertebrate macrofauna at some anthropogenically influenced coasts of Kathiawar peninsula (India). *Advances in Ecology*, 2014(1), 547395. <https://doi.org/10.1155/2014/547395>
25. Bhatt, N. and Bhonde, U. (2006) Geomorphic expression of late Quaternary sea level changes along the southern Saurashtra coast, western India. *Journal of Earth System Sciences*, 115(4), 395-402. <https://doi.org/10.1007/BF02702868>
26. Bhatt, N. and Patel, M.P. (1996) Petrographic criteria for fresh water diagenesis of Saurashtra Miliolites, Western India. *Journal of the Geological Society of India*, 48, 415-419.
27. Bhavik, Vakani., Rahul, Kundu. (2020). Distributional Pattern of Two Limpet Groups in the Rock Pool Habitat of the South Saurashtra Coastline, Gujarat, India. *Social Science Research Network, Proceedings of the National Conference on Innovations in Biological Sciences (NCIBS)*, 543-571. <https://doi.org/10.2139/SSRN.3580052>
28. Biswas, S., Ghosal, D., Das, T., & Basak, P. (2023). Potentiality of Marine Ecosystem Compounds. *Marine Ecosystems: A Unique Source of Valuable Bioactive Compounds*, 3, 257-281.
29. Blanchard, A. L., Feder, H. M., Hoberg, M. K., & Knowlton, A. L. (2017). Abiotic/biological interactions in coastal marine communities: insights from an Alaskan fjord. *Estuaries and Coasts*, 40, 1398-1417. <https://doi.org/10.1007/s12237-017-0230-5>

30. Bouchet, P., Bary, S., Héros, V., & Marani, G. (2016). How many species of molluscs are there in the world's oceans, and who is going to describe them? *Tropical deep-sea benthos*, 208(29), 9-24.
31. Boury-Esnault, N., Hooper, J. N. A., Rützler, K., de Voogd, N. J., Alvarez de Glasby, B., Hajdu, E., & Cárdenas, P. (2014). World Porifera database.
32. Bussell, J. A. (2003). *Biodiversity of the invertebrate community associated with the turf-forming red alga Corallina officinalis in tide pools*. Bangor University (United Kingdom).
33. Bussell, J. A., Lucas, I. A., & Seed, R. (2007). Patterns in the invertebrate assemblage associated with *Corallina officinalis* in tide pools. *Journal of the Marine Biological Association of the United Kingdom*, 87(2), 383-388. <https://doi.org/10.1017/S0025315407055385>
34. Castellanos-Galindo, G. A., Giraldo, A., & Rubio, E. A. (2005). Community structure of an assemblage of tidepool fishes on a tropical eastern Pacific rocky shore, Colombia. *Journal of Fish Biology*, 67(2), 392-408. <https://doi.org/10.1111/j.0022-1112.2005.00735.x>
35. Cefali, M. E., Cebrian, E., Chappuis, E., Pinedo, S., Terradas, M., Mariani, S., & Ballesteros, E. (2016). Life on the boundary: environmental factors as drivers of habitat distribution in the littoral zone. *Estuarine, Coastal and Shelf Science*, 172, 81-92. <https://doi.org/10.1016/j.ecss.2016.01.043>
36. Chappuis, E., Terradas, M., Cefali, M. E., Mariani, S., & Ballesteros, E. (2014). Vertical zonation is the main distribution pattern of littoral assemblages on rocky shores at a regional scale. *Estuarine, Coastal and Shelf Science*, 147, 113-122. <https://doi.org/10.1016/j.ecss.2014.05.031>
37. Chaudhari, B., Poriya, P., & Kundu, R. (2017). Community structure of the honeycomb worm *Neosabellaria clandestinus* from a biogenic reef of Gujarat Coast, India. *International Journal of Ecology and Environmental Sciences*, 42(4), 333-340.
38. Chavda, A. R., & Kundu, R. (2021). preliminary survey of tidepool diversity from Veraval coast, Gujarat, India. Archers & Elevators Publishing House. In *Proceedings of the 4th National Conference Present Day Biology: Recent Advancements in Biological Sciences*, 13.

39. Chavda, A., & Mankodi, P. (2022). First record and description of marine flatworm *Pseudoceros susanae* (Newman & Anderson, 1997) from Indian mainland. *Int. Journal of Entomology Research*, 7(4), 110-113.
40. Chen, X. (2022). Overview of the Marine Environment. In *Theory and Method of Fisheries Forecasting*, 9-38, Singapore: Springer Nature Singapore. https://doi.org/10.1007/978-981-19-2956-4_2
41. Ciavatta, S., Brewin, R. J. W., Skakala, J., Polimene, L., de Mora, L., Artioli, Y., & Allen, J. I. (2018). Assimilation of ocean-color plankton functional types to improve marine ecosystem simulations. *Journal of Geophysical Research: Oceans*, 123(2), 834-854. <https://doi.org/10.1002/2017JC013490>
42. Corey, Garza. (2019). Landscape Ecology in the Rocky Intertidal: Opportunities for Advancing Discovery and Innovation in Intertidal Research. 4(3):83-90. <https://doi.org/10.1007/S40823-019-00042-8>
43. Cota-Ortega, L. E., Barjau-Gonzalez, E., López-Vivas, J. M., Armenta-Quintana, J. Á., Aguilar-Parra, J., Aispuro-Felix, E. E., & Piñera, A. K. R. (2021). Determination of the fish community structure of an intertidal rocky zone of the Pacific coast of Baja California Sur. *Open Journal of Marine Science*, 12(1), 1-18. <https://doi.org/10.4236/ojms.2022.121001>
44. Cox, T. E. (2011). *Aspects of ecology and algal physiology in Hawaii's rocky intertidal zones* (Doctoral dissertation, [Honolulu]: [University of Hawaii at Manoa], [August 2011]).
45. Cronan, C. S. (2023). Marine Ecosystems. In *Ecology and Ecosystems Analysis*, 177-195. Cham: Springer Nature Switzerland. https://doi.org/10.1007/978-3-031-45259-8_11
46. Dave, C. S., & Mankodi, P. C. (2009). Species specific association of sea anemones. *Current Science*, 97(11), 1522.
47. Davidson, T. M., & Grupe, B. M. (2015). Habitat modification in tidepools by bioeroding sea urchins and implications for fine-scale community structure. *Marine Ecology*, 36(2), 185-194. <https://doi.org/10.1111/maec.12134>
48. De Wilde, P. A. W. J. (1991). Interactions in burrowing communities and their effects on the structure of marine benthic ecosystems. In *Symposia of the Zoological Society of London*, Vol. 63, 107-117.

49. Dedeu, A. L., Alonso, D., Ontiveros, V. J., Ballesteros, E., & Mariani, S. (2021). Describing properties of littoral habitats from NW Mediterranean rocky shores through co-occurrence network analysis. *Estuarine, Coastal and Shelf Science*, 262, 107623.
50. Den Hartog, C. (1968). The littoral environment of rocky shores as a border between the sea and the land and between the sea and the fresh water. *Blumea: Biodiversity, Evolution and Biogeography of Plants*, 16(2), 375-393.
51. Dethier, M. N. (1982). Pattern and process in tidepool algae: factors influencing seasonality and distribution. *Botanica, Marina*, Vol. XXV, 55-66. <https://doi.org/10.1515/botm.1982.25.2.55>
52. Dias, M., Roma, J., Fonseca, C., Pinto, M., Cabral, H. N., Silva, A., & Vinagre, C. (2016). Intertidal pools as alternative nursery habitats for coastal fishes. *Marine Biology Research*, 12(4), 331-344. <https://doi.org/10.1080/17451000.2016.1143106>
53. Diamond, J., Case, T. J. (1986). Community ecology. Harper & Row, New York
54. DIXIT, S., & SREERAJ, C. R. (2024). Two new polyclad (Platyhelminthes: Polycladida) flatworm species from the Lakshadweep Islands, India. *Zootaxa*, 5446(3), 405-419. <https://doi.org/10.11646/ZOOTAXA.5446.3.5>
55. Domala, S. (2022). PORIFERAL VISION: Deep Transfer Learning-based Sponge Spicules Identification & Taxonomic Classification. <https://doi.org/10.31979/etd.9psx-933e>
56. Elham, M., Ali. (2023). Biotic and Abiotic Components of Marine Ecosystem. *Marine ecology, Current and Future Developments*, 3, 80-108. <https://doi.org/10.2174/9789815051995123030005>
57. Emelio, Barjau-González., Juan, Manuel, López-Vivas., José, Ángel, Armenta-Quintana., Javier, Aguilar-Parra., Abril, Karim, Romo, Piñera. (2022). Determination of the Fish Community Structure of an Intertidal Rocky Zone of the Pacific Coast of Baja California Sur. *Open Journal of Marine Science*, doi: <https://doi.org/10.4236/ojms.2022.121001>
58. Evans, A. J., Firth, L. B., Hawkins, S. J., Morris, E. S., Goudge, H., and Moore, P. J. (2016). Drill-cored rock pools: an effective method of ecological

- enhancement on artificial structures. *Marine and Freshwater Research* 67(1), 123–130. <https://doi.org/10.1071/MF14244>
59. Fairchild, T. P., Fowler, M. S., Pahl, S., & Griffin, J. N. (2018). Multiple dimensions of biodiversity drive human interest in tide pool communities. *Scientific reports*, 8(1), 15234. <https://doi.org/10.1038/s41598-018-33155-x>
 60. Fatemi, S. M. R., VOSOUGHI, G., GHAVAM, M. P., & Bahri, F. (2012). Diversity and distribution of True Crabs (Brachyura) from intertidal rocky shores of Qeshm Island, Persian Gulf. *Int. J. Mar. Sci. Eng.*, 2 (1), 115-120.
 61. Flach, E., & Tamaki, A. (2001). Competitive bioturbators on intertidal sand flats in the European Wadden Sea and Ariake Sound in Japan. *Ecological comparisons of sedimentary shores*, 149-171. https://doi.org/10.1007/978-3-642-56557-1_8
 62. Gadekar, D. R. (1977). Sedimentary structures in the Tertiary rocks of south Gujarat and their environmental significance. *Geological Society of India*, 18(10), 549-557.
 63. Ganesh, T., & Raman, A. V. (2007). Macrobenthic community structure of the northeast Indian shelf, Bay of Bengal. *Marine Ecology Progress Series*, 341, 59-73.
 64. Gaur, A. S., & Sundaresh, T. S. (2009). New evidence on Maritime Archaeology around Mul Dwarka (Kodinar). *Gujarat Coast India Man Environ*, 34(2), 72-76.
 65. Gaur, A. S., Vora, K. H., & Sundaresh. (2007). Shoreline changes during the last 2000 years on the Saurashtra coast of India: Study based on archaeological evidences. *Current Science*, 103-110.
 66. Ghotbeddin, N. (2011). *A survey on diversity and distribution of crabs in intertidal and sub tidal shore of the Sistan and Baloochestan Province (Oman sea)* (Doctoral dissertation, Islamic Azad University, Science and Research Branch, Tehran, Marine Biology.
 67. Gohel, R. S., Pandya, K. M., & Mankodi, P. C. (2016). Population Study of the Family Cerithiidae (Phylum: Mollusca) at Mangrol Coast, Gujarat, India. *Int. Res. J. Environment Sci.*, 5(8), 16-21.

68. Gohil, B., & Kundu, R. (2012). Diversity of the intertidal macrofauna at west coast of Gujarat, India by Bharat Sinh gohil¹ and Rahul kundu². *Life sciences leaflets*, 34, 135-145.
69. Göltenboth, F., Schoppe, S., & Widmann, P. (2006). Sea shores and tidal flats. In *Ecology of insular southeast Asia*, Elsevier, 171-186.
70. Gomes, P. B., Targino, A. G., Brandão, R. A., & Pérez, C. D. (2016). Diversity and distribution of Actiniaria. *The Cnidaria, Past, Present, and Future: The world of Medusa and her sisters*, 125-138. https://doi.org/10.1007/978-3-319-31305-4_9
71. Gonçalves, I., Vinagre, C., & Silva, A. (2023). Patterns of rock pool molluscs in differing shore exposures. *Marine Biology*, 170(6), 77. <https://doi.org/10.1007/s00227-023-04223-2>
72. Gosliner, T. M., Behrens, D. W., & Williams, G. C. (1996). *Coral reef animals of the Indo-Pacific: animal life from Africa to Hawaii exclusive of the vertebrates*.
73. Gravem, S. A., & Morgan, S. G. (2019). Trait-mediated indirect effects in a natural tidepool system. *Marine biology*, 166(2), 23. <https://doi.org/10.1007/s00227-019-3469-5>
74. Gusha, M. N., Dalu, T., & McQuaid, C. D. (2021). Interaction between small-scale habitat properties and short-term temporal conditions on food web dynamics of a warm temperate intertidal rock pool ecosystem. *Hydrobiologia*, 848(7), 1517-1533. <https://doi.org/10.1007/s10750-021-04535-8>
75. Gustavo, A., Castellanos-Galindo, Alan, Giraldo, Efraín, A., Rubio. (2005). Community structure of an assemblage of tidepool fishes on a tropical eastern Pacific rocky shore, Colombia. *Journal of Fish Biology*, <https://doi.org/10.1111/J.0022-1112.2005.00735.X>
76. Ingole, B. S., Gaonkar, U. V., Deshmukh, A., Mukherjee, I., Sivadas, S. K., & Gophane, A. (2014). Macrobenthic community structure of coastal Arabian Sea during the fall intermonsoon. *Indian J Geo-Mar Sci.*, 43(12), 2223-2232.
77. J. N., & Vachhrajani, K. D. (2014). Study of the macro faunal associates of the littoral zoanthid Palythoa mutuki (Cnidaria, Anthozoa) from Saurashtra

- Coast, Gujarat, India. *International Journal of Marine Science*, 4(34), 1-9.
<https://doi.org/10.5376/ijms.2014.04.0034>
78. Jellison, B. M., Elsmore, K. E., Miller, J. T., Ng, G., Ninokawa, A. T., Hill, T. M., & Gaylord, B. (2022). Low-pH seawater alters indirect interactions in rocky-shore tidepools. *Ecology and evolution*, 12(2), 1-10.
<https://doi.org/10.1002/ece3.8607>
79. Jessica, Bone., Richard, Stafford., Alice, E., Hall, Ian, L., Boyd., Nigel, George., Roger, J.H., Herbert. (2022). Estuarine Infauna Within Incidentally Retained Sediment in Artificial Rockpools. *Front. Mar. Sci.*, 8, 1-10.
<https://doi.org/10.3389/fmars.2021.780720>
80. Jethva, S., Liversage, K., & Kundu, R. (2022). Does topography of rocky intertidal habitat affect aggregation of cerithiid gastropods and co-occurring macroinvertebrates? *Oceanologia*, 64(2), 387-395.
<https://doi.org/10.1016/j.oceano.2022.01.006>
81. Jha, B., Reddy, C. R. K., Thakur, M. C., & Rao, M. U. (2009). *Seaweeds of India: the diversity and distribution of seaweeds of Gujarat coast*. Springer Science & Business Media, Vol. 3.
82. Jocque, M. E. R. L. I. J. N., Vanschoenwinkel, B. R. A. M., & Brendonck, L. U. C. (2010). Freshwater rock pools: a review of habitat characteristics, faunal diversity and conservation value. *Freshwater Biology*, 55(8), 1587-1602.
<https://doi.org/10.1111/j.1365-2427.2010.02402.x>
83. Jordaan, A., Crocker, J., & Chen, Y. (2011). Linkages among physical and biological properties in tidepools on the Maine Coast. *Environmental biology of fishes*, 92, 13-23. <https://doi.org/10.1007/s10641-011-9812-4>
84. Joshi, A., Desai, A. Y., Bhatt, A. J., & Dave, T. H. (2018). Bio-resources and Environmental Status in Narara and Poshitra Islands at Marine National Park, Gulf of Kachchh, Gujarat. *International Journal of Bio-resource and Stress Management*, 9(2), 262-268.
<https://doi.org/10.23910/ijbsm/2018.9.2.3c0411>
85. Joshi, D. M., & Mankodi, P. C. (2016). The Vermetidae of the Gulf of Kachchh, western coast of India (Mollusca, Gastropoda. *ZooKeys*, (555), 1.
<https://doi.org/10.3897/zookeys.555.5948>

86. KAPIL, U., & PC, M. (2014). Benthic associates of zoanthids on intertidal zone of Saurashtra coast, Gujarat. *Electronic Journal of Environmental Sciences Vol, 7*, 13-18.
87. Kardani, H. K., Thivakaran, G. A., & Mankodi, P. C. (2011). Community structure of bivalve in intertidal region of northern gulf of Kachchh. *Electronic Journal of Environmental Sciences, 4*, 129-134.
88. Kaungal, Vinod., Rani, Mary, George., P, A, Thomas., Mary, K, Manisseri., G., Shylaja. (2014). Diversity and distribution of shallow water sponges (Porifera) in the coastal waters from Enayam to Kollam, south-west coast of India. *Indian Journal of Fisheries*, 61(3), 52-57.
89. Kerbl, A., Vereide, E. H., Gonzalez, B. C., Rouse, G. W., & Worsaae, K. (2018). Two new meiofaunal species of Trilobodrilus (Dinophilidae, Annelida) from California, USA. *European Journal of Taxonomy*, (421), 1-18. <https://doi.org/10.5852/ejt.2018.421>
90. Kim, J. H. (1995). *Intertidal community structure, dynamics and models: mechanisms and the role of biotic and abiotic interaction* (Doctoral dissertation, University of British Columbia. <https://doi.org/10.14288/1.0088097>
91. Kon, K., Shimanaga, M., & Horinouchi, M. (2020). Marine ecology: intertidal/littoral zone. *Japanese Marine Life: A Practical Training Guide in Marine Biology*, 241-254. https://doi.org/10.1007/978-981-15-1326-8_20
92. Krikech, I., Le Pennec, G., & Ezziyyani, M. (2020). Diversity and distribution of marine sponges (Porifera) from the western coast of Morocco (south-west Mediterranean Sea). Springer International Publishing. In *Advanced Intelligent Systems for Sustainable Development (AI2SD'2019), Applied to Environment, Industry and Economy*, 3, 252-261. https://doi.org/10.1007/978-3-030-36671-1_22
93. Krupal, Patel., Kauresh, D., Vachhrajani., Jigneshkumar, N., Trivedi. (2022). Study on Shell Utilization Pattern of Two Sympatric Hermit Crab Species on the Rocky Intertidal Region of Veraval, Gujarat, India. *Thalassas: an International Journal of Marine Sciences*, 39, 125-137. <https://doi.org/10.1007/s41208-022-00487-5>

94. Kumar S., C., Mishra, J. K., & Kumar P. N. (2016). Diversity and distribution of tide pool ornamental fishes along the Andaman coast (Andaman Sea), India. *Marine Biodiversity*, 46(2), 433-441. <https://doi.org/10.1007/s12526-015-0385-x>
95. Lebedeva, D., Muñoz, G., & Lumme, J. (2021). New salinity tolerant species of Gyrodactylus (Platyhelminthes, Monogenea) on intertidal and supratidal fish species from the Chilean coast. *Acta Parasitologica*, 66, 1021-1030. <https://doi.org/10.1007/s11686-021-00347-x>
96. Leeuwis, R. H., & Gamperl, A. K. (2022). Adaptations and plastic phenotypic responses of marine animals to the environmental challenges of the high intertidal zone. In *Oceanography and Marine Biology*, 625-679. CRC Press.
97. Lester, S. E., Dubel, A. K., Hernán, G., McHenry, J., & Rassweiler, A. (2020). Spatial planning principles for marine ecosystem restoration. *Frontiers in Marine Science*, 7, 328. <https://doi.org/10.3389/fmars.2020.00328>
98. Luis, Artur, Valões, Bezerra, André, Andrian, Padial, Filipe, Brasil, Mariano, Danielle, Sequeira, Garcez, Jorge, Iván, Sánchez-Botero. (2017). Fish diversity in tidepools: assembling effects of environmental heterogeneity. *Environmental Biology of Fishes*, 100, 551-563. <https://doi.org/10.1007/S10641-017-0584-3>
99. Macieira, R. M., & Joyeux, J. C. (2011). Distribution patterns of tidepool fishes on a tropical flat reef. *Fishery Bulletin*, 109(3), 305.
100. Majithiya, V. R., & Gohel, S. D. (2022). Isolation and characterization of marine actinobacteria associated with the seaweeds, *Codium dwarkense* and *Sargassum cinereum*, collected from the Veraval coastline, Gujarat, India. *J. Mar. Biol. Assoc. India*, 64, 34. <https://doi.org/10.6024/jmbai.2022.64.1.2188-05>
101. Mandal, A., Dutta, A., Das, R., & Mukherjee, J. (2021). Role of intertidal microbial communities in carbon dioxide sequestration and pollutant removal: A review. *Marine Pollution Bulletin*, 170, 112626. <https://doi.org/10.1016/j.marpolbul.2021.112626>
102. Martins, G. M., Hawkins, S. J., Thompson, R. C., & Jenkins, S. R. (2007). Community structure and functioning in intertidal rock pools: effects of

- pool size and shore height at different successional stages. *Marine Ecology Progress Series*, 329, 43-55. <https://doi.org/10.3354/meps329043>
103. Maurya, K., Mahajan, S., Annamalai, A., Chaube, N. R., Patrevu, D., & Misra, A. (2022). Mangroves in Gulf of Khambhat, Gujarat: a case study. *Proceedings of the Indian National Science Academy*, 88(4), 560-575. <https://doi.org/10.1007/s43538-022-00093-2>
 104. McNeill, M. (2010). Vertical zonation: Studying ecological patterns in the rocky intertidal zone. *Science Activities*, 47(1), 8-14. <https://doi.org/10.1080/00368120903280735>
 105. McNeilly, S. (2018). Visions from the Tide Pool: John Steinbeck's Interdependent Migrant Community. *steinbeck review*, 15(1), 31-44. <https://doi.org/10.5325/steinbeckreview.15.1.0031>
 106. Megan, N., Dethier. (1982). Pattern and Process in Tidepool Algae: Factors Influencing Seasonality and Distribution. *Botanica Marina*, XXV, 55-66. <https://doi.org/10.1515/BOTM.1982.25.2.55>
 107. Metaxas, A., & Scheibling, R. E. (1993). Community structure and organization of tidepools. *Marine Ecology Progress Series*, 8, 187-198.
 108. Metaxas, A., & Scheibling, R. E. (1994). Spatial and temporal variability of tidepool hyperbenthos on a rocky shore in Nova-Scotia, Canada. *Marine Ecology Progress Series*, 108, 175-184.
 109. Mieszkowska, N. (2016). Intertidal indicators of climate and global change. In *Climate Change*, 213-229. Elsevier. <https://doi.org/10.1016/B978-0-444-63524-2.00014-2>
 110. Miranda, L. S., Mills, C. E., Hirano, Y. M., Collins, A. G., & Marques, A. C. (2018). A review of the global diversity and natural history of stalked jellyfishes (Cnidaria, Staurozoa). *Marine Biodiversity*, 48, 1695-1714. <https://doi.org/10.1007/s12526-017-0721-4>
 111. Misra, A. (1991). polychaeta: Animal resources of India: Zoological Survey of India, Calcutta (No. 4171) (Z. S. o. I. Director, Ed.). Zoological Survey of India, Calcutta
 112. Misra, S., & Kundu, R. (2005). Seasonal variations in population dynamics of key intertidal molluscs at two contrasting locations. *Aquatic Ecology*, 39, 315-324. <https://doi.org/10.1007/s10452-005-1779-9>

113. Msangameno, D. J. (2016). Intertidal and nearshore rocky reefs. *Western Indian Ocean*, 85.
114. Nagale, P., & Apte, D. (2014). Intertidal hydroids (Cnidaria: Hydrozoa: Hydroidolina) from the Gulf of Kutch, Gujarat, India. *Marine Biodiversity Records*, 7, e116. <https://doi.org/10.1017/S1755267214001146>
115. Nayak, A., Equbal, J., Rout, S. S., Dash, B., Thiruchitrabalam, G., Bhadury, P., & Raut, D. (2022). Macrobenthic community of an anthropogenically influenced mangrove associated estuary on the East coast of India: An approach for ecological assessment. *Frontiers in Marine Science*, 9, 1008912.
116. Naylor, L. A., Mac Arthur, M., Hansom, J. D., & Burrows, M. (2022). *Quantifying natural rocky shore biogeomorphic interactions to inform eco-engineering designs for urban coasts*, Copernicus Meetings. <https://doi.org/10.5194/icg2022-626>
117. Ogunwenmo, C. A., & Kusemiju, K. (2004). Annelids of a west African estuarine system. *Journal of environmental biology*, 25(2), 227-237.
118. Paijmans, K. C., & Wong, M. Y. (2017). Linking animal contests and community structure using rockpool fishes as a model system. *Functional ecology*, 31(8), 1612-1623. <https://doi.org/10.1111/1365-2435.12859>
119. Paine, R. T. (1974). Intertidal community structure: experimental studies on the relationship between a dominant competitor and its principal predator. *Oecologia*, 15, 93-120. <https://doi.org/10.1007/BF00345739>
120. Pandey, M., Desai, A. Y., & Mathew, K. L. (2017). Quantitative abundance of key intertidal gastropods at port Okha reef Gujarat. *International Journal of Fisheries and Aquatic Studies*, 5(5), 188-192.
121. Pandey, V., & Thiruchitrabalam, G. (2019). Spatial and temporal variability of sandy intertidal macrobenthic communities and their relationship with environmental factors in a tropical island. *Estuarine, Coastal and Shelf Science*, 224, 73-83.
122. Pandya Khushali, M., Chandresh, D., & Pc, M. (2012) Interactions between scleractinians and zoanthids in the rocky intertidal area of Saurashtra coast, Gujarat, India. *Bio. and Cons. of Coastal and Marine Eco. of India*, 67-69.

123. Panikkar NK (1937). Notes on Nevadnegaluca. Record of Indian Museum.; XXXIX:4.
124. Panikkar NK (1939). Studies on the brackish water anemone *Pelocoetesexul*, Annandale and on a new marine species from Madras. Proceedings of the Committee of Science and Correspondence of the Zoological Society of London.108, 4-7.
125. Panikkar NK. (1936). The Structure, Bionomics, and Systematic Position of Two New Brackish-water Actiniaria from Madras. In *Proceedings of the Zoological Society of London*, Blackwell Publishing Ltd., 106(1), 229-249. <https://doi.org/10.1111/j.1096-3642.1936.tb02287.x>
126. Panikkar NK. (1937). The morphology and systematic relationships of a new bolocerooidarian from brackish water near Madras, together with an account of its asexual reproduction. Proceedings: Plant Sciences, 76-90.
127. Panikkar, N. K. (1937). A study of the actinian *Phytocoetes gangeticus* Annandale, with an account of the post-larval development and the occurrence of neoteny in the anemone. *Zoologische Jahrbücher Abteilung für Anatomie und Ontogenie der Tiere*, 62, 395-422.
128. Pant, R.K. and Juyal, N. (1993) Late Quaternary coastal instability and sea level changes: new evidences from Saurashtra coast, Western India. *Zeitschrift fuer Geomorphologie*, 37, 29-40.
129. Parapar, J., Martínez-Ansemil, E., Caramelo, C., Collado, R., & Schmelz, R. (2009). Polychaetes and oligochaetes associated with intertidal rocky shores in a semi-enclosed industrial and urban embayment, with the description of two new species. *Helgoland Marine Research*, 63, 293-308. <https://doi.org/10.1007/s10152-009-0158-7>
130. Parulekar A. (1967). Two new species of sea anemones (Actiniaria) from Maharashtra Journal of Bombay National History Society, 64(3), 524-529.
131. Parulekar A. (1968). Sea anemones (Actiniaria) of Bombay. Journal of Bombay National History Society, 65(1), 138-147.
132. Parulekar A. (1969 a). *Neoaipiasia commensali* gen etspnov: An actiniarian commensally of hermit crab. Journal of Bombay National History Society, 66(1), 57-62.

133. Parulekar A. (1969 b). On a new species of sea anemone from Maharashtra, India. *Journal of Bombay National History Society*, 66(3), 590-595.
134. Parulekar A. (1971). A new sea anemone, *Cribrinopsis robertii* (Endomyaria: Actiniidae) from Maharashtra and Goa coast. *Journal of Bombay National History Society*, 68(1), 291-295.
135. Parulekar AH. (1990). Actiniarian sea anemone fauna of India. National institute of oceanography, Goa.
136. Patel, K. J., Vachhrajani, K. D., & Trivedi, J. N. (2023). Study on shell utilization pattern of two sympatric hermit crab species on the Rocky Intertidal Region of Veraval, Gujarat, India. *Thalassas: An International Journal of Marine Sciences*, 39(1), 125-137. <https://doi.org/10.1007/s41208-022-00487-5>
137. Patel, S. J., & Desai, B. G. (2009). Animal-sediment relationship of the crustaceans and polychaetes in the intertidal zone around Mandvi, Gulf of Kachchh, Western India. *Journal of the Geological society of India*, 74, 233-259. <https://doi.org/10.1007/s12594-009-0125-6>
138. Peter, Hayward. (2022). Rock Pools. <https://doi.org/10.53061/gxhh2122>
139. Peter, S., Petraitis, J.A.D., Fisher, Steve, Dudgeon. (2008). Rocky Intertidal Zone. 3107-3113. <https://doi.org/10.1016/B978-008045405-4.00355-4>
140. Petraitis, P. S., Fisher, J. A. D., & Dudgeon, S. (2008). Rocky intertidal zone. *Ecosystem Ecology*, 374.
141. Poriya, P., & Kundu, R. (2017). Interaction between two prominent benthic communities in intertidal ecosystem of Kathiawar peninsula. *International Journal of Ecology and Environmental Sciences*, 42(4), 287-293.
142. Prajapati, M., Jariwala, N., & Agnihotri, P. (2020). Evaluation of groundwater quality with special emphasis on fluoride contamination using multivariate statistical analysis in rural parts of Surat district, Gujarat. *ISH journal of hydraulic engineering*, 26(2), 179-186. <https://doi.org/10.1080/09715010.2018.1468828>
143. PRIBADI, T. D. K., & KANZA, A. A. (2017). Tide pools diversity in Bojonglarang-Jayanti Nature Reserve, West Java, Indonesia. *Indo Pacific Journal of Ocean Life*, 1(2), 43-48. <https://doi.org/10.13057/oceanlife/o010201>

144. Raghunathan, C., Mondal, T. A. M. A. L., & Nigam, N. K. (2016). Echinoderm diversity of India. *Current status of marine faunal diversity in India*, 353-381.
145. Ramos-Sanchez, M., Carrasco-Rodriguez, D. S., García-Madrigal, M. D. S., & Bastida-Zavala, J. R. (2021). Marine flatworms (Platyhelminthes: Polycladida) found in empty barnacle shells, including a new species, from southern Mexican Pacific. *Zootaxa*, 4965(2), 301320-301320. <https://doi.org/10.11646/zootaxa.4965.2.5>
146. Rao, T. A., & Shanware, P. G. (1967). Ecological Studies of Saurashtra Coast and Neighbouring Islands-VI. An approach to a Classification of the Saurashtra Coastland-A Resume. *Nelumbo*, 240-248. <https://doi.org/10.20324/nelumbo/v9/1967/76150>
147. Rao, T. S., Reddy, K. S., Swathi, G., Sekhar, C. R., Kumar, B. A., Satyanarayananaidu, K., Saheb, S. J. ., Ramakrishna, B. ., & Sreedhar , P. . (2023). Textural Characteristics of Coastal Sediments Between Bhavanapadu and Baruva Villages in Srikakulam District, East Coast of India. *International Journal of Membrane Science and Technology*, 10(1), 1862-1886. <https://doi.org/10.15379/ijmst.v10i1.3550>
148. Ronald, M., Yoshiyama., Clay, Sassaman., Robert, N., Lea. (1986). Rocky intertidal fish communities of California: temporal and spatial variation. *Environmental Biology of Fishes*, 17, 23-40. <https://doi.org/10.1007/BF00000398>
149. Santhosh Kumar, C., Mishra, J. K., & Pravin Kumar, N. (2016). Diversity and distribution of tide pool ornamental fishes along the Andaman coast (Andaman Sea), India. *Marine Biodiversity*, 46(2), 433-441. <https://doi.org/10.1007/s12526-015-0385-x>
150. Sasilatha, T., Kumar, M. M. A., Immanuel, T. B., Fadil, M. H. M., & Mohendran, M. G. (2023). Marine Geographic Overview of Coastline Changes with a View of Locating Submerged structures in Ancient Harbour Poompuhar. *Journal of Survey in Fisheries Sciences*, 10(4S), 2737-2742. <https://doi.org/10.53555/sfs.v10i4S.1654>
151. Satyam, K., & Thiruchitrambalam, G. (2018). Habitat ecology and diversity of rocky shore fauna. In *Biodiversity and climate change adaptation in*

- tropical islands*, 187-215. Academic Press. <https://doi.org/10.1016/B978-0-12-813064-3.00007-7>
152. Schaefer, N., Dafforn, K. A., Johnston, E. L., & Mayer-Pinto, M. (2019). Corrigendum to: Size, depth and position affect the diversity and structure of rock pool communities in an urban estuary. *Marine and Freshwater Research*, 70(7), 1045-1045. https://doi.org/10.1071/MF18074_CO
153. Schaefer, N., Mayer-Pinto, M., Johnston, E. L., & Dafforn, K. A. (2023). Understanding the role of microhabitats in intertidal rock pools to guide future eco-engineering designs. *Marine Biology*, 170(4), 44. <https://doi.org/10.1007/s00227-023-04196-2>
154. Seapy, R. R., & Littler, M. M. (1993). Rocky intertidal community structure on Santa Barbara Island and the effects of wave surge on vertical zonation. *Third California Island Symposium: Recent Advances in Research on the California Islands*, 273- 292.
155. Shah, P. D., Thakkar, N. J., & Mankodi, P. C. (2017). Comprehensive diversity study with few new records of sea anemones along the Saurashtra coast, Gujarat. *International Journal of Fauna and Biological Studies*, 4(4), 12-18.
156. Shah, P. D., Thakkar, N. J., & Mankodi, P. C. (2017). First evidence of Aggregating Sea Anemone, *Anthopleura elegantissima* (Brandt, 1835) from the Saurashtra Coast, Gujarat. *The International Journal of Information Management*, 4(8), 4437-4439.
157. Sharifuzzaman, S. M., Fuad, M. T. I., Rubby, I. A., Chowdhury, M. S. N., Hossain, M. S., & Chowdhury, S. R. (2021). Preliminary report on tidepool fish diversity from a rocky shore in the Bay of Bengal. *Regional Studies in Marine Science*, 43, 101698. <https://doi.org/10.1016/j.rsma.2021.101698>
158. Shirin, Saeid., Ali, Nasrolahi., Anita, Afzali. (2024). Incorporating rock pools in coastal infrastructure, an eco-engineered approach to enhance biodiversity. *Marine and Freshwater Research*, 75. <https://doi.org/10.1071/MF23243>
159. Shivanagouda, S. (2013). Study of Abundance and Distribution of Sub tidal Macrobenthic Diversity in near Shore waters off Gulf of Kutch, Gujarat, India. *Research Journal of Marine Sciences ISSN*, 2321, 1296.

160. Srinivas, T., Sukumaran, S., Neetu, S., & Ramesh Babu, K. (2020). Diversity and functional patterns of benthic amphipods in the coralline intertidal zones of a marine national park, India. *Frontiers in Marine Science*, 7, 589195, <https://doi.org/10.3389/fmars.2020.589195>
161. Stampar, S. N., Reimer, J. D., Maronna, M. M., Lopes, C. S., Ceriello, H., Santos, T. B., ... & Morandini, A. C. (2020). Ceriantharia (Cnidaria) of the World: an annotated catalogue and key to species. *ZooKeys*, 952, 1–63. <https://doi.org/10.3897/zookeys.952.50617>
162. Strachan, K. L., Hill, T. R., Finch, J. M., & Barnett, R. L. (2015). Vertical zonation of foraminifera assemblages in Galpins salt marsh, South Africa. *The Journal of Foraminiferal Research*, 45(1), 29-41. <https://doi.org/10.2113/gsjfr.45.1.29>
163. Sukumaran, S., Mulik, J., Rokade, M. A., & Kamble, A. (2014). Impact of 'Chitra' oil spill on tidal pool macrobenthic communities of a tropical rocky shore (Mumbai, India). *Estuaries and coasts*, 37, 1415-1431. <https://doi.org/10.1007/s12237-014-9791-8>
164. Sukumaran, S., Vijapure, T., Mulik, J., & Ridha, H. (2021). Marine macrobenthos of NorthWest India-reviewing the known and unknown. *Frontiers in Marine Science*, 8, 671245. <https://doi.org/10.3389/fmars.2021.671245>
165. Temkar, G., Abdul, A. P., Metar, S. Y., Brahmane, V. T., Sikotaria, K. M., & Mathew, K. L. (2014). The studies on distribution and community structure of five selected species of marine gastropod along the rocky intertidal area of Veraval, Gujarat, India. *Journal of Advances in Agricultural Science and Technology*, 2(6), 94-100.
166. The World Porifera Database (WPD).
167. Thomas, P. A. 1998. ENVIS ZSI, Kolkata, p. 27-36.
168. Trivedi Jigneshkumar, N., & Vachhrajani Kauresh, D. (2012). Distribution and diversity of brachyuran crabs along the coastal region of Junagadh district, Gujarat. *Patrons*, 6-12.
169. Trivedi, J. N., & Vachhrajani, K. D. (2014). Pattern of shell utilization in the hermit crab *Clibanarius zebra* (Dana, 1852) along the Saurashtra coast,

- Gujarat, India. *Tropical Zoology*, 27(4), 129-139.
<https://doi.org/10.1080/03946975.2014.964923>
170. Trivedi, J. N., & Vachhrajani, K. D. (2016). On identity of *Atergatis ocyroe* (Herbst, 1801) (Crustacea: Brachyura: Xanthidae) in Indian waters. *International Journal of Fauna and Biological Studies*, 3(2), 62-64.
171. Trivedi, J. N., Doshi, M., Patel, K. J., & Chan, B. K. (2021). Diversity of intertidal, epibiotic, and fouling barnacles (Cirripedia, Thoracica) from Gujarat, northwest India. *ZooKeys*, 1026, 143.
<https://dx.doi.org/10.3897/zookeys.1026.60733>
172. Trivedi, J. N., Doshi, M., Patel, K. J., & Chan, B. K. (2021). Diversity of intertidal, epibiotic, and fouling barnacles (Cirripedia, Thoracica) from Gujarat, northwest India. *ZooKeys*, 1026, 143.
<https://doi.org/10.3897/zookeys.1026.60733>
173. Tsering, L., Pawar, H. B., Sreepada, R. A., Sanaye, S. V., & Suryavanshi, U. (2012). Ichthyofaunal diversity and ecology of intertidal rock pools of Goa, west coast of India. <http://drs.nio.org/drs/handle/2264/4233>
174. Tsering, L., Pawar, H. B., Sreepada, R. A., Sanaye, S. V., & Suryavanshi, U. (2012). Ichthyofaunal diversity and ecology of intertidal rock pools of Goa, west coast of India, *Fish. Chimes*, 32(8), 2012, 56-59.
<http://drs.nio.org/drs/handle/2264/4233>
175. Tsuyuki, A., Oya, Y., & Kajihara, H. (2019). A new species of *Prosthiostomum* (Platyhelminthes: Polycladida) from Shirahama, Japan. *Species Diversity*, 24(2), 137-143. <https://doi.org/10.12782/specdiv.24.137>
176. Upadhyay, R., Joshi, N., Sampat, A. C., Verma, A. K., Patel, A., Singh, V., ... & Kalubarme, M. H. (2015). Mangrove restoration and regeneration monitoring in Gulf of Kachchh, Gujarat State, India, using remote sensing and geo-informatics. *International Journal of Geosciences*, 6(4), 299-310.
<https://doi.org/10.4236/ijg.2015.64023>
177. Vadher, P., Gadhvi, I. R., Parekh, H., & Dabhi, J. (2014). Occurrence of marine molluscan along the Chorwad Coast, Gujarat-India. *Advances in Applied Science Research*, 5(5), 24-28.
178. Vadher, P., Kardani, H., & Beleem, I. (2022). Diversity and distribution of mantis shrimps (Arthropoda: Crustacea: Stomatopoda) in the Gulf of

- Kachchh, Gujarat, India. *Journal of Threatened Taxa*, 14(5), 21032-21042.
<https://doi.org/10.11609/jott.7471.14.5.21032-21042>
179. VADHER, P., KARDANI, H., & BELEEM, I. (2023). New Records of Mantis Shrimps (Crustacea: Stomatopoda) from the Gujarat Waters, India. *Journal of the Indian Society of Coastal Agricultural Research*, 41(1), 41-52.
<https://doi.org/10.54894/IJSCAR.41.1.2023.131591>
180. Vakani, B., & Kundu, R. (2020). Distributional Pattern of Two Limpet Groups in the Rock Pool Habitat of the South Saurashtra Coastline, Gujarat, India. In *Proceedings of the National Conference on Innovations in Biological Sciences (NCIBS)*, 544-571. <https://dx.doi.org/10.2139/ssrn.3580052>
181. Vakani, B., Poriya, P., & Kundu, R. (2017). Spatio-temporal variations in the distribution pattern of key molluscs in a rocky intertidal habitat along South Saurashtra coastline of Gujarat. *International Journal of Ecology and Environmental Sciences*, 42(4), 341-348.
182. Venkataraman, K. and Wafar, M. (2005). Coastal and marine biodiversity of India. *Indian J.Mar.Sci.*, 34 (1): 57-75. <https://doi.org/10.1016/B978-0-12-801948-1.00019-7>
183. Venkatesan, V. (2010). Marine ornamental molluscs. *National Training Programme on Marine Ornamental Fish Culture*, 27-32.
184. Vinod, K. (2024). *Diversity of marine sponges*. 22-33.
185. Wiebe, H., C., F., Kooistra, A., M., T., Joosten, C., van, den, Hoek. (1989). Zonation patterns in intertidal pools and their possible causes: a multivariate approach. *Botanica Marina*, 32(1), 9-26.
<https://doi.org/10.1515/botm.1989.32.1.9>
186. Williams, G. C. (2011). The global diversity of sea pens (Cnidaria: Octocorallia: Pennatulacea). *PLoS one*, 6(7), e22747.
<https://doi.org/10.1371/journal.pone.0022747>
187. World Register of Marine Species (WoRMS) (2023).
<https://doi.org/10.14284/170>
188. Zohary, T., & Gasith, A. (2014). The littoral zone. *Lake Kinneret: ecology and management*, 517-532.