

CHAPTER 8
BIBLIOGRAPHY

- Abercrombie, D. L., Clarke, S. C., & Shivji, M. S. (2005). Global-scale genetic identification of hammerhead sharks: application to assessment of the international fin trade and law enforcement. *Conservation genetics*, 6(5), 775-788.
- Akhilesh, K.V., Hashim, M., Ganga, U., Bineesh, K. K., & Shanis, C. P. R. (2008). Morphometric characteristics of the pelagic stingray *Pteroplatytrygon violacea* (Bonaparte, 1832) caught off Cochin, southwest coast of India. *Journal of the Marine Biological Association of India*, 50(2), 235-237.
- Akhilesh, K.V., Hashim, M., Ganga, U., Pillai, N. G. K., & Sebastine, M. (2009). Morphometric characteristics of deepwater stingray *Plesiobatis daviesi* (Wallace, 1967) collected from the Andaman Sea. *Journal of the Marine Biological Association of India*, 51(2), 246-249.
- Akhilesh, K.V., Hashim, M., Bineesh, K. K., Shanis, C. P. R., & Ganga, U. (2010). New distributional records of deep-sea sharks from Indian waters. *Journal of the Marine Biological Association of India*, 52(1), 29-34.
- Akhilesh, K.V, Ganga, U, Pillai, N. G. K., Vivekanandan, E., Bineesh, K.K., Shanis, C. P. R., & Hashim, M. (2011). Deep-sea fishing for chondrichthyan resources and sustainability concerns - A case study from southwest coast of India. *Indian Journal of Geo-Marine Sciences*, 40(3), 347-355.
- Akhilesh, K.V., Bineesh, K. K., Ganga, U., & Pillai, N. G. K. (2013a). Report of Velvet dogfish, *Zameus squamulosus* (Günther, 1877) (Somniosidae: Squaliformes) from Indian waters. *Indian Journal of Fisheries*, 60(3), 127-129.
- Akhilesh, K.V., Bineesh, K.K., Ganga, U., & Pillai, N. G. K. (2013b). Report of crocodile shark *Pseudocarcharias kamoharai* (Pseudocarchariidae) from deepwaters off the south-west coast of India. *Marine Biodiversity Records*, Marine Biological Association of the United Kingdom, 6, e99. 1-3.
- Akhilesh, K. V., Bineesh, K. K., White, W. T., Shanis, C. P. R., Hashim, M., Ganga, U., & Pillai, N. G. K. (2013c). Catch composition, reproductive biology and diet of the bramble shark *Echinorhinus brucus* (Squaliformes: Echinorhinidae) from the south-eastern Arabian Sea. *Journal of Fish Biology*, 83(5), 1112-1127.
- Akhilesh, K. V., Bineesh, K. K., Gopalakrishnan, A., Jena, J. K., Basheer, V. S., & Pillai, N. G. K. (2014). Checklist of chondrichthyans in Indian waters. *Journal of the Marine Biological Association of India*, 56(1), 109-120.

BIBLIOGRAPHY

- Akhilesh, K.V., Bineesh, K. K., Mishra, S. S., Ganga, U., & Pillai, N. G. K. (2014) Notes on the Indian swellshark, *Cephaloscyllium silasi* (Scyliorhinidae: Carcharhiniformes) from deep waters off the west coast of India. *Marine Biodiversity Records*, Marine Biological Association of the United Kingdom, 7, e25, 1-3.
- Akhilesh, K. V., White, W. T., Bineesh, K. K., Purushottama, G. B., Singh, V. V., & Zacharia, P. U. (2016). Redescription of the rare and endangered Broadfin Shark *Lamiopsis temminckii* (Müller & Henle, 1839) (Carcharhiniformes: Carcharhinidae) from the northeastern Arabian Sea. *Zootaxa*, 4175(2), 155-166.
- Alcock, A. (1889). On the bathybial fishes of the Bay of Bengal and neighbouring waters, obtained during the seasons 1885-1889. *Annals and Magazine of Natural History, (Series 6)*, 4, 376-399.
- Alcock, A. W. (1891). Class Pisces. In: II.--Natural history notes from H. M. Indian marine survey steamer 'Investigator,' Commander R. F. Hoskyn, R. N., commanding. Series II., No. 1. On the results of deep-sea dredging during the season 1890-91. *Annals and Magazine of Natural History (Series 6)*, 8 (43/44), 16-34; 119-138, Pls. 7-8.
- Alcock, A. W. (1898). Natural history notes from H. M. Indian marine survey ship 'Investigator,' Commander T. H. Heming, R. N., commanding. Series II., No. 25. A note on the deep-sea fishes, with descriptions of some new genera and species, including another probably viviparous ophidioid. *Annals and Magazine of Natural History, (Series 7)*, 8(2), 136-156.
- Alcock, A.W. (1899). A descriptive catalogue of the Indian deep-sea fishes in the Indian Museum. Being a revised account of the deep-sea fishes collected by the Royal Indian marine survey ship 'Investigator.' Calcutta. Calcutta, Indian Museum, 211.
- Ambe, K.S. and Sohonie, K. (1957 a). A comparative study of the proteins of shark and skate and casein. I. Isolation, analysis and comparison of amino-acid make-up. *Indian Journal of Fisheries*, 4(1), 113-123.
- Ambe, K.S. and Sohonie, K. (1957 b). A comparative study of the proteins of shark and skate and casein. II. Enzymic hydrolysis of the fish proteins and casein. *Indian Journal of Fisheries*, 4(1), 124-129.

- Ambe, K.S. and Sohonie, K. (1957 c). A comparative study of the proteins of shark and skate and casein. III. Essential amino-acid content and the nutritive value. *Indian Journal of Fisheries*, 4(1), 130-133.
- AMOR, M. M. B., Diatta, Y., Diop, M., SALEM, M. B., & Capape, C. (2016). Confirmed occurrence in the Mediterranean Sea of milk shark *Rhizoprionodon acutus* (Chondrichthyes: Carcharhinidae) and first record off the Tunisian coast. *Cah. Biol. Mar*, 57, 145-149.
- Anam, R., & Mostarda, E. (2012). Field identification guide to the living marine resources of Kenya. *FAO Species Identification Guide for Fishery Purposes (FAO)*.
- Annandale, N., & Jenkins, J. T. (1909). Report on the fishes taken by the Bengal Fisheries Steamer "Golden Crown".
- Anon. (1856). Frank Leslie New York Journal, (3-4), 84.
- Appukuttan, K. K. and Nair, K. P. (1988). Shark resources of India, with notes on biology of a few species. In *The First Indian Fisheries Forum* (Joseph, M.M ed), *Proceedings of Asian Fisheries Society*, 173–183.
- Aschliman, N. C., Nishida, M., Miya, M., Inoue, J. G., Rosana, K. M., & Naylor, G. J. (2012). Body plan convergence in the evolution of skates and rays (Chondrichthyes: Batoidea). *Molecular Phylogenetics and Evolution*, 63(1), 28-42.
- Awise, J. C. (1986). Mitochondrial DNA and the evolutionary genetics of higher animals. *Philosophical Transactions of the Royal Society of London. B, Biological Sciences*, 312(1154), 325-342.
- Ayyangar, S.R. (1922). Notes on the fauna and fishing industries of the lac cadives. *Madras Fisheries Bulletin*, 15, 45-69.
- Babu, C., Ramachandran, S. and Varghese, B.C. (2011). On a new record of sixgill sting ray *Hexatrygon bickelli* Heemstra and Smith, 1980 from south-west coast of India. *Indian Journal of Fisheries*, 58(2), 137-139.
- Bal, D.V. and Banerji, S.K. (1951). Survey of the sea fisheries of India. *Proceedings of Indo-Pacific Fisheries Council*, 2, 1-6.
- Bal, D.V. and Ghanekar, D.S. (1956). The enzymes of some elasmobranchs from Bombay. IV. Lipases of *Scoliodon sorrakowah* and *Rhyncobatus djiddensis*. *Proceedings of the Indian Academy of Sciences*, B, 44(5), 247-256.

BIBLIOGRAPHY

- Balakrishnan, S., Dhaneesh, K.V., Srinivasan, M., Sampathkumar P. and Balasubramanian, T. (2012). Recurrence of scalloped hammerhead *Sphyrna lewini* from Indian coastal waters. *Marine Biodiversity Records*, Marine Biological Association of the United Kingdom, 5, e79.
- Balasubramanyan, R. (1964). On the use of different natural baits for sea fishing in India, *Fishery Technology*, 1(1), 41-47.
- Baldaniya, A. U., & Mankodi, P. C. (2024). FIRST RECORD OF MANGROVE WHIPRAY, UROGYMNUS GRANULATUS (MACLEAY, 1883) (ELASMOBRANCHII: DASYATIDAE) FROM GUJARAT, NORTH-WEST COAST OF INDIA. *Journal of Experimental Zoology India*, 27(1).
- Baldaniya, A., & Mankodi, P. C. (2024). Elasmobranch Fish Identification Using YOLO - A Deep Learning Approach. *World Ocean Science Congress-2024 WOSC/2024/ABS/164*.
- Banjarsari, A. A., Mulyani, Y., Aprilliani, I. M., Grandiosa, R., Barrowclift-Mahon, E., Berggren, P., & Khan, A. M. (2023). Analysis of Genetic Diversity of *Mobula sp.* in Cilacap Using RAPD (Random Amplified Polymorphic DNA) Markers. *Asian Journal of Fisheries and Aquatic Research*, 21(4), 13-21.
- Barbedo, J. G. A. (2022). A review on the use of computer vision and artificial intelligence for fish recognition, monitoring, and management. *Fishes*, 7(6), 335.
- Barker, M. J., & Schluessel, V. (2005). Managing global shark fisheries: suggestions for prioritizing management strategies. *Aquatic Conservation: Marine and Freshwater Ecosystems*, 15(4), 325-347.
- Barrowclift, E., Temple, A. J., Stead, S., Jiddawi, N. S., & Berggren, P. (2017). Social, economic and trade characteristics of the elasmobranch fishery on Unguja Island, Zanzibar, East Africa. *Marine Policy*, 83, 128-136.
- Baum, J. K., Myers, R. A., Kehler, D. G., Worm, B., Harley, S. J., & Doherty, P. A. (2003). Collapse and conservation of shark populations in the Northwest Atlantic. *Science*, 299(5605), 389-392.
- Baum, J. K., & Myers, R. A. (2004). Shifting baselines and the decline of pelagic sharks in the Gulf of Mexico. *Ecology Letters*, 7(2), 135-145.
- Beheregaray, L. B. (2008). Twenty years of phylogeography: the state of the field and the challenges for the Southern Hemisphere. *Molecular ecology*, 17(17), 3754-3774.

- Berkes, F., Colding, J., & Folke, C. (2000). Rediscovery of traditional ecological knowledge as adaptive management. *Ecological Applications*, 10(5), 1251-1262.
- Bhargava, A. K., Somvanshi, V. S., & Varghese, S. (2002). Pelagic sharks by-catch in the tuna longline fishery of the Indian EEZ. *Management of Scombroid fisheries*, 165-176.
- Bhatt, D. M., Singh, S. K., & Mankodi, P. C. (2022). New record of spot-tail sleeper ray *Narke dipterygia* (Bloch and Schneider, 1801) (Elasmobranchii, Torpediniformes, Narkidae) from the coast of Gujarat, India. *Journal of Fisheries*, 10(1), 101401.
- Bhimachar, B. S., & Venkataraman, G. (1952). A preliminary study of the fish populations along the Malabar Coast. *Proceedings of the National Institute of Sciences of India*, 18 (6), 627-655.
- Bigelow, H. B. (1948). Sharks in fishes of the western North Atlantic. *Mem. Sears. Fdn. mar. Res.*, 1, 59-576.
- Bineesh, K. K., Akhilesh, K. V., Sajeela, K. A., Abdussamad, E. M., Gopalakrishnan, A., Basheer, V. S., & Jena, J. K. (2014). DNA Barcoding Confirms the Occurrence Rare Elasmobranchs in the Arabian Sea of Indian EEZ. *Middle-East Journal of Scientific Research*, 19(9), 1266-1271.
- Bineesh, K. K., Kumar, R. R., Venu, S., Nashad, M., Basheer, V. S., Akhilesh, K. V., & Sivaperuman, C. (2020). Fifteen new records of Batoids (Elasmobranchii) from waters off Andaman and Nicobar Islands, India. *Journal of the Marine Biological Association of India*, 62(1), 21-28.
- Bleeker, P. (1853). *Nalezingen op de ichthyologische fauna van Bengalen en Hindostan*. Bataviaasch Genootschap van Kunsten en Wetenschappen.
- Bloch, M. E., & Schneider, J. G. (1801). M. E. Blochii, Systema Ichthyologiae Iconibus cx Illustratum. Post obitum auctoris opus inchoatum absolvit, correxit, interpolavit Jo. Gottlob Schneider, Saxo. Berolini. Sumtibus Auctoris Impressum et Bibliopolio Sanderiano Commissum. M. E. Blochii, Systema Ichthyologiae. 1- 584.
- Blyth, E. (1847). Zoological Department Report. *Journal of Asiatic Society of Bengal*, 16, 725-726.
- Blyth, E. (1860). The cartilaginous fishes of lower Bengal. *Journal of the Asiatic Society of Bengal*, 29, 35.

BIBLIOGRAPHY

- Bonfil, R. (1994). Overview of world elasmobranch fisheries. Food and Agriculture Organization of the United Nations, 341, 119.
- Bonfil, R. (2008). The biology and ecology of the silky shark, *Carcharhinus falciformis*. *Sharks of the open ocean: biology, fisheries and conservation*, 114-127.
- Bonfil, R., & Abdallah, M. (2004). Field identification guide to the sharks and rays of the Red Sea and Gulf of Aden. FAO Species Identification Guide for Fishery Purposes. *FAO, Rome*.
- Booth, H., Squires, D., & Milner-Gulland, E. J. (2019). The neglected complexities of shark fisheries, and priorities for holistic risk-based management. *Ocean & Coastal Management*, 182, 104994.
- Borichangar, R. V., Parmar, J. N., Vyas, U. D., Tandel, L. V., Patel, M. R., Vala, R. B., & Patel, P. P. (2023a). First record of Grey Bamboo Shark, *Chiloscyllium griseum* (Müller & Henle 1838) from Dholai Port, Southwest Coast of Gujarat, India. *Indian Journal of Ecology*, 50(6), 2096-2101.
- Borichangar, R. V., Parmar, J. N., Vyas, U. D., & Tandel, L. V. (2023b). Slender bamboo shark (*Chiloscyllium indicum*): first record from Gujarat, North-West coast of India. *Journal of Experimental Zoology India*, 26(2).
- Bose, A. N., Dasgupta, S. K., & Srimani, B. N. (1958). Studies on fishes of Bay of Bengal II. Processing of shark flesh. *Indian Journal of Veterinary Sciences*, 28, 163-169.
- Brander, K. (1981). Disappearance of common skate *Raia batis* from Irish Sea. *Nature*, 290(5801), 48-49.
- Branstetter, S. (1987). Age and growth validation of newborn sharks held in laboratory aquaria, with comments on the life history of the Atlantic sharpnose shark, *Rhizoprionodon terraenovae*. *Copeia*, 291-300.
- Branstetter, S., & Musick, J. A. (1994). Age and growth estimates for the sand tiger in the northwestern Atlantic Ocean. *Transactions of the American Fisheries Society*, 123(2), 242-254.
- Brey, T., & Pauly, D. (1986). Electronic length frequency analysis: a revised and expanded user's guide to ELEFAN 0, 1 and 2. Ber. Inst. Meereskunde, Kiel, 149: 76p.

- Brey, T., Soriano, M. & Pauly, D. (1988). Electronic length frequency analysis. A revised and expanded user's guide to ELEFAN 0, 1 and 2 (2nd edition), Ber. Inst. Meereskunde, Kiel, No. 177: 76p.
- Cabreira, A. G., Tripode, M., & Madirolas, A. (2009). Artificial neural networks for fish-species identification. *ICES Journal of Marine Science*, 66(6), 1119-1129.
- Cantor, T. E. (1837). Description of new species of *Zygaena*. Calcutta Medical and Physical Society. Quarterly. 1837: 315-320.
- Carpenter, K. E. & Niem, V. H. (2001). FAO species identification guide for fishery purposes. The living marine resources of the Western Central Pacific. Volume 6. Bony fishes part 4 (Labridae to Latimeriidae), estuarine crocodiles, sea turtles, sea snakes and marine mammals. *FAO Library*.
- Cardenosa, D., Hyde, J., & Caballero, S. (2014). Genetic diversity and population structure of the pelagic thresher shark (*Alopias pelagicus*) in the Pacific Ocean: evidence for two evolutionarily significant units. *PloS one*, 9(10), e110193.
- Castro, J. I. (2011). *The sharks of north America*. Oxford University Press.
- Cerutti-Pereyra, F., Meekan, M.G., Wei, N.-W.V., O'Shea, O., Bradshaw, C.J.A., Austin, C.M. (2012). Identification of rays through DNA barcoding: an application for ecologists. *PLoS ONE*. 7, e36479.
- Chandran, E. T. (1980). Handling and processing of sharks in India (Lakshadweep). *M.Sc. Thesis, C.I.F.E., Bombay*, 100.
- Chang, C. M., Fang, W., Jao, R. C., Shyu, C. Z., & Liao, I. C. (2005). Development of an intelligent feeding controller for indoor intensive culturing of eel. *Aquacultural engineering*, 32(2), 343-353.
- Chaudhuri, B.L. (1911). Freshwater sting-rays of the Ganges. *Journal of Asiatic Society of Bengal*, 7, 625-629.
- Chicco, D., & Jurman, G. (2020). The advantages of the Matthews correlation coefficient (MCC) over F1 score and accuracy in binary classification evaluation. *BMC genomics*, 21, 1-13.
- Chidambaram, K., & Menon, M. D. (1946). Investigations on the shark fishery of Madras Presidency. (Govt. Museum), Madras, 18.
- Chopra, B. N. (1951). Handbook of Indian fisheries. Ministry of Agriculture, India, New Delhi.
- Clarke, S. C., Magnussen, J. E., Abercrombie, D. L., McAllister, M. K., & Shivji, M. S. (2006). Identification of shark species composition and proportion in the

BIBLIOGRAPHY

- Hong Kong shark fin market based on molecular genetics and trade records. *Conservation Biology*, 20(1), 201-211.
- Clarke, S., Milner-Gulland, E. J., & Bjørndal, T. (2007). Social, economic, and regulatory drivers of the shark fin trade. *Marine Resource Economics*, 22(3), 305-327.
- CMFRI (2022). Annual Report 2021. *Central Marine Fisheries Research Institute, Kochi*, 300.
- CMFRI (2023). Annual Report 2022. *Central Marine Fisheries Research Institute, Kochi*, 252.
- Compagno, L. J. (1977). Phyletic relationships of living sharks and rays. *American zoologist*, 17(2), 303-322.
- Compagno, L. J. (1984). FAO species catalogue vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 2. Carcharhiniformes.
- Compagno, L. J. V. (1984). FAO Species Catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species known to date. Part 2 - Carcharhiniformes. *FAO Fisheries Synopsis*, 125, 251-655.
- Compagno, L. J. V. (1984). FAO species catalogue. Vol. 4. Sharks of the world. An annotated and illustrated catalogue of shark species of world known to date. Part 1 -Hexanchiformes to Lamniformes. *FAO Fisheries Synopsis*, 125: 249.
- Compagno, L. J. V., & Talwar, P. K. (1985a). On the occurrence of the narrowheaded Sevengill Shark, *Heptranchias perlo* (Bonnatere, 1788) (Chondrichthyes: Hexanchidae) in Indian waters. *Bulletin of Zoological Survey of India*, 7, 169-171.
- Compagno, L. J. V., & Talwar, P. K. (1985b). Generic relationship and status of the Scyliorhinid Shark, *Scyliorhinus (Halaelurus) silasi* Talwar, 1974 (Chondrichthyes: Selachii, Scyliorhinidae). *Bulletin of Zoological Survey of India*, 7(1), 37-39.
- Compagno, L. J. V., & Randall, J. E. (1987). *Rhinobatos punctifer*, a new species of guitarfish (Rhinobatiformes: Rhinobatidae) from the Red Sea, with notes on the Red Sea batoid fauna. *Proceedings of the California Academy of Sciences, Series 4*. 44(14), 335-342.

- Compagno, L. J. V. (1999). Systematics and body form. Sharks, skates, and rays: the biology of elasmobranch fishes. In: Hamlett, W.C. (ed.). *The John Hopkins University Press, Baltimore and London*, 43-68.
- Compagno, L. J. V., & Last, P. R. (1999). Narkidae. Sleeper rays. FAO identification guide for fishery purposes. *The living marine resources of the Western Central Pacific, FAO, Rome*, 1443-1446.
- Compagno, L. J. (2002). *Sharks of the world: an annotated and illustrated catalogue of shark species known to date* (Vol. 2). Food and Agriculture Organization of the United Nations, 1-269.
- Compagno, L. J. V., Last, P. R., Stevens, J. D., & Alava, M. N. R. (2005). Checklist of Philippine chondrichthyes. *CSIRO Marine Laboratories Report*, 243, 103.
- Compagno, L., Dando, M., & Fowler, S. (2005). A field guide to the sharks of the world. London: Harper Collins Publishing.
- Coulson, M., Denti, D., Van Guelpen, L., Miri, C., Kenchington, E., & Bentzen, P. (2011). DNA barcoding of Canada's skates. *Molecular Ecology Resources*, 11, 968–978.
- Coulthard, S. (2008). Adapting to environmental change in artisanal fisheries—Insights from a South Indian Lagoon. *Global Environmental Change*, 18(3), 479-489.
- Cubelio, S.S., Ramya, R., & Kurup, B.M. (2011). A new species of *Mustelus* (Family: Triakidae) from Indian EEZ. *Indian Journal of Geo-Marine Sciences*, 40(1), 28-31.
- Cuvier, G. (1829). Le Règne Animal, distribué d'après son organisation, pour servir de base à l'histoire naturelle des animaux et d'introduction à l'anatomie comparée. Edition 2. Le Règne Animal (Edition 2), 2, 1-406.
- D'Cruz, T. (2004). Artisanal deep-sea fishing in Kerala: prospects and problems. *Kerala research programme on local level development*.
- Dahlgren, T. (1992) Shark longlining catches on India's east coast. *Bay of Bengal's News*, 48, 10–12.
- Daley, R. K. (2002). Field guide to Australian sharks & rays. *CSIRO Marine research*, 1-84.
- Dash, S. S., Chakraborty, S. K., Vivekanandan, E., Zacharia, P. U., Kizhakudan, S. J., Jaiswar, A. K., ... & Bharadiya Sangita, A. (2019). Population dynamics and stock assessment of spadenose shark *Scoliodon laticaudus* Muller and Henle

BIBLIOGRAPHY

- 1839 along Gujarat coast of India. *Indian Journal of Geo-Marine Sciences*, 48(4), 423-433.
- Davis, W. C. (2022). Multi-Species Foraging Associations in the Hauraki Gulf (Doctoral dissertation, ResearchSpace@ Auckland).
- Day, F. (1863). The Land of the Permauls, Or, Cochin, Its Past and Its Present: Gantz Bros., at the Adelphi Press, 578.
- Day, F. (1865) The fishes of Malabar. London. 1-293.
- Day, F. (1873). On some new Fishes of India. *Journal of the Linnean Society of London, Zoology*, 11(56), 524-530.
- Day, F. (1876). The fishes of India; being a natural history of the fishes known to inhabit the seas and fresh waters of India, Burma, and Ceylon vol. I.
- Day, F. (1878). The fishes of India; being a natural history of the fishes known to inhabit the seas and fresh waters of India, Burma, and Ceylon. The fishes of India Part 4:139-195.
- Day, F. (1889). Fauna of British India, including Ceylon and Burma. *Fishes*, 1, 1-548.
- Day, F. (1889). The Fauna of British India Including Ceylon and Burma. Fishes. Vol. I. Taylor and Francis, London.
- D'Costa, N. G. (2022). Understanding the impacts of anti-finning regulations on global shark mortality. [graduate project]. Halifax, NS: Dalhousie University.
- De Fino, M., La Volpe, G., & Piccarreta, G. (1983). Mafic minerals from Punta delle Pietre Nere (Gargano, Southern Italy): their petrological significance. *Tscher. Min. Petr. Mitt.*, 32.
- De Young, C. (Ed.). (2006). Review of the state of world marine capture fisheries management: Indian Ocean. *Food and Agriculture Organization of the United Nations*, 488.
- Deepu, A.V., Joseph, G. and Kurup, B.M. (2010) Redescription of smooth lantern shark, *Etmopterus pusillus* (Lowe, 1839) from the EEZ of India. *Fishery Technology*, 47(2), 189-194.
- Deshpande, S.D., Rao, S.V.S.R and Sivan, T.M. (1970). On the results of preliminary fishing trials with shark long lines in Veraval waters. *Fishery Technology*, 7(2), 150-157.
- Devadoss, P. (1978). A preliminary study on the batoid fishery of Cuddalore with a note on the biology. *Indian journal of fisheries*, 25(1&2), 180-187.

- Devadoss, P. (1984). Nutritive values of sharks, skates and rays from Portonovo coast. *Indian Journal of Fisheries*, 31(1), 156-161.
- Devadoss, P. (1987). A brief description of the cat shark, *Chiloscyllium griseum* Müller and Henle, from Indian waters, with some biological notes. *Indian Journal of Fisheries*, 34 (3), 343-347.
- Devadoss, P. (1988). A new record of fantail ray *Taeniura melanospila* (Bleeker, 1853). *Journal of the Marine Biological Association of India*, 30(1&2), 217-218.
- Devadoss, P. (1996). Shark fishing in India. Proceedings of the Seminar on Fisheries – A Multibillion Dollar Industry, Madras, 7-11.
- Devadoss, P. (1998). Growth and population parameters of the spade nose shark, *Scoliodon laticaudus* from Calicut coast. *Indian Journal of Fisheries*, 45(1), 29-34.
- Devadoss, P. and Natarajan, R. (1977). On a Smooth Hammerhead Shark, *Sphyrna zygaena* (Linnaeus.) new to Indian waters. *Current Science*, 46(5), 166-167.
- Devadoss, P., Kuthalingam, M.D.K., & Thiagarajan, R. (1989). The present status and future prospects of elasmobranch fishery in India. Bulletin of Central Marine Fisheries Research Institute, 44, 188-199.
- Devadoss, P., Vivekanandan, E., Raje, S. G., Mathew, G., & Chandrasekar, S. (2000). Elasmobranch resources of India. *Marine fisheries research and management*, 563-578.
- Devanesan, D.W. and Chidambaram, K. (1948). The common fishes of Madras presidency, Govt. press, Madras.
- Devanesan, D.W. and Chidambaram, K. (1953). The Common Food-Fishes of the Madras State. Dept. Of Industries and Commerce, Madras. The Superintendent Government Press, Madras.
- Devaraj, M. and Gulati, D. (2004). Morphometry and biology of the duskyshark, *Carcharhinus obscurus* (Lesueur), from the oceanic region off the West Coast of India. In: Large marine Ecosystem: Explorations and exploitation for sustainable development and conservation of fish stocks. Somvanshi, V S,(ed.) Fishery Survey of India, 100-112.
- Devaraj, M., & Vivekanandan, E. (1999). Marine capture fisheries of India: Challenges and opportunities. *Current Science*, 314-332.

BIBLIOGRAPHY

- Dhaneesh, K. V., & Zacharia, P. U. (2013). Shark finning: are Indian waters becoming a graveyard for sharks?. *Journal of Indian Ocean Studies*, *21*(3), 358-374.
- Dholakia, A. D. (2004). *Fisheries and Aquatic Resources of India*. Daya Publishing House, Delhi, 413.
- Dholakia, A. D., & Vasavda, G. D. (1985). Commercial production of shark liver oil in Gujarat. Harvest and Post harvest technology of fish. Ravindran *et al.* eds. Society of Fishery Technology. 634-637.
- Di Sciara, G. N., Fernando, D., Adnet, S., Cappetta, H., & Jabado, R. W. (2017). Devil rays (Chondrichthyes: Mobula) of the Arabian Seas, with a redescription of *Mobula kuhlii* (Valenciennes in Müller and Henle, 1841). *Aquatic Conservation: Marine and Freshwater Ecosystems*, *27*(1), 197-218.
- Dingerkus, G., & DeFino, T. C. (1983). A revision of the orectolobiform shark family Hemiscyllidae (Chondrichthyes, Selachii). *Bulletin of the AMNH*; v. 176, article 1.
- Dionisi, A., Sardini, E., & Serpelloni, M. (2012, May). Wearable object detection system for the blind. In 2012 IEEE International Instrumentation and Measurement Technology Conference Proceedings (pp. 1255-1258). IEEE.
- Douady, C. J., Dosay, M., Shivji, M. S., & Stanhope, M. J. (2003). Molecular phylogenetic evidence refuting the hypothesis of Batoidea (rays and skates) as derived sharks. *Molecular phylogenetics and evolution*, *26*(2), 215-221.
- Dudgeon, C. L., Blower, D. C., Broderick, D., Giles, J. L., Holmes, B. J., Kashiwagi, T., Kruck, N. C., Morgan, J. A. T., Tillett, B. J., & Ovenden, J. R., (2012). A review of the application of molecular genetics for fisheries management and conservation of sharks and rays. *Journal of Fish Biology*, *80*, 1789–1843.
- Dulvy, N. K., Akhilesh, K. V., Bineesh, K. K., Derrick, D., Ebert, D. A., Fernando, D., Haque, A. B., Jabado, R. W., Khan, M. & Maung, A. (2021). *Rhinobatos annandalei*. *The IUCN Red List of Threatened Species*, eT161478A124492224.
- Dulvy, N. K., Baum, J. K., Clarke, S., Compagno, L. J., Cortés, E., Domingo, A., Fordham, S., Fowler, S., Francis, M. P., Gibson, C., Martínez, J., Musick, J. A., Soldo, A., Stevens J. D. & Valenti, S. (2008). You can swim but you can't hide: the global status and conservation of oceanic pelagic sharks and rays. *Aquatic conservation: marine and freshwater ecosystems*, *18*(5), 459-482.

- Dulvy, N. K., Bineesh, K. K., Derrick, D., Elhassan, I., Haque, A. B., Jabado, R. W., Moore, A. & Simpfendorfer, C. (2021). *Iago omanensis*. *The IUCN Red List of Threatened Species*, eT161501A173438349.
- Dulvy, N. K., Bineesh, K. K., Owfi, F., Fernando, D., Moore, A. & Ali, K. (2017). *Maculabatis arabica*. *The IUCN Red List of Threatened Species 2017*: e. T107604987A109922508.
- Dulvy, N. K., Fowler, S. L., Musick, J. A., Cavanagh, R. D., Kyne, P. M., Harrison, L. R., Carlson, J. K., Davidson, L. N., Fordham, S. V., Francis, M. P., Pollock, C. M., Simpfendorfer, C. A., Burgess, G. H., Carpenter, K. E., Compagno, L. J., Ebert, D.A., Gibson, C., Heupel, M. R., Livingstone, S. R., Sanciangco, J. C., Stevens, J. D., Valenti, S. & White, W. T. (2014). Extinction risk and conservation of the world's sharks and rays. *elife*, 3, e00590.
- Dulvy, N. K., Metcalfe, J. D., Glanville, J., Pawson, M. G., & Reynolds, J. D. (2000). Fishery stability, local extinctions, and shifts in community structure in skates. *Conservation Biology*, 14(1), 283-293.
- Dulvy, N. K., Pacoureau, N., Rigby, C. L., Pollom, R. A., Jabado, R. W., Ebert, D. A., Finucci, B., Pollock, C. M., Cheok, J., Derrick, D. H., Herman, K. B., Sherman, C. S., VanderWright, W. J., Lawson, J. M., Walls, R. H., Carlson, J. K., Charvet, P., Bineesh, K. K., Fernando, D., Ralph, G. M., Matsushiba, J. M., Hilton-Taylor, C., Fordham, S. V. & Simpfendorfer, C. A. (2021). Overfishing drives over one-third of all sharks and rays toward a global extinction crisis. *Current Biology*, 31(21), 4773-4787.
- Dulvy, N. K., Simpfendorfer, C. A., Davidson, L. N., Fordham, S. V., Bräutigam, A., Sant, G., & Welch, D. J. (2017). Challenges and priorities in shark and ray conservation. *Current Biology*, 27(11), R565-R572.
- Dulvy, N. K., Simpfendorfer, C., Akhilesh, K. V., Derrick, D., Elhassan, I., Fernando, D., Haque, A. B., Jabado, R. W., Maung, A., Valinassab, T. & VanderWright, W. J. (2021). *Scoliodon laticaudus*. *The IUCN Red List of Threatened Species*, e. T169234201A173436322.
- Dulvy, N.K., Fowler, S.L., Musick, J.A., Cavanagh, R.D., Kyne, P.M., Harrison, L.R., Carlson, J.K., Davidson, L.N.K., Fordham, S.V., Francis, M.P., Pollock, C.M., Simpfendorfer, C.A., Burgess, G.H., Carpenter, K.E., Compagno, L.J.V., Ebert, D.A., Gibson, C., Heupel, M.R., Livingstone, S.R., Sanciangco, J.C., Stevens,

BIBLIOGRAPHY

- J.D., Valenti, S., & White, W. T. (2014). Extinction risk and conservation of the world's sharks and rays. *elife*, 3, e00590.
- Duméril, A. (1852). Monographie de la tribu des torpediniens ou raies électriques comprenant un genre nouveau, trois espèces nouvelles et deux espèces nommées dans le musée de Paris, mais non encore décrites. *Rev Mag Zool*, 5, 1-46.
- Duméril, A. H. A. (1865). *Histoire naturelle des poissons: ou, Ichthyologie générale. Tome premier Élasmobranches: plagiostomes et holocéphales ou chimères. Première partie*. Librairie encyclopédique de Roret.
- Dutta, A. K., & Roy, T. (1977). Sharks and Rays of Sunderbans of India. Newsletter. Zoological Survey of India, 3, 75-77.
- Ebert, D. A. (2014). Deep-sea cartilaginous fishes of the Indian Ocean. *FAO Species Catalogue for Fishery Purposes (FAO) eng no. 8*, (2).
- Ebert, D. A., Fowler, S., & Compagno, L. (2013). *Sharks of the world: a fully illustrated guide*. Wild Nature Press, Plymouth, United Kingdom.
- Ebert, D. A., Khan, M., Ali, M., Akhilesh, K. V. & Jabado, R. W. (2017). *Rhinobatos punctifer*. *The IUCN Red List of Threatened Species 2017*: e.T161447A109904426.
- Er, M. J., Chen, J., Zhang, Y., & Gao, W. (2023). Research challenges, recent advances, and popular datasets in deep learning-based underwater marine object detection: A review. *Sensors*, 23(4), 1990.
- FAO (2009). Food and Agriculture Organization, FISHSTAT Plus (v. 2.30), Capture Production Database, 1950–2007, and Commodities Trade and Production Database 1976–2007. FAO, Rome, Italy.
- FAO (2024). FAO Major Fishing Areas. Indian Ocean, Western (Major Fishing Area 51). CWP Data Collection. *In: Fisheries and Aquaculture*. Rome.
- Faria, S. A. N. C. H. I. L. I. A. N. A., & KAMAT, M. (2016). An analysis of marine production and exports of goa's fisheries sector. *Intercontinental Journal of Marketing Management*, 3.
- Ferreira, L. C., & Simpfendorfer, C. (2019). *Galeocerdo cuvier*. *The IUCN Red List of Threatened Species*, eT39378A2913541.
- Ferretti, F., Worm, B., Britten, G. L., Heithaus, M. R., & Lotze, H. K. (2010). Patterns and ecosystem consequences of shark declines in the ocean. *Ecology letters*, 13(8), 1055-1071.

- Fischer, J. R., and Quist MC. (2014). Characterizing lentic freshwater fish assemblages using multiple sampling methods. *Environ Monit Assess*, 186:4461-4474.
- Fowler, S. L. (1996). Status of the basking shark *Cetorhinus maximus* (Gunnerus). *Shark News*, 6(4).
- Frej, L., & Gustafsson, A. C. (1990). The market for shark and shark products in Southern India. *Fisheries Development Series (Sweden)*, (48).
- Fricke, R., Eschmeyer, W. N. & Van der Laan, R. (2023). <http://researcharchive.calacademy.org/research/ichthyology/catalog/fishcatmain.asp>.
- Frisk, M. G., Miller, T. J., & Fogarty, M. J. (2001). Estimation and analysis of biological parameters in elasmobranch fishes: a comparative life history study. *Canadian Journal of Fisheries and Aquatic Sciences*, 58(5), 969-981.
- Gajjar, I. (1944). CHEMICAL COMPOSITION OF BOMBAY SHARK LIVER OIL. *Current Science*, 13(7), 181-182.
- Gallagher, A. J., & Hammerschlag, N. (2011). Global shark currency: the distribution, frequency, and economic value of shark ecotourism. *Current Issues in Tourism*, 14(8), 797-812.
- Gallagher, A. J., Kyne, P. M., & Hammerschlag, N. (2012). Ecological risk assessment and its application to elasmobranch conservation and management. *Journal of Fish Biology*, 80(5), 1727-1748.
- Gayanilo Jr, F. C., & Pauly, D. (1989). Announcing the release of version 1.1 of the Compleat ELEFAN Software Package. *Fishbyte*, 7(2), 20-21.
- Gayanilo Jr, F. C., Soriano, M., & Pauly, D. (1988). A draft guide to the Compleat ELEFAN. ICLARM Software Project 2: 10 diskettes and 65p.
- Gayanilo, F.C., Sparre, P. & Pauly, D., (2005). The FAO-ICLARM stock assessment tool (FiSAT) user's guide. FAO computerized information series (Fisheries), FAO, Rome: World Fish Center, No 7: 168.
- Ghadi, S.V., & Ninjoor, V. (1989). Biochemical and sensory evaluation of shark spoilage. *Heischwirtschaft*, 69, 1711-1712.
- Ghanekar, D. S., & Bal, D. V. (2016). THE ENZYMES OF SOME ELASMOBRANCHS FROM BOMBAY. I. PROTEASES. *Indian Journal of Fisheries*, 2(2), 349-359.
- Ghanekar, D. S., Bal, D. V., & Kamala, S. (1956). The enzymes of some elasmobranchs from Bombay: III. Amylases of *Scoliodon sorrakowah* and *Sphyrna blochii*.

BIBLIOGRAPHY

- In *Proceedings of the Indian Academy of Sciences-Section B, Springer India*, 43,134-148.
- Glaus, K. B., Adrian-Kalchhauser, I., Piovano, S., Appleyard, S. A., Brunnschweiler, J. M., & Rico, C. (2019). Fishing for profit or food? Socio-economic drivers and fishers' attitudes towards sharks in Fiji. *Marine Policy*, 100, 249-257.
- Gokhale, S.V. (1957). fishing gear of sourashtra Region, Govt. of Gujarat.
- Gold, J. P., & Springer, V. G. (1989). Sharks in question: the Smithsonian answer book.
- González-Sabbagh, S. P., & Robles-Kelly, A. (2023). A survey on underwater computer vision. *ACM Computing Surveys*, 55(13), 1-39.
- Goodwin, M., Halvorsen, K. T., Jiao, L., Knausgård, K. M., Martin, A. H., Moyano, M., Oomen, R. A., Rasmussen, J. H., Sørvalen, T. K. & Thorbjørnsen, S. H. (2022). Unlocking the potential of deep learning for marine ecology: overview, applications, and outlook. *ICES Journal of Marine Science*, 79(2), 319-336.
- Gopala Aiyar, R. (1943). Shark and shark-liver oil. *Current Science*, 12, 77-78.
- Gopi, K.C. & Mishra, S.S. (2015). Diversity of marine fish of India. In *Marine faunal diversity in India*, Academic Press, 171–193.
- Gowthaman, A. M., Jawahar, P., & Venkataramani, V. K. (2014). New occurrence of big eye thresher shark *Alopias superciliosus* Lowe, 1841 in Gulf of Mannar, southeast coast of India. *Indian Journal of Geo-Marine Sciences*, 43(5), 883-885.
- Grant, M. I., Kyne, P. M., Simpfendorfer, C. A., White, W. T., & Chin, A. (2019). Categorising use patterns of non-marine environments by elasmobranchs and a review of their extinction risk. *Reviews in Fish Biology and Fisheries*, 29, 689-710.
- Gray, J. E. (1832). *Illustrations of Indian Zoology: Chiefly Selected from the Collection of Major-General Hardwicke*. (Vol. 1). Treuttel, Wurtz, Treuttel, Jun. and Richter.
- Gray, J. E. (1851). List of the specimens of fish in the collection of the British Museum. Part I. Chondropterygii. British Museum (Natural History), London, 160.
- Greig, T. W., Moore, M. K., Woodley, C. M., & Quattro, J. M. (2005). Mitochondrial gene sequences useful for species identification of western North Atlantic Ocean sharks. *Fishery Bulletin*, 103(3), 516-523.
- Gunther, A. C. L. G. (1880). An introduction to the study of fishes. Today and Tomorrow's Book Agency, New Delhi.

- Gunther, A. E. (1870). Catalogue of the physostomi: containing the families gymnotidæ, symbranchidæ, murænidæ, pegasidæ, and of the lophobranchii, plectognathi, dipnoi, ganoidei, chondropterygii, cyclostomata, leptocardii, in the British Museum.
- Gupta, R.S., Groliman, Niyogy. S.C. (1953). Investigation on unsaturated acids of liver oil of *Galeocerdo tigrinus*. *Proceedings of the National Institute of Sciences of India*, 19, 527-539.
- Gupta, T., Karnad, D., Kottillil, S., Kottillil, S., & Gulland, E. M. (2022). Shark and ray research in India has low relevance to their conservation. *Ocean & Coastal Management*, 217, 106004.
- Hamilton, F. (1822). An account of the fishes found in the river Ganges and its branches. Archibald Constable, 1.
- Hanfee, F. (1996). Trade in sharks and shark products in India: a preliminary survey. *TRAFFIC India regional report on trade in sharks and shark products*.
- Hanfee, F. (1999). Management of shark fisheries in two Indian coastal states: Tamil Nadu and Kerala. *FAO Fisheries Technical Paper (FAO)*, (378).
- Hanfee, F. (1999). Management of shark fisheries in two Indian coastal states: Tamil Nadu and Kerala. In: Shotton, R. (Ed.), Case Studies of the Management of Elasmobranch Fisheries. Part 1. FAO Fisheries Technical Papers–T378/1. FAO, Rome. 316-338.
- Hanfee, F. (2000). Trade in the whale shark and its products in the coastal state of Gujarat, India. Report to the Rufford Foundation from TRAFFIC India.
- Hausfather, Z. (1999). India's Shark Trade: An Analysis of Indian Shark Land ings Based on Shark Fin Exports. 1-39.
- Hebert, P. D. N., Cywinska, A., Ball, S. L., de Waard, J. R., (2003a). Biological identification through DNA barcodes. *Proceedings of the Royal Society B: Biological Sciences*, 270, 313–321.
- Hebert, P. D. N., Ratnasingham, S., & De Waard, J. R. (2003b). Barcoding animal life: cytochrome C oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society B: Biological Sciences*, 270, S96–S99.
- Hebert, P. D., Cywinska, A., Ball, S. L., & DeWaard, J. R. (2003). Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 270(1512), 313-321.

BIBLIOGRAPHY

- Hebert, P. D., Penton, E. H., Burns, J. M., Janzen, D. H., & Hallwachs, W. (2004). Ten species in one: DNA barcoding reveals cryptic species in the neotropical skipper butterfly *Astraptes fulgerator*. *Proceedings of the National Academy of Sciences*, *101*(41), 14812-14817.
- Hebert, P. D., Ratnasingham, S., & De Waard, J. R. (2003). Barcoding animal life: cytochrome c oxidase subunit 1 divergences among closely related species. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, *270*, S96-S99.
- Heist, E. J. (1998). Genetic identification of sharks in the US Atlantic large coastal shark fishery. *Fish Bulletin*, *97*, 53-61.
- Heist, E. J., Musick, J. A., & Graves, J. E. (1996). Genetic population structure of the shortfin mako (*Isurus oxyrinchus*) inferred from restriction fragment length polymorphism analysis of mitochondrial DNA. *Canadian Journal of Fisheries and Aquatic Sciences*, *53*(3), 583-588.
- Heithaus, M. R., & Vaudo, J. J. (2004). Predator-prey interactions. Biology of sharks and their relatives, *17*, 487-521.
- Henle, J. (1834). Ueber Narcine, eine neue Gattung elektrischer Rochen: nebst einer Synopsis der elektrischen Rochen. *Eichler*.
- Heupel, M. R., Carlson, J. K., & Simpfendorfer, C. A. (2007). Shark nursery areas: concepts, definition, characterization and assumptions. *Marine ecology progress series*, *337*, 287-297.
- Heupel, M. R., Simpfendorfer, C. A., & Fitzpatrick, R. (2010). Large-scale movement and reef fidelity of grey reef sharks. *PloS one*, *5*(3), e9650.
- Holden, M. J. (1974). Problems in the rational exploitation of elasmobranch populations and some suggested solutions. " *Sea fisheries research*", 187-215.
- Holmes, B. H., Steinke, D., Ward, R. D. (2009). Identification of shark and ray fins using DNA barcoding. *Fisheries research*. *95*, 280-8.
- Hoq, M. E., Haroon, A. Y., & Hussain, M. G. (Eds.). (2011). Shark fisheries in the Bay of Bengal, Bangladesh: Status and potentialities. Support to Sustainable Management of the BOBLME Project, Bangladesh Fisheries Research Institute, 76.
- Hornell, J. (1925). The fishing methods of the Madras Presidency. 1. The Coramandal coast. *Madras Fisheries Bulletin*, *18*(2), 59-110.

- Hornell, J. (1938). The fishing methods of the Madras Presidency. 2. The Malabar coast. *Madras Fisheries Bulletin*, 27(1), 1–69.
- Iglésias, S. P., Lecointre, G., & Sellos, D. Y. (2005). Extensive paraphyly within sharks of the order Carcharhiniformes inferred from nuclear and mitochondrial genes. *Molecular Phylogenetics and Evolution*, 34(3), 569-583.
- Iyengar, H. D. R. (1950). The Fisheries of India—Present Status and Proposed Development. *Transactions of the American Fisheries Society*, 78(1), 91-95.
- Jabado, R. W. (2019). Wedgefishes and giant guitarfishes: a guide to species identification. *Wildlife Conservation Society, New York*.
- Jabado, R. W., & Ebert, D. A. (2015). Sharks of the Arabian Seas: an identification guide. *IFAW, Dubai*.
- Jabado, R. W., Kyne, P. M., Pollom, R. A., Ebert, D. A., Simpfendorfer, C. A., Ralph, G. M., & Dulvy, N. K. (2017). The conservation status of sharks, rays, and chimaeras in the Arabian Sea and adjacent waters. Environment Agency-Abu Dhabi & IUCN Species Survival Commission Shark Specialist Group.
- James, P. S. B. R., Pillai, P. P., & Nair, R. V. (2016). Utilization of fish and fish products in India. ICAR-Central Marine Fisheries Research Institute.
- James, P.S.B.R. (1973). Sharks, rays and skates as potential fishery resources off the east coast of India. Proceedings of Symposium on Living Resources of the Seas around India. CMFRI, Cochin, 483-494.
- James, P.S.B.R. (1980). Some observations on the ray *Himantura marginatus* (Blyth) from the Gulf of Mannar. *Journal of the Marine Biological Association of India*, 22, 161-164.
- Jayaprakash, A. A., Pillai, N. G. K., & Elayathu, M. N. K. (2002). Drift gill net fishery for large pelagics at Cochin-A case study on by-catch of pelagic sharks. *Management of Scombroid fisheries*, 155-164.
- Jerdon, T. C. (1851). Ichthyological gleanings in Madras. *Madras Journal of Literature and Science*, 17, 128-151.
- Jhingran, V.G. (1975). Fish and Fisheries of India. Hindustan Publishing corporation (India).
- Joel, J. J., & Ebenezer, I. P. (1993). Long-lining, specifically for sharks practised at Thoothoor. *Marine Fisheries Information Service Technical and Extension Series*, 121, 5-8.

BIBLIOGRAPHY

- Johannes, R. E. (2002). The renaissance of community-based marine resource management in Oceania. *Annual review of Ecology and Systematics*, 33(1), 317-340.
- John, C. C. (1943). Some aspects of Shark liver oil industry in India. *Current Science*, 12(8), 225-226.
- John, M. E., & Neelakandan, M. (2003). Oceanic sharks as bycatch in tuna longline fishery. *Large Marine Ecosystem: Exploration and Exploitation for Sustainable Development and Conservation of Fish Stocks. FSI*, 541-548.
- John, M. E., & Somvanshi, V. S. (2000). Atlas of tunas, billfishes and sharks in the Indian EEZ around Andaman and Nicobar Islands. *FSI/FC (FA)*, 3, 1-25.
- John, M. E., & Varghese, B. C. (2009). Decline in CPUE of oceanic sharks in the Indian EEZ: urgent need for precautionary approach. IOTC-2009-WPEB05-17.
- John, M. E., Bhargava, A. K., Varghese, S., Gulati, D. K., Kadam, A. S., & Dwivedi, S. K. (2005). Fishery Resources of the Indian EEZ around Andaman and Nicobar Islands islands. *Bulletin of Fishery Survey of India*, 28,1-38.
- John, V. (1946). Shark fishing industry of the Madras province. Part I. the industry on the west. Dept. of Industries and commerce, Madras, 158.
- John, V., Chacko, P. I., Venakataraman, R., & Shariff, A. T. (1959). Report of fishing experiments in the offshore waters of Madras state., Govt. press, Madrass.
- Johri, S., Livingston, I., Tiwari, A., Solanki, J., Busch, A., Moreno, I., R. Fellows, S., Doane, M. P. & Dinsdale, E. A. (2021). Reducing Data Deficiencies: Preliminary Elasmobranch Fisheries Surveys in India, Identify Range Extensions and Large Proportions of Female and Juvenile Landings. *Frontiers in Marine Science*, 8, 619695.
- Jones, S., & Kumaran, M. (1959). The fishing industry of Minicoy Island with special reference to the tuna fishery. *Indian Journal of Fisheries*, 6(1), 30-57.
- Jones, S., & Kumaran, M. (1980) Fishes of the Laccadive Archipelago. The Nature Conservation and Aquatic Sciences Service, Trivandrum, Kerala, 760.
- Jones, S., & Sujansingani, K. H. (1954). Fish and fisheries of the Chilka Lake with statistics of fish catches for the years 1948-1950. *Indian Journal of Fisheries*, 1, 256-344.
- Jordon, D. S. (1905). Guide to the Study of Fishes. *New York, H. Holt and Company*, 1, 506-511.

- Joshi, K. K., Balachandran, K., & Raje, S. G. (2008). Changes in the shark fishery at Cochin. *Journal of the Marine Biological Association of India*, 50, 103–105.
- Joshi, K. K., Sethulakshmi, M., & Varsha, M. S. (2017). Fish biodiversity of Indian Exclusive Economic Zone. Winter School on Structure and Function of the Marine Ecosystem: Fisheries, 1-21
- Kaikini, A. S. (1960). The fisheries of Malwan. *Indian Journal of Fisheries*, 7(2), 348-368.
- Kalidasan, K., Ravi, V., Sahu, S. K., Maheshwaran, K. L., & Kandasamy, K. (2014). Antimicrobial and anticoagulant activities of the spine of stingray *Himantura imbricate*. *Journal of Coastal Life Medicine*, 2(2), 89-93.
- Kamasastri, P. V. (1959). Chemical properties and changes during storage of some Indian ray liver oils. *Current Science*, 46(5), 166-167.
- Kamdar, L. D., Kandoran, M. K., & Venkataraman, R. (1967). Studies on shark liver oil and its residue. *Fishery Technology*, 4(1), 21-27.
- Kandimalla, V., Richard, M., Smith, F., Quirion, J., Torgo, L., & Whidden, C. (2022). Automated detection, classification and counting of fish in fish passages with deep learning. *Frontiers in Marine Science*, 8, 823173.
- Kandoran, M. K., & Govindan, T. K. (1965). Some aspects of curing of sharks and rays.
- Kar, A. B., Govindaraj, K., Ramalingam, L., & Prasad, G. V. (2011). Bycatch in tuna longline fishery in the Indian EEZ around Andaman and Nicobar Islands. *Indian Ocean Tuna Commission Working Party on Ecosystems and Bycatch*, 19.
- Karnad, D., Sutaria, D., & Jabado, R. W. (2020). Local drivers of declining shark fisheries in India. *Ambio*, 49(2), 616-627.
- Kartha, K. N., Deshpande, S. D., & Rao, S. V. S. R. (1973). On the results of bottom drift long line operated off Veraval with particular reference to selective action of baits and hooks used. *Fishery Technology*, 10(2), 105-109.
- Karuppasamy, K., Jawahar, P., Kingston, S. D., Venkataramani, V. K., & Vidhya, V. (2020). Elasmobranch diversity, conservation and management along Wadge Bank, South India. *Indian Journal of Animal Research*, 54(3), 367-372.
- Kasim, H. (1991). Shark fishery of Veraval coast with special reference to population dynamics of *Scoliodon laticaudus* (Muller Andhenle) and *Rhizoprionodon acutus* (Ruppell). *Journal of the Marine Biological Association of India*, 33(172), 213-228.

BIBLIOGRAPHY

- Kasim, H. M. (1991). Shark fishery of Veraval coast with special reference to population dynamics of *Scoliodon laticaudus* (Muller and Henle) and *Rhizoprionodon acutus* (Ruppell). *Journal of the Marine Biological Association of India*, 33(172), 213-228.
- Kasim, H., Ameer Hamsa, K. M. S., & Rajapackiam, S. (1999). Age growth mortality yield per recruit and stock assessment of *Carcharhinus sorrah* (Valenciennes Muller and Henle). In: The Fourth Indian Fisheries Forum, Proceedings, 1996, Kochi. 381-384.
- Kewalramani, H. G., & Chhapgar, B. F. (1957). Occurrence of a rare Sting Ray *Taeniura melanospila* (Bleeker) in Bombay waters. *Journal of Bombay Natural History Society*, 54(3), 770-773.
- Kini, U. S., & Chidambaram, K. (1947). The liver oils of elasmobranch/fish of south Indian waters. *Journal of the Society of Chemical Industry*, 66(7), 233-238.
- Kizhakudan, S. J., & Rajapackiam, S. (2013). First report of the crocodile shark *Pseudocarcharias kamoharai* (Matsubara, 1936) from Chennai, southeast coast of India. *Journal of the Marine Biological Association of India*, 55(1), 86-88.
- Kizhakudan, S. J., Akhilesh, K. V., Sukumaran, S., & Muktha, M. (2019). New report confirming the presence of Bennett's stingray, *Hemirhamphys bennettii* (Elasmobranchii: Myliobatiformes: Dasyatidae), from the western Bay of Bengal.
- Kizhakudan, S. J., Akhilesh, K. V., Thomas, S., Yousuf, K. S. S. M., Sobhana, K. S., Purushottama, G. B., Muktha, M., Dash, S. S., Manojkumar, P. P., Nair, R. J., Najmudeen, T. M. & Zacharia, P. U. (2018). Field identification of batoids—a guide to Indian species. *ICAR-Central Marine Fisheries Research Institute*, 132.
- Kizhakudan, S. J., Zacharia, P. U., Thomas, S., Vivekanandan, E., & Muktha, M. (2015). CMFRI Marine Fisheries Policy Series No. 2; Guidance on National Plan of Action for Sharks in India. *CMFRI Marine Fisheries Policy Series*, 2, 1-102.
- Krajangdara, T., & Vibunpant, S. (2019). Sharks and rays of Thailand. *Department of Fisheries, Thailand*.
- Krishnamoorthi, B., & Jagadis, I. (1986). Biology and population dynamics of the grey dogshark, *Rhizoprionodon (Rhizoprionodon) acutus* (Ruppell), In Madras waters. *Indian Journal of Fisheries*, 33(4), 371-385.

- Kroese, M., & Sauer, W. H. H. (1998). Elasmobranch exploitation in Africa. *Marine and Freshwater Research*, 49(7), 573-577.
- Kruskal, J. B. (1964). Nonmetric multidimensional scaling: a numerical method. *Psychometrika*, 29(2), 115-129.
- Kumar, K. V. A., Khanolkar, S. P., Pravin, P., Meenakumari, B., & Radhakrishnan, E. V. (2012). First record of the pelagic thresher shark *Alopias pelagicus* (Pisces: Alopfiiformes: Alopfiidae) from the Lakshadweep Sea, India. *Marine Biodiversity Records*, Marine Biological Association of the United Kingdom, 5, e16.
- Kumar, R. R., Venu, S., Akhilesh, K. V., & Bineesh, K. K. (2021). Report of zonetail butterfly ray, *Gymnura zonura* (Bleeker, 1852) and mangrove stingray *Urogymnus granulatus* (Macleay 1883) (Chondrichthyes: Myliobatiformes) from Andaman waters, India. *Thalassas: An International Journal of Marine Sciences*, 1-9.
- Kumaran, M., Lal Mohan, R. S., & Murty, V. S. R. (1989). 7. Other Fin-fish Resources. Marine Living Resources of the Union Territory of Lakshadweep. An Indicative Survey with Suggestions for Development. CMFRI bulletin, 43, 65-72.
- Kuparinen, A., & Merilä, J. (2007). Detecting and managing fisheries-induced evolution. *Trends in ecology & evolution*, 22(12), 652-659.
- Kyne, P. M. & Finucci, B. (2018). Neotrygon indica. *The IUCN Red List of Threatened Species 2018*: e. T116847578A116849874.
- Kyne, P. M. & Jabado, R. W. (2021). *Glaucostegus obtusus* (amended version of 2019 assessment). *The IUCN Red List of Threatened Species 2021*: e. T60170A207283191.
- Kyne, P. M. & Jabado, R.W. (2019). *Rhynchobatus laevis*. *The IUCN Red List of Threatened Species 2019*: e. T41854A124422344.
- Kyne, P. M. (2019). *Torpedo sinuspersici*. *The IUCN Red List of Threatened Species 2019*: e. T60136A140820271.
- Kyne, P. M., Barreto, R., Carlson, J., Fernando, D., Francis, M. P., Fordham, S., Jabado, R. W., Liu, K. M., Marshall, A., Pacoureaux, N., Romanov, E., Sherley, R. B. & Winker, H. (2019). *Pteroplatytrygon violacea*. *The IUCN Red List of Threatened Species 2019*: e. T161731A896169.

BIBLIOGRAPHY

- Kyne, P. M., Dudgeon, C. L., Ishihara, H., Dudley, S. F. J. & White, W. T. (2016). *Aetobatus ocellatus*. *The IUCN Red List of Threatened Species 2016*: e. T42566169A42566212.
- Kyne, P. M., Haque, A. B., Charles, R. & Jabado, R. W. (2022). *Glaucostegus granulatus*. *The IUCN Red List of Threatened Species 2022*: e. T60166A215829219.
- Kyne, P. M., Jabado, R. W., Bineesh, K. K. & Spaet, J. (2017). *Pastinachus sephen*. *The IUCN Red List of Threatened Species 2017*: e. T70682503A109922153.
- Kyne, P. M., Rigby, C. L., Dharmadi & Jabado, R. W. (2019). *Rhina ancylostoma*. *The IUCN Red List of Threatened Species 2019*: e. T41848A124421912.
- Lack, M., & Sant, G. (2011). The future of sharks: a review of action and inaction. Traffic International.
- Landi, M., Dimech, M., Arculeo, M., Biondo, G., Martins, R., Carneiro, M., Carvalho, G. R., Brutto, S. L. & Costa, F. O. (2014). DNA barcoding for species assignment: the case of Mediterranean marine fishes. *PLoS one*, 9(9), e106135.
- Last, P. R. & Stevens, J. D. (1994). Sharks and rays of Australia. *CSIRO Marine and Atmospheric*, 512.
- Last, P. R. (2007). The state of chondrichthyan taxonomy and systematics. *Marine and Freshwater Research*, 58(1), 7-9.
- Last, P. R., Naylor, G. J., & Manjaji-Matsumoto, B. M. (2016). A revised classification of the family Dasyatidae (Chondrichthyes: Myliobatiformes) based on new morphological and molecular insights. *Zootaxa*, 4139(3), 345-368.
- Last, P. R., Seret, B., & Naylor, G. J. (2019). Description of *Rhinobatos ranongensis* sp. nov. (Rhinopristiformes: Rhinobatidae) from the Andaman Sea and Bay of Bengal with a review of its northern Indian Ocean congeners. *Zootaxa*, 4576(2).
- Last, P. R., Stevens, J. D., Swainston, R., & Davis, G. (2009). Sharks and rays of Australia (second ed.). *CSIRO Marine research*, 299-449.
- Last, P. R., White, W. T. & Pogonoski, J. J. (Eds.). (2008). Descriptions of New Australian Chondrichthyans. *CSIRO Marine and Atmospheric Research*, 22, 1-368.
- Last, P. R., White, W. T., Caira, J. N., Dharmadi, Fahmi, Jensen, K., Lim, A. P. K., Manjaji-Matsumoto, B. M., Naylor, G. J. P., Pogonoski, J. J., Stevens, J. D., Yearsley, G. K. (2010). Sharks and Rays of Borneo. *CSIRO Marine and Atmospheric Research, Collingwood*.

- Last, P. R., White, W. T., Pogonoski, J. J. & Gledhill, D. C. (2008). Descriptions of new Australian skates (Batoidea: Rajoidei). *CSIRO Marine and Atmospheric*, 21, 181.
- Last, P., Naylor, G., Séret, B., White, W., de Carvalho, M., & Stehmann, M. (Eds.). (2016). Rays of the World. *CSIRO publishing*, 1-800.
- Last, P.R. & Stevens, J.D. (2009). Sharks and Rays of Australia (second ed.). *Harvard University Press*, 299-499.
- Latham, J. (1794). XXV. An Essay on the various Species of Sawfish. *Transactions of the Linnean Society of London*, 2(1), 273-282.
- Lawson, J. M., Fordham, S. V., O'Malley, M. P., Davidson, L. N., Walls, R. H., Heupel, M. R., Stevens G, Fernando D, Budziak A, Simpfendorfer C. A., Ender I, Francis M. P., Notarbartolo di Sciara G., Dulvy N. K. (2017). Sympathy for the devil: a conservation strategy for devil and manta rays. *PeerJ*, 5: e3027.
- Leeney, R. H., Mana, R. R., & Dulvy, N. K. (2018). Fishers' ecological knowledge of sawfishes in the Sepik and Ramu rivers, northern Papua New Guinea. *Endangered Species Research*, 36, 15-26.
- Li, C., Corrigan, S., Yang, L., Straube, N., Harris, M., Hofreiter, M., White W. T., & Naylor, G. J. (2015). DNA capture reveals transoceanic gene flow in endangered river sharks. *Proceedings of the National Academy of Sciences*, 112(43), 13302-13307.
- Lim, K. C., Lim, P. E., Chong, V. C., & Loh, K. H. (2015). Molecular and morphological analyses reveal phylogenetic relationships of stingrays focusing on the family Dasypatidae (Myliobatiformes). *PLoS One*, 10(4), e0120518.
- Lloyd, R. E. (1908). On Two New Species of Eagle-Rays (Myliobatidae) with Notes on the Skull of the Genus *Ceratoptera*. *Records of the Zoological Survey of India*, 175-180.
- Lloyd, R. E. (1909). A description of the deep-sea fish caught by the RIMS ship "Investigator" since the year 1900, with supposed evidence of mutation in *Malthopsis*. *Mem Indian Mus*, 2, 139-180.
- Lobo, A.S., Santhanakrishnan, M., Iyer V., & Arthur, R. (2008). Elasmobranchs as indicators of trawling sustainability along the Coromandel Coast. *In Scraping the bottom: Monitoring human impacts on benthic ecosystems of Tamil Nadu UNDP/UNTRS and NCF. Chennai*. 45-74.

BIBLIOGRAPHY

- López, J. A., Ryburn, J. A., Fedrigo, O., & Naylor, G. J. (2006). Phylogeny of sharks of the family Triakidae (Carcharhiniformes) and its implications for the evolution of carcharhiniform placental viviparity. *Molecular Phylogenetics and Evolution*, 40(1), 50-60.
- Loulidi, A., Houssa, R., Buhl-Mortensen, L., Zidane, H., & Rhinane, H. (2022). Automatic Fish Detection from Different Marine Environments Video Using Deep Learning. *The International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences*, 46, 191-198.
- Magnussen, J. E., Pikitch, E. K., Clarke, S. C., Nicholson, C., Hoelzel, A. R., & Shivji, M. S. (2007). Genetic tracking of basking shark products in international trade. *Animal Conservation*, 10(2), 199-207.
- Maire, F., Alvarez, L. M., & Hodgson, A. (2015). Automating marine mammal detection in aerial images captured during wildlife surveys: a deep learning approach. In *AI 2015: Advances in Artificial Intelligence: 28th Australasian Joint Conference, Canberra, ACT, Australia, November 30--December 4, 2015, Proceedings*, 28, 379-385.
- Manjaji Matsumoto, B. M., White, W. T., Fahmi, Ishihara, H. & Morgan, D. L. (2020). *Urogymnus granulatus* (amended version of 2016 assessment). *The IUCN Red List of Threatened Species 2020*: e. T161431A177282313.
- Manjaji-Matsumoto, B. M., & Last, P. R. (2016). Two new whiprays, *Maculabatis arabica* sp. nov. and *M. bineeshi* sp. nov. (Myliobatiformes: Dasyatidae), from the northern Indian Ocean. *Zootaxa*, 4144(3), 335-353.
- Manjusha, S., Kurup, B. M., & NarayannaneSaravannane, V. N. S. (2011). Studies on population structure, mortality, growth and exploitation level of smooth hammerhead *Sphyrna zygaena* (L)(Carcharhiniformes-Sphyrnidae) in the coastal region of Kerala, India. *International Journal of Biosciences*, 1(6), 14-26.
- Manojkumar, P. P., Zacharia, P. U., & Pavithran, P. P. (2012). Fishery of elasmobranchs with some observations on the biology and stock assessment of *Carcharhinus limbatus* (P. Muller & Henle, 1839) exploited along Malabar coast. *Indian Journal of Fisheries*, 59(4), 35-41.
- Marichamy, R., Mohamad Kasim, H., Ameer Hamsa, K. M. S., & Rajapackiam, S. (1999). Age and growth of *Himantura bleekeri* (Blyth) and fishery for rays off Tuticorin. *Proceedings of the fourth Indian fisheries Forum*. p. 397-399.

- Marshall, A., Barreto, R., Bigman, J. S., Carlson, J., Fernando, D., Fordham, S., Francis, M. P., Herman, K., Jabado, R. W., Liu, K. M., Pardo, S. A., Rigby, C. L., Romanov, E. & Walls, R. H. L. (2022). *Mobula tarapacana* (amended version of 2019 assessment). *The IUCN Red List of Threatened Species 2022*: e. T60199A214371388.
- Marshall, A., Barreto, R., Carlson, J., Fernando, D., Fordham, S., Francis, M.P., Herman, K., Jabado, R. W., Liu, K. M., Rigby, C. L. & Romanov, E. (2022). *Mobula mobular* (amended version of 2020 assessment). *The IUCN Red List of Threatened Species 2022*: e. T110847130A214381504.
- Martin, A. (2001). The phylogenetic placement of Chondrichthyes: inferences from analysis of multiple genes and implications for comparative studies. *Genetica*, *111*, 349-357.
- Mathen, C. (1970). Quality and shelf life of dried sharks produced in India. *Fishery Technology*, *7* (2), 213-215.
- Mathew, C. J. (1992). Biology, population dynamics, stock assessment and fishery of *Scoliodon laticaudus* in the coastal waters of Maharashtra. PhD thesis University of Bombay, 200. (unpublished)
- Mathew, C. J., & Devaraj, M. (1997). The biology and population dynamics of the spadenose shark *Scoliodon laticaudus* in the coastal waters of Maharashtra State, India. *Indian Journal of Fisheries*, *44*(1), 11-27.
- Mathew, G., Devadoss, P., Vivekanandan, E., Ferozkhan, M. and Zacharia, P.U. (1996). Distribution and abundance of elasmobranchs of the Indian EEZ as revealed by FORV Sagar Sampada surveys. In: Proceedings of the Second Workshop on Scientific Results of FORV Sagar Sampada. Pillai, V.K., Abidi, S.A.H., Ravindran, V., Balachandran, K.K., Agadi, V.V. (Eds). pp.285-293. Department of Ocean Development, New Delhi.
- Mathew, G., Thulasidas, K., & Venugopal, K. M. (1991). On the first record of the deepsea shark *Centrophorus granulosus* (Bloch and Schneider) from Indian Seas. *Marine Fisheries Information Service Technical and Extension Series*, *113*, 22-23.
- Mathew, M., Mathew, S., Kumar, K.N.A., & Anandan, R. (2008a). Analgesic and anti-inflammatory activities of liver oils of four shark species from Indian EEZ. *Journal of Food Lipids*, *15*, 470-487.

BIBLIOGRAPHY

- Mathew, M.S., Mathew, K.N., Kumar, A., & Anandan, R. (2008b). Lipid Profile of Liver Oil of the Sickie-Finned Chimaera (*Neoharriotta pinnata*) of the Arabian Sea. *Nahrung/Food*, 2(2), 176-178.
- Mathew, S., & Shamasundar, B. A. (2002). Effect of ice storage on the functional properties of proteins from shark (*Scoliodon laticaudus*) meat. *Food/Nahrung*, 46(4), 220-226.
- Mathew, S., Karthikeyan, M. and Shamasundar, B.A. (2002). Effect of water washing of shark (*Scoliodon laticaudus*) meat on the properties of proteins with special reference to gelation. *Nahrung/Food*, 46(2), 78-82.
- McClanahan, T. R., Cinner, J. E., Maina, J., Graham, N. A. J., Daw, T. M., Stead, S. M., & Polunin, N. V. C. (2008). Conservation action in a changing climate. *Conservation letters*, 1(2), 53-59.
- McClelland, J. (1841). On two undescribed species of skate, or Raidae. *Calcutta Journal of Natural History*, 1, 59-60.
- McFarlane, G. A., & Beamish, R. J. (1987). Validation of the dorsal spine method of age determination for spiny dogfish. *The age and growth of fish*, 287-300.
- Mendonça, S. A. D. (2011). *Abundância relativa, sazonalidade e comportamento de Mobula tarapacana (PHILIPPI, 1892)(Condricthyes: Mobulidae) no arquipélago de São Pedro e São Paulo, Brasil* (Master's thesis, Universidade Federal de Pernambuco).
- Menon, A. G. K. (1961). On a collection of fish from the Coromandel Coast of India including Pondicherry and Karaikkal areas. *Records of the Zoological Survey of India*, 369-404.
- Meyer, C. P., Geller, J. B., & Paulay, G. (2005). Fine scale endemism on coral reefs: archipelagic differentiation in turbinid gastropods. *Evolution*, 59(1), 113-125.
- Michael, S. W. (1993). Reef Sharks & Rays of the World. *Sea Challengers*, 71.
- Michael, S. W. (2006). Reef sharks and rays of the world. *ProStar Publications*, 1-107.
- Misra, K. S. (1946). A New Species of Rhinopterid Fish from South India. *Records of the Zoological Survey of India*, 361-362.
- Misra, K. S. (1950). On a new species of Scyliorhinid fish from Andaman Sea, Bay of Bengal. *Record from Zoological Survey of India*, 8(2), 87-90.
- Misra, K. S. (1952). An Aid to the Identification of the Fishes of India, Burma and Ceylon. Elasmobranchii and Holocephali (1). *Records of the Zoological Survey of India*, 89-137.

- Misra, K. S. (1969). Pisces: Elasmobranchii and Holocephali. *Manager of Publications*, 1.
- Misra, K.S. (1947). A check list of the fishes of India, Burma, and Ceylon. I. Elasmobranchii and Holocephalii. *Records of the Indian Museum*, 45, 1-46.
- Misra, K.S. (1952). An aid to the identification of the fishes of India, Burma and Ceylon. 1. Elasmobranchii and Holocephali. *Records of the Indian Museum*, 49(1), 89-137.
- Misra, K.S. (1962). A new scyliorhinid fish from the collections of the R.I.M.S. Investigator. *Proceedings First All-India Congress of Zoology, 1959*, 636-638.
- Misra, K.S. (1969). Elasmobranchii and Holocephali. In M. L. Roonwal, (Ed.) *The fauna of India and the adjacent countries. Pisces, (Second Edition)*. Zoological Survey of India, Government of India Press, Faridabad, 1–276.
- Misra, K.S. and Menon, M.A.S. (1955). On the distribution of the Elasmobranchs and Chimaeras of the Indian region in relation to the mean annual isotherms. *Records of the Indian Museum*, 53, 73-86.
- Mohanraj, G., Rajapackiam, S., Mohan, S., Batcha, H., & Gomathy, S. (2009). Status of elasmobranchs fishery in Chennai, India. *Asian Fisheries Science*, 22(2), 607-615.
- Mohanraj, G., Rajapackiam, S., Mohan, S., Hameed Batcha. and Gomathy, S. (2009). Status of elasmobranchs fishery in Chennai, India. *Asian Fisheries Science*, 22, 607-615.
- Mollet, H. F. (2002). Distribution of the pelagic stingray, *Dasyatis violacea* (Bonaparte, 1832), off California, Central America, and worldwide. *Marine and Freshwater Research*, 53(2), 525-530.
- Moore, A. (2017). *Chiloscyllium arabicum*. *The IUCN Red List of Threatened Species 2017*: e. T161426A109902537.
- Moore, J. E., Cox, T. M., Lewison, R. L., Read, A. J., Bjorkland, R., McDonald, S. L., ... & Kiszka, J. (2010). An interview-based approach to assess marine mammal and sea turtle captures in artisanal fisheries. *Biological Conservation*, 143(3), 795-805.
- Moorthi, B. K., & Jagadis, I. (2011). Biology and population dynamics of the grey dogshark, *Rhizoprionodon (Rhizoprionodon) acutus* (Ruppell), In Madras waters. *Indian Journal of Fisheries*, 33(4), 371-385.

BIBLIOGRAPHY

- Müller, J and Henle, F.G.J. (1838-41). Systematische Beschreibung der Plagiostomen. Veit und Comp., Berlin. Systematische Beschreibung der Plagiostomen: i-xxii, 1-200.
- Musick, J. A., Burgess, G., Cailliet, G., Camhi, M., & Fordham, S. (2000). Management of sharks and their relatives (Elasmobranchii). *Fisheries*, 25(3), 9-13.
- Musick, J. A., Ellis, J. K., & Hamlett, W. (2005). Reproductive evolution of chondrichthyans. *Reproductive biology and phylogeny of chondrichthyes: sharks, batoids and chimaeras*, 3, 45-80.
- Mustaffa, A.M. (1986). New Deep-sea spiny dogfish shark resources off Andamans. *NAGA, ICLARM Quart*, 18-19.
- Myers, R. A., Baum, J. K., Shepherd, T. D., Powers, S. P., & Peterson, C. H. (2007). Cascading effects of the loss of apex predatory sharks from a coastal ocean. *Science*, 315(5820), 1846-1850.
- Nagabhushanam, A.K. (1966). Survey of the offshore demersal fisheries of the Andhra and Orissa coasts, with special reference to the biological data collected during 1960. *Indian Journal of Fisheries*, 13, 359 -379.
- Nagabhushanam, A.K. (1966). Survey of the offshore demersal fisheries of the Andhra and Orissa coasts, with special reference to the biological data collected during 1960. *Indian Journal of Fisheries*, 13, 359-379.
- Nagle, C. H. (2019). Shark Fishing in the Indian Seas: A Quantitative Risk Assessment of the Impacts of Longline Fishing on the Sustainability of Regional Shark Populations. Master's thesis, Harvard Extension School.
- Nair, R. J., & Venugopal, K. M. (2003). Targeted shark fishery in Kerala. *Marine Fisheries Information Service, Technical and Extension Series*, 176, 8-9.
- Nair, R. J., Zacharia, P. U., Kumar, S. D., GKishor, T., Divya, N. D., Seetha, P. K., & Sobhana, K. S. (2015). Recent trends in the mobulid fishery in Indian waters.
- Nair, R. V., Appukuttan, K. K., & Rajapandian, M. E. (1974). On the systematics and identity of four pelagic sharks of the family Carcharhinidae from Indian region. *Indian Journal of Fisheries*, 21(1), 220-232.
- Nair, R.J. (2006). First record of Spearnose skate, *Rostroraja alba* (Lacepede, 1803) (Rajiformes: Rajidae) from Indian waters. *Journal of the Marine Biological Association of India*, 48(1), 115-117.

- Nair, R.J. (2007). A note on the taxonomy of Blue eye skate, *Raja miraleatus* Linnaeus 1758 (Chondrichthyes: Rajiformes, Rajidae) recorded off Cochin. *Journal of the Marine Biological Association of India*, 49(1), 109-111.
- Nair, R.V., & Lal Mohan, R. S. (1971). On the occurrence of the spiny shark *Echinorhinus brucus* (Bonnaterre) from the east coast of India with a note on its distribution. *Indian Journal of Animal Sciences*, 41(10), 1011-1014.
- Nair, R.V., & Lal Mohan, R. S. (1972). The deep sea spined dog fish *Centrophorus armatus* (Gilchrist) (Selachii: Squalidae) from the east coast of India, with a note on its taxonomy. *Journal of Bombay Natural History Society*, 69(1), 193-199.
- Nair, R.V., & Lal Mohan, R. S. (1973). On a new deep sea skate, *Rhinobatos variegatus*, with notes on the deep-sea sharks *Halaaelurus hispidus*, *Eridacnis radcliffei* and *Eugaleus omanensis* from the Gulf of Mannar. *Senckenbergiana Biologica*, 54, 71-80.
- Nair, R.V., & Soundararajan, R. (1973). On the occurrence of the deep-sea stingray, *Urotrygon daviesi* Wallace in Indian waters. *Indian Journal of Fisheries*, 20(1), 245-249.
- Nair, R.V., & Soundararajan, R. (1976). On the occurrence of the sting ray *Dasyatis (Dasyatis) microps* (Annandale) on the Madras Coast and in the Gulf of Mannar. *Indian Journal of Fisheries*, 23, 273-277.
- Nair, R.V., Appukuttann, K. K., & Rajapandian, M. E. (1974). On the systematics and identity of four pelagic sharks of the family Carcharhinidae from Indian region. *Indian Journal of Fisheries*, 21(1), 220-232.
- Naylor, G. J., Caira, J. N., Jensen, K., Rosana, K. A. M., White, W. T., & Last, P. R. (2012). A DNA sequence-based approach to the identification of shark and ray species and its implications for global elasmobranch diversity and parasitology. *Bulletin of the American Museum of Natural History*, 2012(367), 1-262.
- Niedermüller, S., Ainsworth, G., de Juan, S., García, R., Ospina-Alvarez, A., Pita, P., & Villasante, S. (2021). The shark and ray meat network: A deep dive into a global affair. *WWF MMI, Rome*.
- O'Mahony, N., Campbell, S., Carvalho, A., Harapanahalli, S., Hernandez, G. V., Krpalkova, L., & Walsh, J. (2020). Deep learning vs. traditional computer vision. In *Advances in Computer Vision: Proceedings of the 2019 Computer*

BIBLIOGRAPHY

- Vision Conference (CVC), Volume 1 1 (pp. 128-144). Springer International Publishing.
- Oshitani, S., Nakano, H., & Tanaka, S. H. O. (2003). Age and growth of the silky shark *Carcharhinus falciformis* from the Pacific Ocean. *Fisheries science*, 69(3), 456-464.
- Ouis, M. Y., & Akhloufi, M. (2023). YOLO-Based Fish Detection in Underwater Environments. *Environmental Sciences Proceedings*, 29(1), 44.
- Pai, M.V., & Pillai, P. K. M. (1973). Trawl fishery potential of the south-east coast of India. In: Proceedings of the symposium on living resources of the seas around India, 1973, Mandapam Camp.
- Panikkar, N. K. (1956). Marine fisheries research in India. Progress of Fisheries Development in India, 20-28.
- Parab, S. N., & Rao, S. B. (1984). Distribution of trimethylamine oxide in some marine and freshwater fish. *Current science*, 53(6), 307-309.
- Pathak, S. P., Agarwal, C. V., & Mathur, S. S. (1952). Component fatty acids of Indian shark liver oils. *Journal of the American Oil Chemists Society*, 29, 593-596.
- Pauly, D. (1982). Studying single species dynamics in a multispecies context. In: Pauly, D. and G.I. Murphy (Eds.), Theory and Management of Tropical Fisheries ICLARM Conference Proc. 9. ICLARM, Manila, Philippines and CSIRO, Cronulla, Australia. 360p.
- Pauly, D. A. N. I. E. L., & Soriano, M. L. (1986). Some practical extensions to Beverton and Holt's relative yield-per-recruit model. In *The first Asian fisheries forum* (pp. 491-496). Manila, Philippines: Asian Fisheries Society.
- Pauly, D., & David, N. (1980). An objective method for determining fish growth from length-frequency data. *ICLARM Newsletter*, 3(3): 13-15.
- Pauly, D., & David, N. (1981). ELEFAN I, a BASIC program for the objective extraction of growth parameters from length-frequency data. *Meeresforschung*, 28(4), 205-211.
- Pauly, D., Christensen, V., Dalsgaard, J., Froese, R., & Torres Jr, F. (1998). Fishing down marine food webs. *Science*, 279(5352), 860-863.
- Pavan-Kumar, A., Kumar, R., Pitale, P., Shen, K. N., & Borsa, P. (2018). *Neotrygon indica* sp. nov., the Indian Ocean blue-spotted maskray (Myliobatoidei, Dasyatidae). *Comptes Rendus Biologies*, 341(2), 120-130.

- Permana, R., Hadi, I. A., & Rinaldi, I. (2021). Conservation Status of Shark Landed in Local Fish Market in Pangandaran Regency, Indonesia. *Asian Journal of Fisheries and Aquatic Research*, 13(5), 30-36.
- Pillai, P. P., & Biju, P. (2000). Pelagic sharks in the Indian seas- their exploitation, trade, management and conservation. *CMFRI. Special Publication*, 70, 95.
- Pillai, P. P., & Honma, M. (1978). Seasonal and areal distribution of the pelagic sharks taken by the tuna longline in the Indian Ocean. *Bulletin of Far Seas Fisheries Research Laboratory*, 16, 33-49.
- Pillai, S. K. (1998). A note on giant devil ray *Mobula diabolus* caught at Vizhinjam. *Marine Fisheries Information Service, Technical and Extension Series*, 152, 14-15.
- Pillay, R. S. N. (1929). List of fishes taken in Travancore from 1901-1915. *Journal of the Bombay Natural History Society*, 33, 347-379.
- Pollom, R., Jabado, R. W., Bennett, R., Elhassan, I., Fernando, S., Kuguru, B., Leslie, R., Moore, A., Simpfendorfer, C. & Spaet, J. (2019). *Mustelus mosis*. *The IUCN Red List of Threatened Species 2019*: e. T161480A139617441.
- Prashad, B. (1920). Notes from the Bengal Fisheries Laboratory, No. 7. On some Indian Torpedinidae from the Orissa coast. *Records of the Indian Museum*, 19, 97-106.
- Pravin, P., Ramesan, M. P., & Solanki, K. K. (1998). Commercial fishing of whale sharks (*Rhinodon typus* Smith) in Gujarat.
- Psomadakis, P. N., Thein, H., Russell, B. C., & Tun, M. T. (2019). Field identification guide to the living marine resources of Myanmar. *FAO and MOALI, Rome*.
- Purushottama, G. B., Dash, G., Das, T., Akhilesh, K. V., Kizhakudan, S. J., & Zacharia, P. U. (2017). Population dynamics and stock assessment of grey sharpnose shark *Rhizoprionodon oligolinx* Springer, 1964 (Chondrichthyes: Carcharhinidae) from the north-west coast of India. *Indian Journal of Fisheries*, 64(3), 8-17.
- Quattro, J. M., Stoner, D. S., Driggers, W. B., Anderson, C. A., Priede, K. A., Hoppmann, E. C., Campbell, N. H., Duncan, K. M., & Grady, J. M. (2006). Genetic evidence of cryptic speciation within hammerhead sharks (Genus *Sphyrna*). *Marine Biology*, 148(5), 1143-1155.
- Raghunandan, A., Raghav, P., & Aradhya, H. R. (2018, April). Object detection algorithms for video surveillance applications. In 2018 International Conference on Communication and Signal Processing (ICCSP), 563-568.

BIBLIOGRAPHY

- Rago, P. J. (2005). 12. Fishery independent sampling. *Management techniques for elasmobranch fisheries*, 201.
- Raj, B. S. (1914). Notes on *Trygon kuhlii*. *Records of the Indian Museum*, 10, 317-318.
- Rajagopal, K. (1942). Shark liver-oil unusually rich in vitamin-A. *Current Science*, 11, 52-53.
- Rajagopalan, M., & Meiyappan, M.M. (1976). Redescription of the sand shark *Nagaprion odontaspis* (Fowler) obtained from Minicoy Atoll, Lakshadweep. *Journal of the Marine Biological Association of India*, 18(1), 162-164.
- Rajan, P. T., Sreeraj, C. R., & Venkataraman, K. (2012). Diversity and abundance of chondrichthian fishes in Andaman and Nicobar Islands. In *Ecology of Faunal Communities on the Andaman and Nicobar Islands* (Venkataraman, K., Raghunathan, C. and Sivaperuman, C., eds.), Springer Berlin Heidelberg, 117–126.
- Rajapackiam, S., Mohan, S., & Rudramurthy, N. (2007). Utilization of gill rakers of lesser devil ray *Mobula diabolus*-a new fish byproduct. *Marine Fisheries Information Service, Technical and Extension Series*, 191, 22-23.
- Raje, S. G., & Joshi, K. K. (2003). Elasmobranchs. *Status of exploited marine fishery resources of India*, 92-101.
- Raje, S. G., Mathew, G., Joshi, K. K., Nair, R. J., Mohanraj, G., Srinath, M., Gomathy, S. & Rudramurthy, N. (2002). Elasmobranch fisheries of India-An appraisal. *CMFRI special publication*, 71, 1-76.
- Raje, S. G., Sivakami, S., Mohan Raj, G., Manoj Kumar, P.P., Raju, A. A., & Joshi, K. K. (2007). An Atlas on the Elasmobranch fishery resources of India. *CMFRI Sp. Publ.*, 95, 253.
- Raje, S. G., Sivakami, S., Mohanraj, G., Manojkumar, P. P., Raju, A., & Joshi, K. K. (2007). An atlas on the Elasmobranch fishery resources of India. *CMFRI Special Publication*, 95, 1-253.
- Raje, S.G., Grace Mathew., Joshi, K.K., Nair, R.J., Raj, G.M., Srinath, M., Gomathy, S. and Rudramurthy. (2002). Elasmobranch fisheries of India-An Appraisal. *CMFRI Special Publication*, 71, 1-76.
- Ramachandran, A., & Sankar, T. V. (1990). Fins and fin rays from Whale shark (*Rhincodon typus* smith), *Fishery Technology*, 27, 138-140.

- Ramachandran, A., & Solanki, K. K. (1991). Studies on the processing and storage characteristics of semi-dried products from shark. *Journal of the Marine Biological Association of India. Cochin*, 33(1), 19-25.
- Ramachandran, A., Nair, K.G., & Madhavan, P. (1974). Shark fin rays-technology of extraction, *Fishery Technology*, 11(1), 60.
- Ramachandran, S., Ayoob, A. E., & Koya, P. P. (2014). A new distributional record of bramble shark *Echinorhinus brucus* (Bonnaterre, 1788) from the seamount of Lakshadweep Islands with description on skeletal rings. *Journal of the Marine Biological Association of India*, 55(2), 5-11.
- Ramaiyan, V., & Sivakumar, R. (1991). Sharks, Skates and rays: An aid to the identification of sharks, skates and rays of parangipettai coast, CAS in Marine Biology, Annamalai University: India, 1-55.
- Randall, J. E., & Compagno, L. J. V. (1995). A review of the guitarfishes of the genus *Rhinobatos* (Rajiformes: Rhinobatidae) from Oman, with description of a new species. *Raffles Bulletin of Zoology*, 43(2), 289–298.
- Ranjan Kumar, R., Venu, S., Akhilesh, K. V., & Bineesh, K. K. (2018). First report of four deep-sea chondrichthyans (Elasmobranchii and Holocephali) from Andaman waters, India with an updated checklist from the region. *Acta Ichthyologica et Piscatoria*, 48(3), 289-301.
- Rao, B. R. (1998). Hooks and line fishery for sharks at Janjira-Murud region, Raigad District, Maharashtra by migrated fishermen from Kanyakumari. *Marine Fisheries Information Service Technical and Extension Series*, 155, 18-19.
- Ratnasingham, S., & Hebert, P. D. (2007). BOLD: The Barcode of Life Data System (<http://www.barcodinglife.org>). *Molecular ecology notes*, 7(3), 355-364.
- Ravitchandirane, V., & Yogamoorthi, A. (2008). Studies on the analgesic and anti-inflammatory properties of crude extracts of sting ray, *Dasyatis zugei* (Muller and Henle 1841). *Biosciences, Biotechnology Research Asia*, 5, 343-348.
- Ravitchandirane, V., Yogamoorthi, A., & Thangaraj, M. (2012). Assessment of analgesic and anti-inflammatory properties of crude extracts of ray fish, *Narcine brunnea*. *Asian Pacific Journal of Tropical Biomedicine*, 1667-1670.
- Ravitchandirane, V., Yogamoorthi, A., & Thangaraj, M. (2013). Pharmacological investigation and spectral characterization of bioactive compounds from crude extracts of stingray, *Dasyatis jenkinsii* (Annandale, 1909). *Chinese Journal of Natural Medicines*, 11(5), 500-505.

BIBLIOGRAPHY

- Raza, K., & Song, H. (2020). Fast and accurate fish detection design with improved YOLO-v3 model and transfer learning. *International Journal of Advanced Computer Science and Applications*, 11(2).
- Redmon, J., & Farhadi, A. (2018). Yolov3: An incremental improvement. arXiv preprint arXiv:1804.02767.
- Redmon, J., Divvala, S., Girshick, R., & Farhadi, A. (2016). You only look once: Unified, real-time object detection. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, 779-788.
- Rigby, C. L., Ali, A. B., Bineesh, K. K., Derrick, D., Fahmi, D. F., & Haque, A. B. (2021d). *Carcharhinus macroti*. *IUCN Red List of Threatened Species 2021*: e. T41737A173434501.
- Rigby, C. L., Barreto, R., Carlson, J., Fernando, D., Fordham, S., Herman, K., Jabado, R. W., Liu, K. M., Marshall, A., Pacoureaux, N., Romanov, E., Sherley, R. B. & Winker, H. (2019b). *Sphyrna zygaena*. *The IUCN Red List of Threatened Species 2019*: e. T39388A2921825.
- Rigby, C. L., Barreto, R., Carlson, J., Fernando, D., Fordham, S., Francis, M. P., Jabado, R. W., Liu, K. M., Marshall, A., Pacoureaux, N., Romanov, E., Sherley, R. B. & Winker, H. (2019a). *Isurus oxyrinchus*. *The IUCN Red List of Threatened Species 2019*: e. T39341A2903170.
- Rigby, C. L., Barreto, R., Carlson, J., Fernando, D., Fordham, S., Francis, M. P., Herman, K., Jabado, R. W., Liu, K. M., Marshall, A., Pacoureaux, N., Romanov, E., Sherley, R. B. & Winker, H. (2019c). *Alopias pelagicus*. *The IUCN Red List of Threatened Species 2019*: e. T161597A68607857.
- Rigby, C. L., Barreto, R., Carlson, J., Fernando, D., Fordham, S., Francis, M. P., Herman, K., Jabado, R. W., Liu, K. M., Marshall, A., Pacoureaux, N., Romanov, E., Sherley, R. B. & Winker, H. (2019b). *Alopias superciliosus*. *The IUCN Red List of Threatened Species 2019*: e. T161696A894216.
- Rigby, C. L., Bin Ali, A., Derrick, D., Fahmi, Fernando, D., Haque, A. B. & Maung, A. (2021e). *Rhizoprionodon oligolinx*. *The IUCN Red List of Threatened Species 2021*: e. T41851A173435874.
- Rigby, C. L., Carlson, J., Chin, A., Derrick, D., Dicken, M., & Pa-coureaux, N. (2021c). *Carcharhinus limbatus*. *The IUCN Red List of Threatened Species 2021*: e. T3851A2870736.

- Rigby, C. L., Derick, D., Dulvy, N. K., Grant, M. I., & Jabado, R. W. (2021f). *Glyphis gangeticus*. *The IUCN Red List of Threatened Species 2021*: e.T169473392A124398647.
- Rigby, C. L., Derrick, D., Dicken, M., Harry, A. V., Pacoureaux, N., & Simpfendorfer, C. (2021). *Carcharhinus falciformis*. *The IUCN Red List of Threatened Species, 2021*: e.T39370A205782570.
- Rigby, C. L., Dulvy, N. K., Barreto, R., Carlson, J., Fernando, D., Fordham, S., Francis, M. P., Herman, K., Jabado, R. W., Liu, K. M., Marshall, A., Pacoureaux, N., Romanov, E., Sherley, R. B. & Winker, H. (2019a). *Sphyrna lewini*. *The IUCN Red List of Threatened Species 2019*: e.T39385A2918526.
- Rigby, C. L., Espinoza, M., Derrick, D., Pacoureaux, N., & Dicken, M. (2021). *Carcharhinus leucas*. *The IUCN Red List of Threatened Species 2021*: e.T39372A2910670.
- Rigby, C. L., Gutteridge, A. N., Derrick, D. & Pacoureaux, N. (2021g). *Loxodon macrorhinus*. *The IUCN Red List of Threatened Species 2021*: e.T41831A173435173.
- Rigby, C. L., Harry, A. V., Pacoureaux, N., Herman, K., Hannan, L., & Derrick, D. (2020). *Rhizoprionodon acutus*. *The IUCN Red List of Threatened Species 2020*: e.T41850A68642326.
- Ripley, W. E. (1946). The soupfin shark and the fishery. *California Division of Fish and Game Fish Bulletin*, 64(64), 7-37.
- Roonwal, M. L., & Misra, K. S. (1969). The fauna of India and the adjacent countries. Pisces-v. 1: Elasmobranchii and Holocephali-2. *Zoological Survey of India, Government of India Press, Faridabad*, 1-276.
- Roy, S., Mohanty, S. R., Mohapatra, A., & Mishra, S. S. (2019). First record of three electric rays (Order: Torpediniformes) from Odisha coast, India. *Records of the Zoological Survey of India*, 480-485.
- Russell, P. (1803). *Descriptions and Figures of Two Hundred Fisher Collected at Vizagapatam*.
- Sajeevan, M. K., & Sanadi, R. B. (2012). Diversity, distribution and abundance of oceanic resources around Andaman and Nicobar Islands. *Indian Journal of Fisheries*, 59(2), 63-67.

BIBLIOGRAPHY

- Salas, S., Chuenpagdee, R., Seiyo, J. C., & Charles, A. (2007). Challenges in the assessment and management of small-scale fisheries in Latin America and the Caribbean. *Fisheries research*, 87(1), 5-16.
- Samuel, M. (1951). Shark and ray fisheries and shark liver oil. *Handbook on Indian Fisheries (Govt, of India, Ministry of Agriculture)*, 59-60.
- Sankar, T. V., & Solanki, K. K. (1992). Changes in nitrogen fractions in the fillets of elasmobranchs during salting. *Fishery Technology*, 29, 45-47.
- Sastry, L. V. S., & Ramachandran, L. K. (1965). The protein components of elastoidin. *Biochimica et Biophysica Acta*, 97(2), 281-287.
- Sathyan, N., Philip, R., Chaithanya, E. R., Anil Kumar, P. R., & Antony, S. P. (2012). Identification of a histone derived, putative antimicrobial peptide Himanturin from round whip ray *Himantura pastinacoides* and its phylogenetic significance. *Results in Immunology*, 2, 120-124.
- Sen, S., Chakraborty, S. K., Vivekanandan, E., Zacharia, P. U., Kizhakudan, S. J., Jaiswar, A. K., ... & Jayshree, G. (2017). Population dynamics and stock assessment of milk shark, *Rhizoprionodon acutus* (Ruppell, 1837) along Gujarat coast of India.
- Setna, S. B. (1954). Sharks and shark liver oil industry in India. *Journal of Scientific and Industrial Research*, 3, 303-307.
- Setna, S. B., & Sarangdhar, P. N. (1946). Salachian fauna of the Bombay waters. *Proc. Nat. Inst. Sci. India XII*, 243-259.
- Setna, S. B., & Sarangdhar, P. N. (1949 a). A contribution to the systematics of *Scoliodon acutus* (Rüppell), *Hemipristis elongatus* (Klunzinger) and *Torpedo zugmayeri* Engelhart. *Records of the Indian Museum*, 47(1), 125-134.
- Setna, S. B., Sarangdhar, F. N. I., & Sarangdhar, P. N. (1948). Description, bionomics and development of *Scoliodon sorrakowah* (Cuvier). *Records of the Indian Museum*, 46, 25-53.
- Shaw, G. (1826). *General zoology or systematic natural history* (Vol. 15). G. Kearsley.
- Shaw, G. (1803). *General zoology or systematic natural history ... Pisces*. G. Kearsley, London, 1800-1826. Pisces in vol. 4 (1803) and vol. 5 (1804). *General zoology or systematic natural history v. 4: (pt. 1) i-v + 1-186, Pls. 1-25; (pt 2), i-xi + 187- 632.*
- Shepard, R. N. (1962a). The analysis of proximities: multidimensional scaling with an unknown distance function. I. *Psychometrika*, 27(2), 125-140.

- Shepard, R. N. (1962b). The analysis of proximities: Multidimensional scaling with an unknown distance function. II. *Psychometrika*, 27(3), 219-246.
- Sherman, C. S., Akhilesh, K. V., Ali, M., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Haque, A. B., Jabado, R. W., Khan, M., Maung, A., Seyha, L., Tanay, D., Utzurrum, J. A. T., Vo, V. Q. & Yuneni, R. R. (2020b). *Pateobatis bleekeri*. *The IUCN Red List of Threatened Species*, eT104208524A175220678.
- Sherman, C. S., Akhilesh, K. V., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Ebert, D. A., Fahmi, Fernando, D., Haque, A. B., Maung, A., Seyha, L., Tanay, D., Tesfamichael, D., Utzurrum, J. A. T., Valinassab, T., Vo, V. Q. & Yuneni, R. R. (2021f). *Gymnura poecilura*. *The IUCN Red List of Threatened Species*, eT60117A124440205.
- Sherman, C. S., Ali, M., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Elhassan, I., Fahmi, Fernando, D., Haque, A.B., Jabado, R. W., Maung, A., Seyha, L., Spaet, J., Tanay, D., Utzurrum, J. A. T., Valinassab, T., Vo, V. Q. & Yuneni, R. R. (2020a). *Maculabatis gerrardi*. *The IUCN Red List of Threatened Species*, eT161566A175219648.
- Sherman, C. S., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Haque, A. B., Maung, A., Seyha, L., Tanay, D., Utzurrum, J. A. T., VanderWright, W. J., Vo, V. Q. & Yuneni, R. R. (2021a). *Aetobatus flagellum*. *The IUCN Red List of Threatened Species*, eT169243577A124440562.
- Sherman, C. S., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Haque, A. B., Maung, A., Seyha, L., Tanay, D., Utzurrum, J. A. T., Vo, V. Q. & Yuneni, R. R. (2021b). *Brevitrygon imbricata*. *The IUCN Red List of Threatened Species*, eT161728A109916824.
- Sherman, C. S., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Haque, A. B., Maung, A., Seyha, L., Tanay, D., Utzurrum, J. A. T., Vo, V. Q. & Yuneni, R. R. (2021c). *Maculabatis bineeshi*. *The IUCN Red List of Threatened Species*, e T107605000A175219173.
- Sherman, C. S., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Grant, I, Haque, A. B., Maung, A., Seyha, L., Tanay, D., Utzurrum, J. A. T., Vo, V. Q. & Yuneni, R. R. (2021d). *Pastinachus ater*. *The IUCN Red List of Threatened Species*, eT70682232A124550583.

BIBLIOGRAPHY

- Sherman, C. S., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Haque, A. B., Maung, A., Seyha, L., Tanay, D., Utzurrum, J. A. T., Vo, V. Q. & Yuneni, R. R. (2021e). *Himantura uarnak*. *The IUCN Red List of Threatened Species*, e T201098826A124528737.
- Sherman, C. S., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Haque, A. B., Maung, A., Seyha, L., Tanay, D., Utzurrum, J. A. T., Vo, V. Q. & Yuneni, R. R. (2020c). *Himantura undulata*. *The IUCN Red List of Threatened Species*, e T161621A124516589.
- Shivji, M. S., Chapman, D. D., Pikitch, E. K., & Raymond, P. W. (2005). Genetic profiling reveals illegal international trade in fins of the great white shark, *Carcharodon carcharias*. *Conservation Genetics*, 6(6), 1035-1039.
- Shivji, M., Clarke, S., Pank, M., Natanson, L., Kohler, N., & Stanhope, M. (2002). Genetic identification of pelagic shark body parts for conservation and trade monitoring. *Conservation Biology*, 16(4), 1036-1047.
- Silas, E. G. (1969). Exploratory fishing by *RV. Varuna*. *CMFRI Bulletin*, 12, 1-141.
- Silas, E. G., & Prasad, N. K. (1969). Occurrence of the deep-water squaloid shark *Squalus fernandinus* Mollna from the continental slope off the west coast of India. *Current Science*, 38(20), 484-486.
- Silas, E. G., & Selvaraj G. S. D. (1980). Studies on demersal fishes of the deep neritic waters and the upper continental slope. 3. On *Neoharriotta pinnata* (Schnackenberg), a potentially important resource. *Journal of the Marine Biological Association of India*, 22, 149-158.
- Silas, E. G., & Selvaraj, G. S. D. (1985). On the occurrence of the rough-tail sting-ray *Dasyatis centroura* in Indian waters. *Indian Journal of Fisheries*, 32, 248-255.
- Silas, E. G., & Selvaraj, G. S. D., (1972). Descriptions of the adult and embryo of the Bramble shark *Echinorhinus brucus* (Bonnaterre) obtained from the continental slope of India. *Journal of the Marine Biological Association of India*, 14(1), 395-401.
- Silas, E. G., Pillai, P. P., Jayaprakash, A. A., & Pillai, M. A. (1984). Elasmobranchs. Focus on small scale fisheries- Drift gillnet fishery off Cochin *Marine Fisheries Information Service Technical and Extension Series*, 55, 1-12.
- Silas, E. G., Selvaraj, G. S. D., & Regunathan, A. (1969). Rare chimaeroid and elasmobranch fishes from the continental slope of the west coast of India. *Current Science*, 38, 105-106.

- Simpfendorfer, C., Bin Ali, A., Bineesh, K. K., Derrick, D., Dharmadi, Fahmi, Fernando, D., Haque, A. B., Krajangdara, T., Maung, A., Seyha, L., Tanay, D., Uzzurum, J. A. T., Vo, V. Q. & Yuneni, R. R. (2021). *Carcharhinus amblyrhynchoides*. *The IUCN Red List of Threatened Species*, e.T40797A68611625.
- Simpfendorfer, C., Derrick, D., Tanay, D., Seyha, L., Fahmi, Haque, A. B., Bin Ali, A., Maung, A., Bineesh, K. K., Vo, V. Q., Uzzurum, J. A. T., Yuneni, R. R. & Fernando, D. (2021). *Carcharhinus sorrah*. *The IUCN Red List of Threatened Species*, e.T161376A173434793.
- Simpfendorfer, C., Moore, A., Elhassan, I., Owfi, F. & Akhilesh, K. V. (2017). *Brevitrygon walga*. *The IUCN Red List of Threatened Species*, e.T104176764A111015783.
- Simpfendorfer, C., Yuneni, R. R., Tanay, D., Seyha, L., Haque, A. B., Fahmi, Bin Ali, A., Bineesh, K. K., Gautama, D. A., Maung, A., Sianipar, A., Uzzurum, J. A. T. & Vo, V. Q. (2020). *Carcharhinus melanopterus*. *The IUCN Red List of Threatened Species*, e.T39375A58303674.
- Sinha, M. K., Pandian, P. P., Pattanayak, S. K., & Kar, A. B. (2010). Spatio-temporal distribution, abundance and biodiversity of oceanic sharks occurring in Andaman and Nicobar waters. In Raghunathan, R.C. and Sivaperuman, C. (eds). *Recent Trends in Biodiversity of Andaman and Nicobar Islands, ZSI*, 373-385.
- Smith, M. M., & Heemstra, P. C. (1986). *Smiths' Sea Fishes Macmillan. Johannesburg, South Africa*.
- Smith, S. E., Au, D. W., & Show, C. (1998). Intrinsic rebound potentials of 26 species of Pacific sharks. *Marine and Freshwater Research*, 49(7), 663-678.
- Solanki, K. K., & Venkataraman, R. (1978). Ice storage characteristics of fresh and brined shark fillets. *Fishery Technology*, 15, 7-11.
- Somvanshi, V. S., Varghese, S. P., & Varghese, S. (2009). Distribution, abundance and biology of Pelagic stingray *Pteroplatytrygon violacea* (Bonaparte, 1832) (Myliobatiformes, Dasyatidae) in the Indian EEZ. *Journal of the Bombay Natural History Society*, 106(1), 57-62.
- Sorley, H. T. (1932). *The marine fisheries of Bombay presidency*, Govt. Central press, Bombay, 174.

BIBLIOGRAPHY

- Soundararajan, R., & Roy, S. D. (2004). Distributional record and biological notes on two deep-sea sharks, *Centrophorus acus* Garman and *Squalus megalops* (Macleay), from Andaman waters. *Journal of the Marine Biological Association of India*, 46(2), 178-184.
- Srinath, M., Kuriakose, S., Ammini, P. L., Prasad, C. J., Ramani, K., & Beena, M. R. (2006). Marine fish landings in India 1985-2004. *CMFRI Special Publication*, 89, 1-161.
- Stauffer Jr, J. R., & Kocovsky, P. M. (2007). Exploring links between systematics and fisheries management. *Transactions of the American Fisheries Society*, 136(4), 1122-1125.
- Stevens, J. D., Bonfil, R., Dulvy, N. K., & Walker, P. A. (2000). The effects of fishing on sharks, rays, and *Chimaeras* (chondrichthyans), and the implications for marine ecosystems. *ICES Journal of Marine Science*, 57(3), 476-494.
- Sujatha, K. (2002). Batoid fishes off Visakhapatnam, north east coast of India. *Journal of the Marine Biological Association of India*, 44, 155-162.
- Sukumaran, K. K., Mohamed, K. S., Chandran, K., Gupta, C., Alli., Bhat, S., Uma, & Kemparaju, S. (1989). Long lining for deep sea sharks at Malpe -A lucrative fishery. *Marine Fisheries Information Service Technical and Extension Series*, 98, 10-13.
- Suresh, T. V., & Raffi, S. M. (2012). First record of long nose chimaera *Neoharriotta pinnata* (Chondrichthys: Chimaeriformes: Rhinochimaeridae), from Bay of Bengal, India (north-eastern Indian Ocean). *Marine Biodiversity Records, Marine Biological Association of the United Kingdom*, 5, e27.
- Sutaria, D., Parikh, A., Barnes, A., & Jabado, R. W. (2015). First record of the sandbar shark, *Carcharhinus plumbeus* (Chondrichthyes: Carcharhiniformes: Carcharhinidae) from Indian waters. *Marine Biodiversity Records*, 8, e126.
- Swainson, W. (1839). *On the natural history and classification of fishes, amphibians, and reptiles* (Vol. 119). Longman, Orme, Brown, Green, & Longmans, and J. Taylor.
- Talwar, P. K. (1974a). On a new bathypelagic shark, *Scyliorhinus (Halaelurus) silasi* (Fam. Scyliorhinidae) from the Arabian Sea. *Journal of the Marine Biological Association of India*, 14(2), 779-783.

- Talwar, P. K. (1974b). The hammerhead shark, *Sphyrna lewini* (Griffith and Smith) from the east coast of India, with remarks on its taxonomy. *Current Science*, 43(1), 15-16.
- Talwar, P. K. (1976). A contribution to the taxonomy of *Rhizoprionodon oligolinx* Springer, 1964: an important component of the shark fishery of Orissa, India. *Indian Journal of Fisheries*, 21(2), 604-609.
- Talwar, P. K. (1981a). The electric rays of the genus *Heteronarce* Regan (Rajiformes: Torpedinidae) with the description of a new species. *Bulletin of Zoological Survey of India*, 3(3), 147-151.
- Talwar, P. K. (1981b). The electric rays of the genus *Torpedo* Houttuyn (Rajiformes: Torpedinidae) of Indian seas. *Bulletin of Zoological Survey of India*, 3(3), 185-189.
- Talwar, P. K. (1981c). Identity of the type specimen of the Scyliorhinid Shark *Scyllium hispidum* Alcock. *Bulletin of Zoological Survey of India*, 4(2), 231-234.
- Talwar, P. K., & Kacker, R. K. (1984). Commercial sea fishes of India. *Zoological Survey of India, Calcutta*, 997.
- Talwar, P. K., & Kacker, R. K. (1984). Commercial sea fishes of India. *Zoological Survey of India, Calcutta*, 997.
- Tamura, K., Stecher, G., & Kumar, S. (2021). MEGA11: molecular evolutionary genetics analysis version 11. *Molecular biology and evolution*, 38(7), 3022-3027.
- Thurston, E. (1913). The Madras Presidency with Mysore, Coorg and Associated States, Cambridge University.
- Thurston, E., & Rangachari, K. (1909). Castes and Tribes of Southern India. V (M to P). Madras: Government Press.
- Thyagarajan, S., & Thomas, D. (1962). Fishing craft and gear (Madras State). *Indian Fisheres Bulletin*, 9(4), 45-53.
- Thyagarajan, S., & Thomas, D. (1962). Fishing craft and gear (Madras State). *Indian Fisheres Bulletin*, 9(4), 45-53.
- Tricas, T. (1997). Sharks & Rays. *New York: Time-Life Books*, 288.
- Tyabji, Z., Jabado, R. W., & Sutaria, D. (2018). New records of sharks (Elasmobranchii) from the Andaman and Nicobar Archipelago in India with notes on current checklists. *Biodiversity data journal*, (6).

BIBLIOGRAPHY

- Tyabji, Z., Jabado, R. W., & Sutaria, D. (2022). Utilization and trade of sharks and rays in the Andaman Islands, India. *Marine Policy*, 146, 105295.
- Uemura, T., Lu, H., & Kim, H. (2020). Marine organisms tracking and recognizing using yolo. In 2nd EAI International Conference on Robotic Sensor Networks: ROSENET 2018 (pp. 53-58).
- van Hasselt, J. C. (1823). Uittreksel uit een' brief van Dr. J. C. van Hasselt, aan den Heer C. J. Temminck. *Algemeene Konst- en Letter-bode I Deel*, 20, 315-317.
- VanderWright, W. J., Bin Ali, A., Bineesh, K. K., Derrick, D., Fahmi & Rigby, C. L. (2021). *Narke dipterygia*. *The IUCN Red List of Threatened Species*, e. T161607A124514068.
- VanderWright, W. J., Bin Ali, A., Bineesh, K. K., Derrick, D., Haque, A. B., Krajangdara, T., Maung, A. & Seyha, L. (2020). *Chiloscyllium griseum*. *The IUCN Red List of Threatened Species*, eT41792A124416752.
- Vannuccini, S. (1999). Shark utilization, marketing and trade. *Food and Agriculture Organization of the United Nations*, 389, 470.
- Varghese, S., Somvanshi, V. S., & Varghese, S. P. (2007). Bycatch of sharks and Incidental catches of sea turtle in the long line fishery of Indian waters as observed during tuna resources survey. *Indian Ocean Tuna Commission Working Party on Ecosystems and Bycatch, Victoria, Seychelles*.
- Varghese, Sijo P., D. K. Gulati, N. Unnikrishnan, and A. E. Ayoob. "Biological aspects of silky shark *Carcharhinus falciformis* in the eastern Arabian Sea." *Journal of the Marine Biological Association of the United Kingdom* 96, no. 7 (2016): 1437-1447.
- Varma, R. (1999). The Indian Shark Industry. In: Vannuccini, S. (Ed.), *Shark Utilization, Marketing, and Trade*. Appendix IV.3: Rome: FAO Fisheries Technical Paper, 389.
- Venkataraman, K., Milton, M. C. J., & Raghuram, K. P. (2003). Handbook on sharks of Indian waters. *Zoological Survey of India, Kolkata*, 1-113.
- Venugopal, V., Doke, S. N., & Nair, P. M. (1994). Gelation of shark myofibrillar proteins by weak organic acids. *Food Chemistry*, 50, 185-190.
- Venugopal, V., Doke, S. N., & Thomas, P. (1997). Thermostable water dispersion of shark meat and its application to prepare protein powder. *Journal of Aquatic Food Product Technology*, 6(3), 53-68.

- Vivekanandan, E., & Sivaraj, P. (2008). *Status of shark fisheries in the Indian Exclusive Economic Zone*. BOBP-IGO/RC-SF/3.
- Vivekanandan, E., & Zala, M. S. (1994). Whale shark fishery off Veraval. *Indian Journal of Fisheries*, 41(1), 37-40.
- Walker, T. I. (1998). Can shark resources be harvested sustainably? A question revisited with a review of shark fisheries. *Marine and Freshwater research*, 49(7), 553-572.
- Wang, Q., Bi, S., Sun, M., Wang, Y., Wang, D., & Yang, S. (2019). Deep learning approach to peripheral leukocyte recognition. *PloS one*, 14(6), e0218808.
- Ward, R. D., Costa, F. O., Holmes, B. H., & Steinke, D. (2008). DNA barcoding of shared fish species from the North Atlantic and Australasia: minimal divergence for most taxa, but *Zeus faber* and *Lepidopus caudatus* each probably constitute two species. *Aquatic Biology*, 3(1), 71-78.
- Ward, R. D., Zemlac, T. C., Innes, B. H., Last, P. R., Hebert, P. D. N. (2005). DNA barcoding Australia's fish species. *Philosophical Transactions of the Royal Society of London Series B, Biological Sciences*. 360, 1847–57.
- Ward-Paige, C. A., Keith, D. M., Worm, B., & Lotze, H. K. (2012). Recovery potential and conservation options for elasmobranchs. *Journal of Fish Biology*, 80(5), 1844-1869.
- Watson, R., Revenga, C., & Kura, Y. (2006). Fishing gear associated with global marine catches: I. Database development. *Fisheries Research*, 79(1-2), 97-102.
- Weber, M. L., & Fordham, S. V. (1997). Managing shark fisheries: opportunities for international conservation. *TRAFFIC International, Centre for Marine Conservation, US*.
- Weigmann, S. (2016). Annotated checklist of the living sharks, batoids and chimaeras (Chondrichthyes) of the world, with a focus on biogeographical diversity. *Journal of Fish Biology*, 88(3), 837-1037.
- White, W. T. (2010). Clarification of *Aetobatus ocellatus* (Kuhl, 1823) as a valid species, and a comparison with *Aetobatus narinari* (Euphrasen, 1790) (Rajiformes: Myliobatidae). *CSIRO Marine and Atmospheric Research Paper*, 32, 141.
- White, W. T., Last, P. R., Stevens, J. D., & Yearsly, G. K. (2006). Economically important sharks and rays of Indonesia.

BIBLIOGRAPHY

- Wilga, C. A. (2008). Evolutionary divergence in the feeding mechanism of fishes. *Acta Geologica Polonica*, 58(2), 113-120.
- Wilga, C. D. (2005). Morphology and evolution of the jaw suspension in lamniform sharks. *Journal of Morphology*, 265(1), 102-119.
- Wilga, C. D., Motta, P. J., & Sanford, C. P. (2007). Evolution and ecology of feeding in elasmobranchs. *Integrative and Comparative Biology*, 47(1), 55-69.
- Winchell, C. J., Martin, A. P., & Mallatt, J. (2004). Phylogeny of elasmobranchs based on LSU and SSU ribosomal RNA genes. *Molecular phylogenetics and evolution*, 31(1), 214-224.
- Worm, B., Davis, B., Kettner, L., Ward-Paige, C. A., Chapman, D., Heithaus, M. R., Kessel, S. T. & Gruber, S. H. (2013). Global catches, exploitation rates, and rebuilding options for sharks. *Marine Policy*, 40, 194-204.
- Xu, L., Bennamoun, M., An, S., Sohel, F., & Boussaid, F. (2019). Deep learning for marine species recognition. *Handbook of deep learning applications*, 129-145.
- Yang, L., Liu, Y., Yu, H., Fang, X., Song, L., Li, D., & Chen, Y. (2021). Computer vision models in intelligent aquaculture with emphasis on fish detection and behavior analysis: a review. *Archives of Computational Methods in Engineering*, 28, 2785-2816.
- Zacharia, P. U., & Kanthan, K. P. (2010). Unusual heavy landing of rays and skates at Tuticorin Fisheries Harbour. *Marine Fisheries Information Service; Technical and Extension Series*, 205, 13-15.
- Zacharia, P. U., Joshi, K. K., & Kanthan, K. P. (2011). First record of the pelagic stingray *Pteroplatytrygon violacea* (Bonaparte, 1832) (Family: Dasyatidae) from the east coast of India. *Indian Journal of Fisheries*, 58(1), 95-98.
- Zemlak, T. S., Ward, R. D., Connell, A. D., Holmes, B. H., & Hebert, P. D. (2009). DNA barcoding reveals overlooked marine fishes. *Molecular Ecology Resources*, 9, 237-242.
- Zhang, J., & Hanner, R. (2012). Molecular approach to the identification of fish in the South China Sea. *PLoS One*, 7(2), e30621.