

# References

- [1] Aboodh, K. S. (2013). The new integral transform'aboodh transform. *Global Journal of Pure and Applied Mathematics*, 9(1):35–43.
- [2] Abu Arqub, O., El-Ajou, A., Bataineh, A. S., and Hashim, I. (2013). A representation of the exact solution of generalized lane-emen equations using a new analytical method. In *Abstract and applied analysis*, volume 2013. Hindawi. <https://doi.org/10.1155/2013/378593>.
- [3] Adomian, G. (1988). A review of the decomposition method in applied mathematics. *Journal of mathematical analysis and applications*, 135(2):501–544. [https://doi.org/10.1016/0022-247X\(88\)90170-9](https://doi.org/10.1016/0022-247X(88)90170-9).
- [4] Adomian, G. (1990). A review of the decomposition method and some recent results for nonlinear equations. *Mathematical and Computer Modelling*, 13(7):17–43. [https://doi.org/10.1016/0895-7177\(90\)90125-7](https://doi.org/10.1016/0895-7177(90)90125-7).
- [5] Ahmad, S., Ullah, A., Akgül, A., and De la Sen, M. (2021). A novel homotopy perturbation method with applications to nonlinear fractional order kdv and burger equation with exponential-decay kernel. *Journal of Function Spaces*, 2021:1–11. <https://doi.org/10.1155/2021/8770488>.
- [6] Ahmadi, S. A. P., Hosseinzadeh, H., and Cherati, A. Y. (2019). A new integral transform for solving higher order linear ordinary laguerre and hermite differential equations. *International Journal of Applied and Computational Mathematics*, 5:1–7. <https://doi.org/10.1007/s40819-019-0712-1>.
- [7] Akgül, A. (2018). A novel method for a fractional derivative with non-local and non-singular kernel. *Chaos, Solitons & Fractals*, 114:478–482. <https://doi.org/10.1016/j.chaos.2018.07.032>.

- [8] Akgül, A., Hashemi, M., Inc, M., and Raheem, S. (2017). Constructing two powerful methods to solve the thomas–fermi equation. *Nonlinear Dynamics*, 87:1435–1444. <https://doi.org/10.1007/s11071-016-3125-2>.
- [9] Akgül, A., Inc, M., Kilicman, A., and Baleanu, D. (2016). A new approach for one-dimensional sine-gordon equation. *Advances in Difference Equations*, 2016(1):1–20. <https://doi.org/10.1186/s13662-015-0734-x>.
- [10] Akinyemi, L. (2019). q-homotopy analysis method for solving the seventh-order time-fractional lax’s korteweg–de vries and sawada–kotera equations. *Computational and Applied Mathematics*, 38(4):191. <https://doi.org/10.1007/s40314-019-0977-3>.
- [11] Al-Shawba, A. A., Gepreel, K., Abdullah, F., and Azmi, A. (2018). Abundant closed form solutions of the conformable time fractional sawada-kotera-ito equation using (g/g)-expansion method. *Results in Physics*, 9:337–343. <https://doi.org/10.1016/j.rinp.2018.02.012>.
- [12] Al-Smadi, M. (2021). Fractional residual series for conformable time-fractional sawada–kotera–ito, lax, and kaup–kupershmidt equations of seventh order. *Mathematical Methods in the Applied Sciences*. <https://doi.org/10.1002/mma.7507>.
- [13] Alaroud, M. (2022). Application of laplace residual power series method for approximate solutions of fractional ivp’s. *Alexandria Engineering Journal*, 61(2):1585–1595. <https://doi.org/10.1016/j.aej.2021.06.065>.
- [14] Alaroud, M., Al-Smadi, M., Abu Arqub, O., Rozita Ahmad, R., Abu Hamad, M., and Momani, S. (2018). Numerical solutions of linear time-fractional klein-gordon equation by using power series approach. In *Proceedings of International Conference on Fractional Differentiation and its Applications (ICFDA)*. <https://doi.org/10.2139/ssrn.3284781>.
- [15] Ali, A., Islam, S., Khan, M. R., Rasheed, S., Allehiany, F., Baili, J., Khan, M. A., and Ahmad, H. (2022). Dynamics of a fractional order zika

- virus model with mutant. *Alexandria Engineering Journal*, 61(6):4821–4836. <https://doi.org/10.1016/j.aej.2021.10.031>.
- [16] Ali, A., Khan, M. Y., Sinan, M., Allehiany, F., Mahmoud, E. E., Abdel-Aty, A.-H., and Ali, G. (2021). Theoretical and numerical analysis of novel covid-19 via fractional order mathematical model. *Results in physics*, 20:103676. <https://doi.org/10.1016/j.rinp.2020.103676>.
- [17] Alshammari, M., Al-Smadi, M., Alshammari, S., Arqub, O. A., Hashim, I., and Alias, M. (2020). An attractive analytic-numeric approach for the solutions of uncertain riccati differential equations using residual power series. *Appl. Math. Inf. Sci*, 14(2):177–190. <https://doi.org/10.18576/amis/140202>.
- [18] Arafa, A. and Hagag, A. (2022). A new semi-analytic solution of fractional sixth order drinfeld–sokolov–satsuma–hirota equation. *Numerical Methods for Partial Differential Equations*, 38(3):372–389. <https://doi.org/10.1002/num.22631>.
- [19] Arafa, A. A. (2021). Analytical solutions for nonlinear fractional physical problems via natural homotopy perturbation method. *International Journal of Applied and Computational Mathematics*, 7(5):179. <https://doi.org/10.1007/s40819-021-01110-6>.
- [20] Arfan, M., Shah, K., Ullah, A., Salahshour, S., Ahmadian, A., and Ferrara, M. (2022). A novel semi-analytical method for solutions of two dimensional fuzzy fractional wave equation using natural transform. *Discrete and Continuous Dynamical Systems-S*, 15(2):315–338. <https://doi.org/10.3934/dcdss.2021011>.
- [21] Argyros, I. K. (2008). *Convergence and applications of Newton-type iterations*. Springer Science & Business Media.
- [22] Arqub, O. A. (2013). Series solution of fuzzy differential equations under strongly generalized differentiability. *J. Adv. Res. Appl. Math*, 5(1):31–52. <https://doi.org/10.5373/jaram.1447.051912>.
- [23] Arqub, O. A., Al-Smadi, M., Almusawa, H., Baleanu, D., Hayat, T., Alhodaly, M., and Osman, M. (2022). A novel analytical algorithm for generalized fifth-

- order time-fractional nonlinear evolution equations with conformable time derivative arising in shallow water waves. *Alexandria Engineering Journal*, 61(7):5753–5769. <https://doi.org/10.1016/j.aej.2021.12.044>.
- [24] Atangana, A. and Baleanu, D. (2016). New fractional derivatives with nonlocal and non-singular kernel: theory and application to heat transfer model. *arXiv preprint arXiv:1602.03408*. <https://doi.org/10.2298/TSCI160111018A>.
- [25] Awuya, M. A. and Subasi, D. (2021). Aboodh transform iterative method for solving fractional partial differential equation with mittag-leffler kernel. *Symmetry*, 13(11):2055. <https://doi.org/10.3390/sym13112055>.
- [26] Bahgat, M. S. and Sebaq, A. (2021). An analytical computational algorithm for solving a system of multipantograph ddes using laplace variational iteration algorithm. *Advances in Astronomy*, 2021:1–16. <https://doi.org/10.1155/2021/7741166>.
- [27] Bakir, Y. (2021). Numerical solution of the nonlinear korteweg-de vries equation by using chebyshev wavelet collocation method. *Honam Mathematical Journal*, 43(3):373–383. <https://doi.org/10.5831/HMJ.2021.43.3.373>.
- [28] Baleanu, D., Diethelm, K., Scalas, E., and Trujillo, J. J. (2012). *Fractional calculus: models and numerical methods*, volume 3. World Scientific. <https://doi.org/10.1142/8180>.
- [29] Baleanu, D., Jajarmi, A., Mohammadi, H., and Rezapour, S. (2020). A new study on the mathematical modelling of human liver with caputo-fabrizio fractional derivative. *Chaos, Solitons & Fractals*, 134:109705. <https://doi.org/10.1016/j.chaos.2020.109705>.
- [30] Bedi, P., Kumar, A., and Khan, A. (2021). Controllability of neutral impulsive fractional differential equations with atangana-baleanu-caputo derivatives. *Chaos, Solitons & Fractals*, 150:111153. <https://doi.org/10.1016/j.chaos.2021.111153>.
- [31] Bhanotar, S. A. and Kaabar, M. K. (2021). Analytical solutions for the nonlinear partial differential equations using the conformable triple laplace transform de-

- composition method. *International Journal of Differential Equations*, 2021:1–18. <https://doi.org/10.1155/2021/9988160>.
- [32] Boussinesq, J. (1877). *Essai sur la théorie des eaux courantes*. Impr. nationale.
- [33] Caputo, M. (1967). Linear models of dissipation whose  $q$  is almost frequency independent—ii. *Geophysical Journal International*, 13(5):529–539. <https://doi.org/10.1111/j.1365-246X.1967.tb02303.x>.
- [34] Caputo, M. and Fabrizio, M. (2015). A new definition of fractional derivative without singular kernel. *Progress in Fractional Differentiation & Applications*, 1(2):73–85.
- [35] Chakraverty, S., Mahato, N., Karunakar, P., and Rao, T. D. (2019). *Advanced numerical and semi-analytical methods for differential equations*. John Wiley & Sons.
- [36] Das, S. (2011). *Functional fractional calculus*, volume 1. Springer.
- [37] Das, S. (2020). *Kindergarten of fractional calculus*. Cambridge Scholars Publishing.
- [38] Daşcıoğlu, A. and Ünal, S. Ç. (2021). New exact solutions for the space-time fractional kawahara equation. *Applied Mathematical Modelling*, 89:952–965. <https://doi.org/10.1016/j.apm.2020.07.053>.
- [39] Debnath, L. and Bhatta, D. (2014). *Integral transforms and their applications*. CRC press. <https://doi.org/10.1201/b17670>.
- [40] Dehghan, M., Manafian, J., and Saadatmandi, A. (2012). Application of semi-analytical methods for solving the rosenau-hyman equation arising in the pattern formation in liquid drops. *International Journal of Numerical Methods for Heat & Fluid Flow*, 22(26):777–790. <https://doi.org/10.1108/09615531211244916>.
- [41] Din, A., Khan, A., Zeb, A., Sidi Ammi, M. R., Tilioua, M., and Torres, D. F. (2021a). Hybrid method for simulation of a fractional covid-19 model with real case application. *Axioms*, 10(4):290. <https://doi.org/10.3390/axioms10040290>.

- [42] Din, A., Li, Y., Khan, F. M., Khan, Z. U., and Liu, P. (2022). On analysis of fractional order mathematical model of hepatitis b using atangana–baleanu caputo (abc) derivative. *Fractals*, 30(01):2240017. <https://doi.org/10.1142/S0218348X22400175>.
- [43] Din, A., Li, Y., and Yusuf, A. (2021b). Delayed hepatitis b epidemic model with stochastic analysis. *Chaos, Solitons & Fractals*, 146:110839. <https://doi.org/10.1016/j.chaos.2021.110839>.
- [44] Dong, N. P., Long, H. V., and Giang, N. L. (2022). The fuzzy fractional siqr model of computer virus propagation in wireless sensor network using caputo atangana–baleanu derivatives. *Fuzzy Sets and Systems*, 429:28–59. <https://doi.org/10.1016/j.fss.2021.04.012>.
- [45] Dunnimit, P., Wiwatwanich, A., and Poltem, D. (2020). Solutions of the fractional logistics equations via the residual power series method with adomian polynomials. *Computer Science*, 15(3):885–903.
- [46] El-Ajou, A., Arqub, O. A., Zhour, Z. A., and Momani, S. (2013). New results on fractional power series: theories and applications. *Entropy*, 15(12):5305–5323. <https://doi.org/10.3390/e15125305>.
- [47] El-Shorbagy, M. and El-Refaey, A. M. (2022). Covid-19: mathematical growth vs. precautionary measures in china, ksa, and the usa. *Informatics in Medicine Unlocked*, 28:100834. <https://doi.org/10.1016/j.imu.2021.100834>.
- [48] Elzaki, T. M. (2011). The new integral transform elzaki transform. *Global Journal of pure and applied mathematics*, 7(1):57–64.
- [49] Firoozjaee, M., Jafari, H., Lia, A., and Baleanu, D. (2018). Numerical approach of fokker–planck equation with caputo–fabrizio fractional derivative using ritz approximation. *Journal of Computational and Applied Mathematics*, 339:367–373. <https://doi.org/10.1016/j.cam.2017.05.022>.
- [50] Gambo, J. J. and Gambo, D. (2021). On the effect of heat generation/absorption

on magnetohydrodynamic free convective flow in a vertical annulus: An adomian decomposition method. *Heat transfer*, 50(3):2288–2302.

- [51] Gao, W., Veeresha, P., Cattani, C., Baishya, C., and Baskonus, H. M. (2022). Modified predictor–corrector method for the numerical solution of a fractional-order sir model with 2019-ncov. *Fractal and Fractional*, 6(2):92. <https://doi.org/10.3390/fractalfract6020092>.
- [52] Goharimanesh, M., Lashkaripour, A., and Abouei Mehrizi, A. (2015). Fractional order pid controller for diabetes patients. *Journal of Computational Applied Mechanics*, 46(1):69–76.
- [53] González-Gaxiola, O., Biswas, A., Moraru, L., and Moldovanu, S. (2022a). Dispersive optical solitons with schrödinger–hirota equation by laplace-adomian decomposition approach. *Universe*, 9(1):19. <https://doi.org/10.3390/universe9010019>.
- [54] González-Gaxiola, O., Biswas, A., Yıldırım, Y., and Moraru, L. (2022b). Highly dispersive optical solitons in birefringent fibers with polynomial law of nonlinear refractive index by laplace–adomian decomposition. *Mathematics*, 10(9):1589. <https://doi.org/10.3390/math10091589>.
- [55] Gorenflo, R., Kilbas, A. A., Mainardi, F., Rogosin, S. V., et al. (2020). *Mittag-Leffler functions, related topics and applications*. Springer. <https://doi.org/10.1007/978-3-662-61550-8>.
- [56] Granas, A. and Dugundji, J. (2003). *Fixed point theory*, volume 14. Springer. <https://doi.org/10.1007/978-0-387-21593-8>.
- [57] Gul, S., Khan, R. A., Khan, H., George, R., Etemad, S., and Rezapour, S. (2022). Analysis on a coupled system of two sequential hybrid bvps with numerical simulations to a model of typhoid treatment. *Alexandria Engineering Journal*, 61(12):10085–10098. <https://doi.org/10.1016/j.aej.2022.03.020>.
- [58] Gupta, P. K. and Singh, M. (2011). Homotopy perturbation method for fractional fornberg–whitham equation. *Computers & Mathematics with Applications*, 61(2):250–254. <https://doi.org/10.1016/j.camwa.2010.10.045>.

- [59] Hamza, A. E., Mohamed, M. Z., Abd Elmohmoud, E. M., and Magzoub, M. (2021). Conformable sumudu transform of space-time fractional telegraph equation. In *Abstract and Applied Analysis*, volume 2021, pages 1–6. Hindawi Limited. <https://doi.org/10.1155/2021/6682994>.
- [60] Hasan, S., Al-Smadi, M., Momani, S., and Arqub, O. A. (2020a). Residual power series approach for solving linear fractional swift-hohenberg problems. In *Mathematical Methods and Modelling in Applied Sciences*, pages 33–43. Springer International Publishing. [https://doi.org/10.1007/978-3-030-43002-3\\_4](https://doi.org/10.1007/978-3-030-43002-3_4).
- [61] Hasan, S., El-Ajou, A., Hadid, S., Al-Smadi, M., and Momani, S. (2020b). Atangana-baleanu fractional framework of reproducing kernel technique in solving fractional population dynamics system. *Chaos, Solitons & Fractals*, 133:109624. <https://doi.org/10.1016/j.chaos.2020.109624>.
- [62] He, J.-H. (1999). Homotopy perturbation technique. *Computer methods in applied mechanics and engineering*, 178(3-4):257–262. [https://doi.org/10.1016/S0045-7825\(99\)00018-3](https://doi.org/10.1016/S0045-7825(99)00018-3).
- [63] He, J.-H. (2000). A coupling method of a homotopy technique and a perturbation technique for non-linear problems. *International journal of non-linear mechanics*, 35(1):37–43. [https://doi.org/10.1016/S0020-7462\(98\)00085-7](https://doi.org/10.1016/S0020-7462(98)00085-7).
- [64] He, J.-H. (2003). Homotopy perturbation method: a new nonlinear analytical technique. *Applied Mathematics and computation*, 135(1):73–79. [https://doi.org/10.1016/S0096-3003\(01\)00312-5](https://doi.org/10.1016/S0096-3003(01)00312-5).
- [65] He, J.-H. (2005). Application of homotopy perturbation method to nonlinear wave equations. *Chaos, Solitons & Fractals*, 26(3):695–700. <https://doi.org/10.1016/j.chaos.2005.03.006>.
- [66] He, J.-H. and Wu, X.-H. (2006). Exp-function method for non-linear wave equations. *Chaos, Solitons & Fractals*, 30(3):700–708. <https://doi.org/10.1016/j.chaos.2006.03.020>.

- [67] Hermann, M. and Saravi, M. (2016). *Nonlinear ordinary differential equations*. Springer. <https://doi.org/10.1007/978-81-322-2812-7>.
- [68] Ismail, G. M., Abdl-Rahim, H. R., Ahmad, H., and Chu, Y.-M. (2020). Fractional residual power series method for the analytical and approximate studies of fractional physical phenomena. *Open Physics*, 18(1):799–805. <https://doi.org/10.1515/phys-2020-0190>.
- [69] Izadi, M. (2020). Fractional polynomial approximations to the solution of fractional riccati equation. *Punjab university journal of mathematics*, 51(11).
- [70] Jafari, H. (2021). A new general integral transform for solving integral equations. *Journal of Advanced Research*, 32:133–138. <https://doi.org/10.1016/j.jare.2020.08.016>.
- [71] Jafari, H., Khalique, C. M., and Nazari, M. (2011). Application of the laplace decomposition method for solving linear and nonlinear fractional diffusion–wave equations. *Applied Mathematics Letters*, 24(11):1799–1805. <https://doi.org/10.1016/j.aml.2011.04.037>.
- [72] Jafari, M. and Kheiri, H. (2019). Fractional optimal control of an hiv/aids epidemic model with random testing and contact tracing. *Journal of Applied Mathematics and Computing*, 60(1-2):387–411. <https://doi.org/10.1007/s12190-018-01219-w>.
- [73] Jassim, H. K. and Kadmim, H. (2020). Fractional sumudu decomposition method for solving pdes of fractional order. *Journal of Applied and Computational Mechanics*. <https://doi.org/10.22055/JACM.2020.31776.1920>.
- [74] Jena, R. M., Chakraverty, S., Jena, S. K., and Sedighi, H. M. (2021a). Analysis of time-fractional fuzzy vibration equation of large membranes using double parametric based residual power series method. *ZAMM-Journal of Applied Mathematics and Mechanics/Zeitschrift für Angewandte Mathematik und Mechanik*, 101(4):e202000165. <https://doi.org/10.1002/zamm.202000165>.
- [75] Jena, R. M., Chakraverty, S., Jena, S. K., and Sedighi, H. M. (2021b). On the wave solutions of time-fractional sawada-kotera-ito equation arising in

- shallow water. *Mathematical Methods in the Applied Sciences*, 44(1):583–592. <https://doi.org/10.1002/mma.6763>.
- [76] Jin, L. (2009). Application of variational iteration method and homotopy perturbation method to the modified kawahara equation. *Mathematical and Computer modelling*, 49(3-4):573–578. <https://doi.org/10.1016/j.mcm.2008.06.017>.
- [77] Jleli, M., Kumar, S., Kumar, R., and Samet, B. (2020). Analytical approach for time fractional wave equations in the sense of yang-abdel-aty-cattani via the homotopy perturbation transform method. *Alexandria Engineering Journal*, 59(5):2859–2863. <https://doi.org/10.1016/j.aej.2019.12.022>.
- [78] Kahn, J. S. and McIntosh, K. (2005). History and recent advances in coronavirus discovery. *The Pediatric infectious disease journal*, 24(11):S223–S227.
- [79] Kamal, A. and Sedeeg, H. (2016). The new integral transform kamal transform. *Advances in Theoretical and Applied Mathematics*, 11(4):451–458. <https://doi.org/10.11648/j.ajam.20160405.16>.
- [80] Karpman, V. I. and Vanden-Broeck, J.-M. (1995). Stationary solitons and stabilization of the collapse described by kdv-type equations with high nonlinearities and dispersion. *Physics Letters A*, 200(6):423–428. [https://doi.org/10.1016/0375-9601\(95\)00173-Z](https://doi.org/10.1016/0375-9601(95)00173-Z).
- [81] Khalouta, A. and Kadem, A. (2020). Solution of the fractional bratu-type equation via fractional residual power series method. *Tatra Mountains Mathematical Publications*, 76(1):127–142. <https://doi.org/10.2478/tmmp-2020-0024>.
- [82] Khan, A., Khan, Z. A., Abdeljawad, T., and Khan, H. (2022a). Analytical analysis of fractional-order sequential hybrid system with numerical application. *Advances in Continuous and Discrete Models*, 2022(1):1–19. <https://doi.org/10.1186/s13662-022-03685-w>.
- [83] Khan, H., Alzabut, J., Baleanu, D., Alobaidi, G., and Rehman, M.-U. (2023). Existence of solutions and a numerical scheme for a generalized hybrid class of n-

- coupled modified abc-fractional differential equations with an application. *AIMS Mathematics*, 8(3):6609–6625. <https://doi.org/10.3934/math.2023334>.
- [84] Khan, H., Alzabut, J., Shah, A., Etemad, S., Rezapour, S., and Park, C. (2022b). A study on the fractal-fractional tobacco smoking model. *Aims Math*, 7:13887–13909. <https://doi.org/10.3934/math.2022767>.
- [85] Khan, H., Begum, R., Abdeljawad, T., and Khashan, M. M. (2021a). A numerical and analytical study of se (is)(ih) ar epidemic fractional order covid-19 model. *Advances in Difference Equations*, 2021(1):1–31. <https://doi.org/10.1186/s13662-021-03447-0>.
- [86] Khan, H., Ibrahim, M., Abdel-Aty, A.-H., Khashan, M. M., Khan, F. A., and Khan, A. (2021b). A fractional order covid-19 epidemic model with mittag-leffler kernel. *Chaos, Solitons & Fractals*, 148:111030. <https://doi.org/10.1016/j.chaos.2021.111030>.
- [87] Khan, H., Ullah, I., Ahmad, S., Al-Mdallal, Q., Khan, Z. A., and Khan, A. (2020). Stability analysis of a dynamical model of tuberculosis with incomplete treatment. *Advances in Difference Equations*, 2020(1):1–14. <https://doi.org/10.1186/s13662-020-02950-0>.
- [88] Khan, Y. and Wu, Q. (2011). Homotopy perturbation transform method for nonlinear equations using he’s polynomials. *Computers & Mathematics with Applications*, 61(8):1963–1967. <https://doi.org/10.1016/j.camwa.2010.08.022>.
- [89] Khan, Z. H. and Khan, W. A. (2008). N-transform properties and applications. *NUST journal of engineering sciences*, 1(1):127–133.
- [90] Khater, M. M. and Ren, P. (2022). Wave propagation and magnetic ordering in ferromagnetic materials. *Fractals*. <https://doi.org/10.1142/S0218348X2340008X>.
- [91] Khirsariya, S. R., Rao, S. B., and Chauhan, J. P. (2022). Semi-analytic solution of time-fractional korteweg-de vries equation using fractional residual power series method. *Results in Nonlinear Analysis*, 5(3):222–234. <https://doi.org/10.53006/rna.1024308>.

- [92] Khirsariya, S. R., Rao, S. B., and Chauhan, J. P. (2023). A novel hybrid technique to obtain the solution of generalized fractional-order differential equations. *Mathematics and Computers in Simulation*, 205:272–290. <https://doi.org/10.1016/j.matcom.2022.10.013>.
- [93] Kim, H. (2017a). The intrinsic structure and properties of laplace typed integral transforms. *Mathematical Problems in Engineering*, 2017. <https://doi.org/10.1155/2017/1762729>.
- [94] Kim, H. (2017b). On the form and properties of an integral transform with strength in integral transforms. *Far East Journal of Mathematical Sciences*, 102(11):2831–2844. <https://doi.org/10.17654/MS102112831>.
- [95] Korteweg, D. J. and De Vries, G. (1895). Xli. on the change of form of long waves advancing in a rectangular canal, and on a new type of long stationary waves. *The London, Edinburgh, and Dublin Philosophical Magazine and Journal of Science*, 39(240):422–443. <https://doi.org/10.1080/14786449508620739>.
- [96] Kumar, P. and Qureshi, S. (2020). Laplace-carson integral transform for exact solutions of non-integer order initial value problems with caputo operator. *Journal of Applied Mathematics and Computational Mechanics*, 19(1):57–66. <https://doi.org/10.17512/jamcm.2020.1.05>.
- [97] Kumar, S. and Kour, B. (2021). Residual power series solution of fractional bi-hamiltonian boussinesq system. In *Proceedings of International Conference on Trends in Computational and Cognitive Engineering: TCCE 2019*, pages 163–172. Springer Singapore. [https://doi.org/10.1007/978-981-15-5414-8\\_14](https://doi.org/10.1007/978-981-15-5414-8_14).
- [98] Liao, S. (2004). On the homotopy analysis method for nonlinear problems. *Applied mathematics and computation*, 147(2):499–513. [https://doi.org/10.1016/S0096-3003\(02\)00790-7](https://doi.org/10.1016/S0096-3003(02)00790-7).
- [99] Liu, T., Xia, K., Zheng, Y., Yang, Y., Qiu, R., Qi, Y., and Liu, C. (2022). A homotopy method for the constrained inverse problem in the multiphase porous media flow. *Processes*, 10(6):1143. <https://doi.org/10.3390/pr10061143>.

- [100] Lu, J. (2008). Analytical approach to kawahara equation using variational iteration method and homotopy perturbation method. *Topological Methods in Nonlinear Analysis*, 31(2):287—293.
- [101] Mahgoub, M. M. A. and Mohand, M. (2019). The new integral transform”sawi transform”. *Advances in Theoretical and Applied Mathematics*, 14(1):81–87.
- [102] Mahmood, B. A. and Yousif, M. A. (2017). A novel analytical solution for the modified kawahara equation using the residual power series method. *Nonlinear Dynamics*, 89:1233–1238. <https://doi.org/10.1007/s11071-017-3512-3>.
- [103] Maitama, S. and Zhao, W. (2019). New integral transform: Shehu transform a generalization of sumudu and laplace transform for solving differential equations. *arXiv preprint arXiv:1904.11370*. <https://doi.org/10.48550/arXiv.1904.11370>.
- [104] Maitama, S. and Zhao, W. (2021). Homotopy analysis shehu transform method for solving fuzzy differential equations of fractional and integer order derivatives. *Computational and Applied Mathematics*, 40(3):86. <https://doi.org/10.1007/s40314-021-01476-9>.
- [105] Manafian, J. and Lakestani, M. (2019). Lump-type solutions and interaction phenomenon to the bidirectional sawada–kotera equation. *Pramana*, 92:1–13. <https://doi.org/10.1007/s12043-018-1700-4>.
- [106] Meddahi, M., Jafari, H., and Ncube, M. (2021). New general integral transform via atangana–baleanu derivatives. *Advances in Difference Equations*, 2021:1–14. <https://doi.org/10.1186/s13662-021-03540-4>.
- [107] Miller, K. S. and Ross, B. (1993). *An introduction to the fractional calculus and fractional differential equations*. Wiley.
- [108] Mohand, M. and Mahgoub, A. (2017). The new integral transform “mohand transform”. *Advances in Theoretical and Applied Mathematics*, 12(2):113–120.
- [109] Momani, S., Chen, Y., Agarwal, P., Machado, J. A. T., and Baleanu, D. (2019). *Fractional Calculus: ICFDA 2018, Amman, Jordan, July 16-18*. Springer.

- [110] Momani, S. and Shawagfeh, N. (2006). Decomposition method for solving fractional riccati differential equations. *Applied Mathematics and Computation*, 182(2):1083–1092. <https://doi.org/10.1016/j.amc.2006.05.008>.
- [111] Mukdasai, K., Sabir, Z., Raja, M. A. Z., Sadat, R., Ali, M. R., and Singkibud, P. (2022). A numerical simulation of the fractional order leptospirosis model using the supervise neural network. *Alexandria Engineering Journal*, 61(12):12431–12441. <https://doi.org/10.1016/j.aej.2022.06.013>.
- [112] Nadeem, M., Li, F., and Ahmad, H. (2019). Modified laplace variational iteration method for solving fourth-order parabolic partial differential equation with variable coefficients. *Computers & Mathematics with Applications*, 78(6):2052–2062. <https://doi.org/10.1016/j.camwa.2019.03.053>.
- [113] Nieto, J. J. (2022). Solution of a fractional logistic ordinary differential equation. *Applied Mathematics Letters*, 123:107568. <https://doi.org/10.1016/j.aml.2021.107568>.
- [114] Odibat, Z. and Momani, S. (2009). The variational iteration method: an efficient scheme for handling fractional partial differential equations in fluid mechanics. *Computers & Mathematics with Applications*, 58(11-12):2199–2208. <https://doi.org/10.1016/j.camwa.2009.03.009>.
- [115] Padmanabhan, R., Abed, H. S., Meskin, N., Khattab, T., Shraim, M., and Al-Hitmi, M. A. (2021). A review of mathematical model-based scenario analysis and interventions for covid-19. *Computer Methods and Programs in Biomedicine*, 209:106301. <https://doi.org/10.1016/j.cmpb.2021.106301>.
- [116] Pandey, P., Gómez-Aguilar, J., Kaabar, M. K., Siri, Z., and Abd Allah, A. M. (2022). Mathematical modeling of covid-19 pandemic in india using caputo-fabrizio fractional derivative. *Computers in biology and medicine*, 145:105518. <https://doi.org/10.1016/j.compbimed.2022.105518>.
- [117] Pandey, R. K. and Mishra, H. K. (2022). A semi-analytical study of diffusion type multi-term time fractional partial differential equation via homotopy analysis

- sumudu transform method. *TWMS Journal of Applied and Engineering Mathematics*, 12(4):1392–1409.
- [118] Partohaghighi, M. and Akgül, A. (2021). Modelling and simulations of the seir and blood coagulation systems using atangana-baleanu-caputo derivative. *Chaos, Solitons & Fractals*, 150:111135. <https://doi.org/10.1016/j.chaos.2021.111135>.
- [119] Paul, S. K., Chowdhury, P., Chakraborty, R. K., Ivanov, D., and Sallam, K. (2022). A mathematical model for managing the multi-dimensional impacts of the covid-19 pandemic in supply chain of a high-demand item. *Annals of Operations Research*, pages 1–46. <https://doi.org/10.1007/s10479-022-04650-2>.
- [120] Podlubny, I. (1999). Fractional differential equations, mathematics in science and engineering.
- [121] Qureshi, S. (2021). Fox h-functions as exact solutions for caputo type mass spring damper system under sumudu transform. *Journal of Applied Mathematics and Computational Mechanics*, 20(1). <https://doi.org/10.17512/jamcm.2021.1.08>.
- [122] Qureshi, S. and Jan, R. (2021). Modeling of measles epidemic with optimized fractional order under caputo differential operator. *Chaos, Solitons & Fractals*, 145:110766. <https://doi.org/10.1016/j.chaos.2021.110766>.
- [123] Qureshi, S. and Kumar, P. (2019). Using shehu integral transform to solve fractional order caputo type initial value problems. *Journal of Applied Mathematics and Computational Mechanics*, 18(2):75–83. <https://doi.org/10.17512/jamcm.2019.2.07>.
- [124] Qureshi, S., Yusuf, A., and Aziz, S. (2020). On the use of mohand integral transform for solving fractional-order classical caputo differential equations. *Journal of Applied Mathematics and Computational Mechanics*, 19(3). <https://doi.org/10.17512/jamcm.2020.3.08>.
- [125] Rashid, S., Kaabar, M. K., Althobaiti, A., and Alqurashi, M. (2023). Constructing analytical estimates of the fuzzy fractional-order boussinesq model and their application in oceanography. *Journal of Ocean Engineering and Science*, 8(2):196–215. <https://doi.org/10.1016/j.joes.2022.01.003>.

- [126] Raza, A., Khan, S. U., Farid, S., Khan, M. I., Sun, T.-C., Abbasi, A., Khan, M. I., and Malik, M. (2021). Thermal activity of conventional casson nanoparticles with ramped temperature due to an infinite vertical plate via fractional derivative approach. *Case Studies in Thermal Engineering*, 27:101191. <https://doi.org/10.1016/j.csite.2021.101191>.
- [127] Reusken, C. B., Broberg, E. K., Haagmans, B., Meijer, A., Corman, V. M., Papa, A., Charrel, R., Drosten, C., Koopmans, M., Leitmeyer, K., et al. (2020). Laboratory readiness and response for novel coronavirus (2019-ncov) in expert laboratories in 30 eu/eea countries, january 2020. *Eurosurveillance*, 25(6):2000082.
- [128] Richard, M. and Zhao, W. (2021). Padé-sumudu-adomian decomposition method for nonlinear schrödinger equation. *Journal of Applied Mathematics*, 2021:1–19. <https://doi.org/10.1155/2021/6626236>.
- [129] Saad, M. H. and Said, A. (2023). Machine learning-based fault diagnosis for research nuclear reactor medium voltage power cables in fraction fourier domain. *Electrical Engineering*, 105(1):25–42. <https://doi.org/10.1007/s00202-022-01649-7>.
- [130] Saadeh, R. Z. and Ghazal, B. f. (2021). A new approach on transforms: Formable integral transform and its applications. *Axioms*, 10(4):332. <https://doi.org/10.3390/axioms10040332>.
- [131] Sabir, Z., Raja, M. A. Z., Nguyen, T. G., Fathurrochman, I., Sadat, R., and Ali, M. R. (2022). Applications of neural networks for the novel designed of nonlinear fractional seventh order singular system. *The European Physical Journal Special Topics*, 231(10):1831–1845. <https://doi.org/10.1140/epjs/s11734-022-00457-1>.
- [132] Sajjadi, N. A. and Asad, J. H. (2022). Fractional treatment: an accelerated mass-spring system. *Romanian Reports in Physics*, 74:122.
- [133] Sakar, M. G., Akgül, A., and Baleanu, D. (2017). On solutions of fractional riccati differential equations. *Advances in Difference Equations*, 2017:1–10. <https://doi.org/10.1186/s13662-017-1091-8>.

- [134] Sakulrang, S., Moore, E. J., Sungnul, S., and de Gaetano, A. (2017). A fractional differential equation model for continuous glucose monitoring data. *Advances in Difference Equations*, 2017(1):1–11. <https://doi.org/10.1186/s13662-017-1207-1>.
- [135] Salahshour, S., Ahmadian, A., Senu, N., Baleanu, D., and Agarwal, P. (2015). On analytical solutions of the fractional differential equation with uncertainty: application to the basset problem. *Entropy*, 17(2):885–902. <https://doi.org/10.3390/e17020885>.
- [136] Saleem, M. U., Farman, M., Ahmad, A., Haque, E. U., and Ahmad, M. (2020). A caputo fabrizio fractional order model for control of glucose in insulin therapies for diabetes. *Ain Shams Engineering Journal*, 11(4):1309–1316. <https://doi.org/10.1016/j.asej.2020.03.006>.
- [137] Samko, S. G., Kilbas, A. A., Marichev, O. I., et al. (1993). *Fractional integrals and derivatives*, volume 1. Gordon and breach science publishers, Yverdon Yverdon-les-Bains, Switzerland.
- [138] Sartanpara, P. P., Meher, R., and Meher, S. (2022). The generalized time-fractional fornberg–whitham equation: An analytic approach. *Partial Differential Equations in Applied Mathematics*, 5:100350. <https://doi.org/10.1016/j.padiff.2022.100350>.
- [139] Saxena, R. K., Chauhan, J. P., Jana, R. K., and Shukla, A. K. (2015). Further results on the generalized mittag-leffler function operator. *Journal of Inequalities and Applications*, 2015(1):1–12. <https://doi.org/10.1186/s13660-015-0589-4>.
- [140] Shaikh, A. A. and Qureshi, S. (2022). Comparative analysis of riemann-liouville, caputo-fabrizio, and atangana-baleanu integrals. *Journal of Applied Mathematics and Computational Mechanics*, 21(1). <https://doi.org/10.17512/jamcm.2022.1.08>.
- [141] Shalbafian, A., Abolvafaei, M., and Ganjefar, S. (2021). Adaptive second-order terminal pid sliding mode control design for integer-order approximation of wind turbine system for maximum power extraction. *IET Control Theory & Applications*, 15(17):2210–2220. <https://doi.org/10.1049/cth2.12186>.

- [142] Sibatov, R. T. and Svetukhin, V. V. (2015). Subdiffusion kinetics of nanoprecipitate growth and destruction in solid solutions. *Theoretical and Mathematical Physics*, 183:846–859. <https://doi.org/10.1007/s11232-015-0301-3>.
- [143] Simelane, S. and Dlamini, P. (2021). A fractional order differential equation model for hepatitis b virus with saturated incidence. *Results in Physics*, 24:104114. <https://doi.org/10.1016/j.rinp.2021.104114>.
- [144] Simmons, G. F. (1963). *Introduction to topology and modern analysis*. Krieger Publishing Company.
- [145] Singh, H., Kumar, D., and Baleanu, D. (2019). *Methods of mathematical modelling: fractional differential equations*. CRC Press.
- [146] Soltanalizadeh, B. and Abazari, R. (2013). Reduced differential transform method and its application on kawahara equations. *Thai J. Math*, 11(1):199–216.
- [147] Sousa, J. and de Oliveira, E. C. (2018). Ulam-hyers-rassias stability for a class of fractional integro-differential equations. *arXiv preprint arXiv:1804.02600*. <https://doi.org/10.1007/s00025-018-0872-z>.
- [148] Srivastava, H., Jan, R., Jan, A., Deebani, W., and Shutaywi, M. (2021). Fractional-calculus analysis of the transmission dynamics of the dengue infection. *Chaos: An Interdisciplinary Journal of Nonlinear Science*, 31(5):053130. <https://doi.org/10.1063/5.0050452>.
- [149] Sun, Z.-z., Gao, G.-h., and Zhang, H.-w. (2014). A new fractional numerical differentiation formula to approximate the caputo fractional derivative and its applications. *Journal of Computational Physics*, 259:33–50. <https://doi.org/10.1016/j.jcp.2013.11.017>.
- [150] Syam, M. I. (2005). Adomian decomposition method for approximating the solution of the korteweg–devries equation. *Applied Mathematics and Computation*, 162(3):1465–1473. <https://doi.org/10.1016/j.amc.2004.03.021>.

- [151] Tang, Y., Wang, G., and Ding, Q. (2022). Nonlinear fractional-order dynamic stability of fluid-conveying pipes constituted by the viscoelastic materials with time-dependent velocity. *Acta Mechanica Solida Sinica*, 35(5):733–745. <https://doi.org/10.1007/s10338-022-00328-1>.
- [152] Tariq, H., Günerhan, H., Rezazadeh, H., and Adel, W. (2021). A numerical approach for the nonlinear temporal conformable fractional foam drainage equation. *Asian-European Journal of Mathematics*, 14(06):2150089. <https://doi.org/10.1142/S1793557121500893>.
- [153] Tatari, M., Dehghan, M., and Razzaghi, M. (2007). Application of the adomian decomposition method for the fokker–planck equation. *Mathematical and Computer Modelling*, 45(5-6):639–650. <https://doi.org/10.1016/j.mcm.2006.07.010>.
- [154] Ugurlu, Y., Kaya, D., and Inan, I. E. (2011). Comparison of three semi-analytical methods for solving (1+ 1)-dimensional dispersive long wave equations. *Computers & Mathematics with Applications*, 61(5):1278–1290. <https://doi.org/10.1016/j.camwa.2010.12.026>.
- [155] Veerasha, P., Prakasha, D., and Baskonus, H. M. (2019). Solving smoking epidemic model of fractional order using a modified homotopy analysis transform method. *Mathematical Sciences*, 13:115–128. <https://doi.org/10.1007/s40096-019-0284-6>.
- [156] Veerasha, P., Prakasha, D., and Singh, J. (2020a). Solution for fractional forced kdv equation using fractional natural decomposition method. *AIMS Mathematics*, 5(2):798–810. <https://doi.org/10.3934/math.2020054>.
- [157] Veerasha, P., Prakasha, D. G., and Kumar, D. (2020b). An efficient technique for nonlinear time-fractional klein–fock–gordon equation. *Applied Mathematics and Computation*, 364:124637. <https://doi.org/10.1016/j.amc.2019.124637>.
- [158] Wang, L. and Dong, J. (2022). Reset event-triggered adaptive fuzzy consensus for nonlinear fractional-order multiagent systems with actuator faults. *IEEE Transactions on Cybernetics*. <https://doi.org/10.1109/TSMC.2021.3130718>.

- [159] Watugala, G. (1993). Sumudu transform: a new integral transform to solve differential equations and control engineering problems. *Integrated Education*, 24(1):35–43. <https://doi.org/10.1080/0020739930240105>.
- [160] Wazwaz, A.-M. (1998). A comparison between adomian decomposition method and taylor series method in the series solutions. *Applied Mathematics and Computation*, 97(1):37–44. [https://doi.org/10.1016/S0096-3003\(97\)10127-8](https://doi.org/10.1016/S0096-3003(97)10127-8).
- [161] Wazwaz, A.-M. (1999). A reliable modification of adomian decomposition method. *Applied mathematics and computation*, 102(1):77–86. [https://doi.org/10.1016/S0096-3003\(98\)10024-3](https://doi.org/10.1016/S0096-3003(98)10024-3).
- [162] Wazwaz, A.-M. (2008). The hirota’s direct method and the tanh-coth method for multiple-soliton solutions of the sawada–kotera–ito seventh-order equation. *Applied Mathematics and Computation*, 199(1):133–138. <https://doi.org/10.1016/j.amc.2007.09.034>.
- [163] Xiang, T. (2015). A summary of the korteweg-de vries equation. *Institute for Mathematical Sciences, Renmin University of China, Beijing*, 100872.
- [164] Yasmin, H., Abu Hammad, M., Shah, R., Alotaibi, B. M., Ismaeel, S. M., and El-Tantawy, S. A. (2023). On the solutions of the fractional-order sawada–kotera–ito equation and modeling nonlinear structures in fluid mediums. *Symmetry*, 15(3):605. <https://doi.org/10.3390/sym15030605>.
- [165] Yulita Molliq, R. and Noorani, M. (2012). Solving the fractional rosenau-hyman equation via variational iteration method and homotopy perturbation method. *International Journal of Differential Equations*, 2012. <https://doi.org/10.1155/2012/472030>.
- [166] Yunus, A. O., Olayiwola, M. O., Adedokun, K. A., Adedeji, J. A., and Alaje, I. A. (2022). Mathematical analysis of fractional-order caputo’s derivative of coronavirus disease model via laplace adomian decomposition method. *Beni-Suef University Journal of Basic and Applied Sciences*, 11(1):144. <https://doi.org/10.1186/s43088-022-00326-9>.

- [167] Zafar, Z. U. A., Hussain, M. T., Inc, M., Baleanu, D., Almohsen, B., Oke, A. S., and Javeed, S. (2022). Fractional-order dynamics of human papillomavirus. *Results in Physics*, 34:105281. <https://doi.org/10.1016/j.rinp.2022.105281>.
- [168] Zhang, J., Wang, Y., and Zhang, S. (2022a). A new homotopy transformation method for solving the fuzzy fractional black–scholes european option pricing equations under the concept of granular differentiability. *Fractal and Fractional*, 6(6):286. <https://doi.org/10.3390/fractalfract6060286>.
- [169] Zhang, J., Wei, Z., Li, L., and Zhou, C. (2019). Least-squares residual power series method for the time-fractional differential equations. *Complexity*, 2019:1–15. <https://doi.org/10.1155/2019/6159024>.
- [170] Zhang, Y., Zhang, X., Xiong, F.-R., Liu, L., and Zhang, S. (2022b). Active vibration control of typical piping system of a nuclear power plant based on fractional pi controller. *International Journal of Dynamics and Control*, pages 1–13. <https://doi.org/10.1007/s40435-022-00926-4>.
- [171] Zubair, T., Usman, M., Khan, I., Almuqrin, M. A., Hamadneh, N. N., Singh, A., and Lu, T. (2022). Atangana-baleanu caputo fractional-order modeling of plasma particles with circular polarization of laser light: An extended version of vlasov-maxwell system. *Alexandria Engineering Journal*, 61(11):8641–8652. <https://doi.org/10.1016/j.aej.2022.01.070>.