

List of Tables

2.1	The Absolute Error in Solution of KdV Equation by FRPSM Method and ADM Method [150] when $x = -20$ and $\alpha = 1$	22
2.2	The Absolute Error in Solution of KdV Equation by FRPSM Method and ADM Method [150] when $x = -10$ and $\alpha \rightarrow 1$	22
2.3	The Absolute Error in Solution of KdV Equation by FRPSM Method and ADM Method [150] when $x = 0$ and $\alpha \rightarrow 1$	22
2.4	The Absolute Error in Solution of KdV Equation by FRPSM Method and ADM Method [150] when $x = 10$ and $\alpha \rightarrow 1$	23
2.5	The Absolute Error in Solution of KdV Equation by FRPSM Method and ADM Method [150] when $x = 20$ and $\alpha \rightarrow 1$	23
2.6	Value of $u(x, t)$ with different fractional order α when $x = 2$	23
2.7	The Absolute Error in the solution of Kawahara Equation (2.41) by RPSM method, VIM method [100], HPM method [100], and ADM method [161].	28
2.8	The Absolute Error in the solution of Kawahara Equation (2.59) by RPSM method, VIM method, HPM method, and ADM method.	32
2.9	The Absolute Error in the solution of modified Kawahara Equation (2.63) by RPSM method, VIM method [76], HPM method [76] and ADM method [161].	36
2.10	The Absolute Error in the solution of modified Kawahara Equation (2.75) by RPSM method, VIM method [76], HPM method [76] and ADM method [161].	40
3.1	The solution of the logistic equation at different fractional order α	65
3.2	The absolute error in the solution of the F-W equation by the HPSTM and the RPSM [169].	65
4.1	General transform $G(s)$ of some basic function $u(t)$	74

4.2	The Absolute error in the solution of Riccati equation by HPGTM, RPSM [17], and ADM [110] for $\alpha = 1$	86
4.3	The approximate solution $u(t)$ by HPGTM for different fractional orders α	87
4.4	The Absolute Error in the solution of K-G equation by HPGTM, RPSM, and ADM for $\alpha = 1$ with exact solution (ES).	92
4.5	The approximate solution $u(x, t)$ by HPGTM for different fractional value α , and $x = 1$	92
4.6	The Absolute Error in the solution of R-H equation by HPGTM, RPSM and ADM for $\alpha = 1$ and $c = 0.25$ with exact solution (ES).	97
4.7	The approximate solution $u(x, t)$ by HPGTM with different fractional value of α , when $x = 4$	98
5.1	Shehu transform of some basic function $u(t)$	103
5.2	The absolute error in the solution of TFSKIE by the ADShTM in the Caputo sense and the ABC sense for $\alpha = 1$	121
5.3	The solution $u(x, t)$ via ADShTM in the ABC sense with the various fractional values of α and $x = 10$	122
5.4	The absolute error in the solution of TFSKIE by ADShTM, q-HAM [10], RPSM [12], and ADTM [164] for $\alpha = 1, b = 0.1$ and $t = 1$ with the exact solution.	125
6.1	The table provides full descriptions of the parameters framed in the model (1).	135
7.1	The details of the parameters utilized in the model, with complete descriptions are given.	165
7.2	The approximate solution of diabetes model for Normal Person with several fractional order α	179
7.3	The approximate solution of diabetes model for diabetic person with several fractional order α	180

7.4	The Absolute error in ADLTM with the comparison of Modified homotopy analysis transform method (MHATM) [155] and Homotopy perturbation transform method (HPTM) [164] at $\alpha = 1$ for Normal person dynamic system.	184
7.5	The Absolute error in ADLTM with the comparison of MHATM and HPTM at $\alpha = 1$ for Type-1 Diabetic patient system.	185