

List of Figures

2.1	Comparison of fractional KdV equation with different value of α with exact solution.	23
2.2	Solution of KdV equation by FRPSM with different order α	24
2.3	Comparison of solution of Fractional Kawahara Equation at fractional order of $\alpha = 1$ with Exact solution at $x = 5$	29
2.4	Comparison of solution of Fractional Kawahara Equation with different fractional order of α at $x = 5$	29
2.5	Behaviour of Fractional Kawahara Equation by FRPSM Method at $\alpha = 1$	30
2.6	Behaviour of Exact Solution of Kawahara Equation	30
2.7	Comparison of solution of Fractional Kawahara Equation (2.59) with different fractional order of α with exact solution at $x = 5$	33
2.8	Solution of Kawahara equation (2.59) by FRPSM with order $\alpha = 1$ and Exact solution.	33
2.9	Comparison of solution of Time-fractional Modified Kawahara Equation with different fractional order of α at time $t = 1$	37
2.10	Comparison of solution of Fractional Modified Kawahara Equation with fractional order of $\alpha = 1$ with an exact solution at $t = 1$	37
2.11	Behaviour of Fractional Modified Kawahara Equation by FRPSM Method at $\alpha = 1$	38
2.12	Behaviour of Exact Solution of Modified Kawahara Equation.	38
2.13	Comparison of solution of Fractional Modified Kawahara Equation as equation (2.75) with different fractional order of α with exact solution at $t = 1$.	41
2.14	Solution of Modified Kawahara equation (2.75) by FRPSM with order $\alpha = 1$ and Exact solution.	41
3.1	Comparison of the solution of the fractional logistic and F-W equation by using the HPSTM method with different fractional values α	63

3.2	The behaviour of the F-W equation by the HPSTM with different order α .	64
4.1	Solution of time-fractional Riccati equation for different values of α and exact solution.	87
4.2	Comparison of time-fractional Klein-Gordon equation with different values of α and exact solution at $x = 1$	93
4.3	Solution of K-G equation by HPGTM with order $\alpha = 1$ and exact solution.	94
4.4	Comparison of time-fractional R-H equation with different values of α and exact solution at $x = 4$	98
4.5	Solution of R-H equation by HPGTM with order $\alpha = 1$ and exact solution.	99
5.1	Behavior of TFSKIE by the ADShTM with order $\alpha = 1$ and $b = 0.1$ in the Caputo sense, the ABC sense and the exact solution.	122
5.2	Comparison of the solution of TFSKIE by the Caputo sense, the ABC sense, and the exact solution at the values of $\alpha = 1, b = 0.1$ and $t = 4$. . .	123
5.3	Behavior of TFSKIE by the ADShTM with the different fractional order α and $b = 0.1$ in the ABC sense.	124
6.1	765,903,278 positive COVID-19 cases reported to WHO globally as of May 10, 2023. Data available at https://covid19.who.int/	131
6.2	As of May 10, 2023, there were 765,903,278 cases reported of COVID-19 worldwide, including 6,927,378 losses. A total of 13,350,487,934 doses of vaccine have been provided as of May 8, 2023. Data available at https://covid19.who.int/	132
6.3	Situation of COVID-19 by Region, Country, Territory and Area wise reported to WHO. Data available at https://covid19.who.int/table	132
6.4	In India, from January 3, 2020, to May 10, 2023, there have been 44,972,800 confirmed cases of COVID-19 reported to WHO. Data available at https://covid19.who.int/region/searo/country/in	133

6.5	In India, from January 3, 2020 to May 10, 2023, WHO received reports of 44,972,800 positive samples of COVID-19, along with 531,707 losses. As of May 1, 2023, a total of 2,206,670,688 vaccine doses have been delivered. Data available at https://covid19.who.int/region/searo/country/in	133
6.6	Diagram of Covid-19 Model	134
6.7	The behavior of Susceptible Population $\mathbb{S}(t)$ at various order α	156
6.8	The behavior of Exposed Population $\mathbb{E}(t)$ at various order α	156
6.9	The behavior of Infected Population $\mathbb{I}(t)$ at various order α	157
6.10	The behavior of Recovered Population $\mathbb{R}(t)$ at various order α	157
6.11	Rate of Transmission from $\mathbb{S}(t)$ class to $\mathbb{E}(t)$ class when β_1 is 0 to 0.05.	158
6.12	Rate of Transmission from $\mathbb{S}(t)$ class to $\mathbb{I}(t)$ class when β_2 is 0 to 0.5.	158
6.13	Model fitting of $\mathbb{S}(t)$ class Real data with Integer-order and best fitting fractional-order.	159
6.14	Model fitting of $\mathbb{E}(t)$ class Real data with Integer-order and best fitting fractional-order.	159
6.15	Model fitting of $\mathbb{I}(t)$ class Real data with Integer-order and best fitting fractional-order.	160
6.16	Model fitting of $\mathbb{R}(t)$ class Real data with Integer-order and best fitting Fractional-order.	160
7.1	Simulation of Type-1 Diabetic Blood Glucose using PID controller	163
7.2	Glucose level $\mathbb{G}(t)$ of Normal person at various order α	180
7.3	Insulin level $\mathbb{I}(t)$ of Normal person at various order α	181
7.4	Insulin level in plasma $\mathbb{X}(t)$ of Normal person at various order α	181
7.5	The Comparison of Glucose level $\mathbb{G}(t)$, Insulin level $\mathbb{I}(t)$, and Insulin level in plasma $\mathbb{X}(t)$ of Normal person is shown at $\alpha = 1$	182
7.6	Glucose level $\mathbb{G}(t)$ of Type-1 Diabetic patient at various order α	182
7.7	Insulin level $\mathbb{I}(t)$ of Type-1 Diabetic patient at various order α	183
7.8	Insulin level in plasma $\mathbb{X}(t)$ of Type-1 Diabetic patient at various order α	183
7.9	The Comparison of Glucose level $\mathbb{G}(t)$, Insulin level $\mathbb{I}(t)$, and Insulin level in plasma $\mathbb{X}(t)$ of Type-1 Diabetic patient is shown at $\alpha = 1$	184