

List of Plates

Plate 1 - Collected plants of family Convolvulaceae (A- <i>C. arvensis</i> ; B- <i>C. prostratus</i> ; C- <i>C. stocksii</i> ; D- <i>R. hypocrateriformis</i>) -----	14
Plate 2 - Collected plants of family Convolvulaceae (A- <i>D. quinquefolia</i> ; B- <i>D. rhyncorbizus</i> ; C- <i>D. vitifolius</i> ; D- <i>D. dissectus</i>)-----	15
Plate 3 - Collected plants of family Convolvulaceae (A- <i>E. alsinoides</i> ; B- <i>E. nummularius</i> ; C- <i>J. peniculata</i> ; D- <i>J. pentanthos</i>)-----	16
Plate 4 - Collected plants of family Convolvulaceae (A- <i>I. aquatica</i> ; B- <i>I. biflora</i> ; C- <i>I. cairica</i> ; D- <i>I. eriocarpa</i>) -----	17
Plate 5 - Collected plants of family Convolvulaceae (A- <i>I. hederifolia</i> ; B- <i>I. horsfalliae</i> ; C- <i>I. muricata</i> ; D- <i>I. parasitica</i>)-----	18
Plate 6 - Collected plants of family Convolvulaceae (A- <i>I. obscura</i> ; B- <i>I. pes-caprae</i> ; C- <i>I. marginata</i> ; D- <i>I. quamoclit</i>)-----	19
Plate 7 - Collected plants of family Convolvulaceae (A- <i>I. pes-tigridis</i> ; B- <i>A. nervosa</i> ; C- <i>I. triloba</i> ; D- <i>S. tiliifolia</i>) -----	20
Plate 8 - Collected plants of family Convolvulaceae (A- <i>M. emarginata</i> ; B- <i>M. hederacea</i> ; C- <i>O. turpethum</i> ; D- <i>X. tridentata</i>) -----	21
Plate 9 - Leaf sample of <i>Argyreia</i> species (A- <i>A. boseana</i> ; B- <i>A. cuneata</i> ; C- <i>A. elliptica</i>) (Scale-3 x 3 cm) -----	45
Plate 10 - Leaf sample of <i>Argyreia</i> species (A- <i>A. nervosa</i> ; B- <i>A. pilosa</i> ; C- <i>A. sericea</i>) (Scale-3 x 3 cm)	46
Plate 11 - Leaf sample of <i>Argyreia</i> species (A- <i>A. setosa</i> ; B- <i>A. sharadchandrajii</i>) (Scale-3 x 3 cm)----	47
Plate 12 - Processed image showing leaf shape variation (A- <i>A. boseana</i> ; B- <i>A. elliptica</i> ; C- <i>A. cuneata</i>) -----	48
Plate 13 - Processed image showing leaf shape variation (A- <i>A. nervosa</i> ; B- <i>A. pilosa</i>) -----	49
Plate 14 - Processed image showing leaf shape variation (A- <i>A. sericea</i> ; B- <i>A. setosa</i>)-----	50
Plate 15 - Processed image showing leaf shape variation (A- <i>A. sharadchandrajii</i> ; B- <i>I. tuberculata</i>) -	51
Plate 16 - Leaf sample of <i>Camonea</i> and <i>Evolvulus</i> species (A- <i>C. pilosa</i> ; B- <i>E. alsinoides</i> ; C- <i>E. nummularius</i>)-----	54
Plate 17 - Processed image showing leaf shape variation (A- <i>X. tridentata</i> ; B- <i>C. pilosa</i>) -----	55
Plate 18 - Leaf sample of <i>Convolvulus</i> species (A- <i>C. arvensis</i> ; B- <i>C. prostratus</i> ; C- <i>C. rottlerianus</i> subsp. <i>stocksii</i>) -----	59
Plate 19 - Processed image showing leaf shape variation (A- <i>C. arvensis</i> ; B- <i>C. prostratus</i>)-----	60
Plate 20 - Processed image showing leaf shape variation (A- <i>C. rottlerianus</i> subsp. <i>stocksii</i> ; B- <i>T. corymbosa</i>)-----	61
Plate 21 - Leaf sample of <i>Distimake</i> species (A- <i>D. rhyncorbizus</i> ; B- <i>D. dissectus</i> ; C- <i>D. vitifolius</i>) (Scale-3 x 3 cm)-----	66
Plate 22 - Processed image showing leaf shape variation (A- <i>D. dissectus</i> ; B- <i>D. quinquefolia</i>)-----	67
Plate 23 - Processed image showing leaf shape variation (A- <i>D. rhyncorbizus</i> ; B- <i>D. vitifolius</i>)-----	68
Plate 24 - Processed image showing leaf shape variation (A- <i>E. alsinoides</i> ; B- <i>E. nummularius</i>) -----	71
Plate 25 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. aculeata</i> ; B- <i>I. alba</i> ; C- <i>I aquatica</i>) (Scale - 3 X 3 cm) -----	96

Plate 26 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. biflora</i> ; B- <i>I. cairica</i> , C- <i>I. tuberculata</i>) (Scale - 3 X 3 cm)-----	97
Plate 27 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. clarkei</i> ; B- <i>I. coptica</i> ; C- <i>I. deccana</i>) (Scale - 3 X 3 cm)-----	98
Plate 28 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. diversifolia</i> ; B- <i>I. eriocarpa</i> ; C- <i>I. hederifolia</i>) (Scale - 3 X 3 cm)-----	99
Plate 29 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. horsfalliae</i> ; B- <i>I. campanulata</i> ; C- <i>I. indica</i>) (Scale - 3 X 3 cm)-----	100
Plate 30 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. involucrata</i> ; B- <i>I. kotschyana</i> ; C- <i>I. laxiflora</i>) (Scale - 3 X 3 cm)-----	101
Plate 31 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. marginata</i> f. <i>candida</i> ; B- <i>I. marginata</i> ; C- <i>I. muricata</i>) (Scale - 3 X 3 cm)-----	102
Plate 32 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. nil</i> ; B- <i>I. obscura</i> ; C- <i>I. ochracea</i>) (Scale - 3 X 3 cm)-----	103
Plate 33 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. pes-caprae</i> ; B- <i>I. pes-tigridis</i> ; C- <i>I. quamoclit</i>) (Scale - 3 X 3 cm)-----	104
Plate 34 - Leaf samples of <i>Ipomoea</i> species (A- <i>I. sindica</i> ; B- <i>I. staphyllina</i> ; C- <i>I. triloba</i>) (Scale - 3 X 3 cm)-----	105
Plate 35 - Processed image showing leaf shape variation (A- <i>I. aculeata</i> ; B- <i>I. alba</i>)-----	106
Plate 36 - Processed image showing leaf shape variation (A- <i>I. aquatica</i> ; B- <i>I. biflora</i>)-----	107
Plate 37 - Processed image showing leaf shape variation (A- <i>I. cairica</i> ; B- <i>I. campanulata</i>)-----	108
Plate 38 - Processed image showing leaf shape variation (A- <i>I. clarkei</i> ; B- <i>I. coptica</i>)-----	109
Plate 39 - Processed image showing leaf shape variation (A- <i>I. deccana</i> ; B- <i>I. diversifolia</i>)-----	110
Plate 40 - Processed image showing leaf shape variation (A- <i>I. eriocarpa</i> ; B- <i>I. horsfalliae</i> ; C- <i>I. hederifolia</i>)-----	111
Plate 41 - Processed image showing leaf shape variation (A- <i>I. indica</i> ; B- <i>I. involucrata</i>)-----	112
Plate 42 - Processed image showing leaf shape variation (A- <i>I. laxiflora</i> ; B- <i>I. triloba</i>)-----	113
Plate 43 - Processed image showing leaf shape variation (A- <i>I. marginata</i> ; B- <i>I. marginata</i> f. <i>candida</i>)-----	114
Plate 44 - Processed image showing leaf shape variation (A- <i>I. muricata</i> ; B- <i>I. nil</i>)-----	115
Plate 45 - Processed image showing leaf shape variation (A- <i>I. obscura</i> ; B- <i>I. ochracea</i>)-----	116
Plate 46 - Processed image showing leaf shape variation (A- <i>I. parasitica</i> ; B- <i>I. pes-caprae</i> ; C- <i>I. pes-tigridis</i>)-----	117
Plate 47 - Processed image showing leaf shape variation (A- <i>I. quamoclit</i> ; B- <i>I. kotschyana</i>)-----	118
Plate 48 - Processed image showing leaf shape variation (A- <i>I. sindica</i> ; B- <i>I. staphyllina</i>)-----	119
Plate 49 - Leaf samples of <i>Jacquemontia</i> and <i>Distimake</i> (A- <i>J. paniculata</i> ; B- <i>J. pentanthos</i> ; C- <i>D. quinquefolia</i>)-----	122
Plate 50 - Processed image showing leaf shape variation (A- <i>J. paniculata</i> ; B- <i>J. pentanthos</i>)-----	123
Plate 51 - Leaf samples of <i>Merremia</i> and <i>Xenostegia</i> (A- <i>M. emarginata</i> ; B- <i>M. hederacea</i> ; C- <i>X. tridentata</i>)-----	126
Plate 52 - Processed image showing leaf shape variation (A- <i>M. emarginata</i> ; B- <i>M. hederacea</i>)-----	127
Plate 53 - Leaf samples of <i>Ipomoea</i> species (A- <i>O. ventricosa</i> ; B- <i>O. turpethum</i>) (Scale - 3 X 3 cm)-	131

<i>Plate 54 - Processed image showing leaf shape variation (A- O. ventricosa; B- O. turpethum)</i>	-----	132
<i>Plate 55 - Leaf sample of Rivea, Stictocardia and Turbina (A- R. hypocrateriformis; B- S. tilifolia; C- T. corymbosa) (Scale - 3 X 3 cm)</i>	-----	139
<i>Plate 56 - Processed image showing leaf shape variation (A- R. hypocrateriformis; B- S. tilifolia)</i>	---	140
<i>Plate 57 - Cluster dendrogram of genus Argyreia</i>	-----	150
<i>Plate 58 - Cluster dendrogram of Convolvulus, Evolvulus and Jacquemontia</i>	-----	151
<i>Plate 59 - Cluster dendrogram of genus Ipomoea</i>	-----	152
<i>Plate 60 - Cluster dendrogram of tribe Merremieae and other species</i>	-----	153
<i>Plate 61 - Cluster dendrogram of all analysed species of family Convolvulaceae</i>	-----	154
<i>Plate 62 - Two-way graph showing species separation based on morphometric analysis and role of each PC in separation</i>	-----	155