

REFERENCES

- Abbate, E., Bruni, P., Ferretti, M. P., Delmer, C., Laurenzi, M. A., Hagos, M., Bedri, O., Rook, L., Sagri, M. and Libsekal, Y. 2014. The East Africa Oligocene intertrappean beds: Regional distribution, depositional environments and Afro/Arabian mammal dispersals. *Journal of African Earth Sciences*, 99(PA2): 463–489, <https://doi.org/10.1016/j.jafrearsci.2013.11.001>.
- Abuhani, W. A., Dasgupta-Schubert, N. and Villaseñor Cendejas, L. M. 2014. Characterizing fundamental parameter-based analysis for soil-ceramic matrices in polarized energy-dispersive X-ray fluorescence (PEDXRF) spectrometry. *Powder Diffraction*, 29(2): 159–169, <https://doi.org/10.1017/S088571561400027X>.
- Adams, J. S., Kraus, M. J. and Wing, S. L. 2011. Evaluating the use of weathering indices for determining mean annual precipitation in the ancient stratigraphic record. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 309(3–4): 358–366, <https://doi.org/10.1016/j.palaeo.2011.07.004>.
- Adatte, T., Fantasia, A., Samant, B., Mohabey, D. M., Font, E., Keller, G., Khozyem, H. and Gertsch, B. 2014. Deccan volcanism: A main trigger of environmental changes leading to the K/Pg mass extinction? *Comunicacoes Geologicas*, 101(Sp. Iss. 3): 1435–1437.
- Akhtar, K., Khan, A. Z. and Ahmad, A. H. M. 1996. Anomalous quartz arenites of a Lower Cretaceous rift basin: Wadhwan Formation of Western India. *Geological Society Malaysia*, 3(July): 81–90.
- Aldridge, R. J. 1990. Extraction of microfossils. In Briggs, D.E.G. and P.R. Crowther (Eds), *Palaeobiology – A synthesis.*, pp. 502–504. Blackwell Scientific Publications, Oxford.
- Algeo, T. J. and Maynard, J. B. 2004. Trace-element behavior and redox facies in core shales of Upper Pennsylvanian Kansas-type cyclothems 206: 289–318, <https://doi.org/10.1016/j.chemgeo.2003.12.009>.
- Ambwani, K. 1982. Palynology of the Deccan Intertrappean Beds of Rajahmundry district, Andhra Pradesh. *The Palaeobotnist*, 30(1): 28–33.
- Anadon, P., Cabrera, L. and Kelts, K. 1991. Lacustrine facies analysis. *Lacustrine facies analysis*, <https://doi.org/10.1002/9781444303919>.

- Antoine, P. O., De Franceschi, D., Flynn, J. J., Nel, A., Baby, P., Benammi, M., Calderón, Y., Espurt, N., Goswami, A. and Salas-Gismondi, R. 2006. Amber from western Amazonia reveals Neotropical diversity during the middle Miocene. *Proceedings of the National Academy of Sciences of the United States of America*, 103(37): 13595–13600, <https://doi.org/10.1073/pnas.0605801103>.
- Armstrong, H. A. and Brasier, M. D. 2004. *Microfossils*. Second. Blackwell Publishing Ltd., <https://doi.org/https://doi.org/10.1002/9781118685440.fmatter>.
- Armstrong-altrin, J. S., Machain-castillo, M. L., Rosales-hoz, L., Carranza-edwards, A., Sanchez-cabeza, J. and Ruíz-fernández, A. C. 2015. Provenance and depositional history of continental slope sediments in the Southwestern Gulf of Mexico unravelled by geochemical analysis. *Continental Shelf Research*, 95: 15–26, <https://doi.org/10.1016/j.csr.2015.01.003>.
- Arratia, G., López-Arbarello, A., Prasad, G. V. R., Parmar, V. and Kriwet, J. 2004. Late Cretaceous-Paleocene percomorphs (Teleostei) from India - Early radiation of Perciformes. *Recent Advances in the Origin and Early Radiation of Vertebrates*, (January): 635–663.
- Aslam, M. 1991. Trace fossils from the Ranipat sediments (Early Cretaceous), Saurashtra Basin, Gujarat, Western India. *Current Science*, 61(6): 403–405.
- Assefa, G. and Saxena, G. N. 1984. A Review of Ethiopian Lignites Occurrence, Prospects and Possibilities. *Energy Exploration and Exploitation*, 3(1): 35–42, <https://www.jstor.org/stable/43754065>.
- Bajpai, S. and Prasad, G. V. R. 2000. Cretaceous age for Ir-rich Deccan intertrappean deposits: Palaeontological evidence from Anjar, western India. *Journal of the Geological Society*, 157(2): 257–260, <https://doi.org/10.1144/jgs.157.2.257>.
- Bajpai, S., Holmes, J., Bennett, C., Mandal, N. and Khosla, A. 2013. Palaeoenvironment of Northwestern India during the late Cretaceous Deccan volcanic episode from trace-element and stable-isotope geochemistry of intertrappean ostracod shells. *Global and Planetary Change*, 107: 82–90, <https://doi.org/10.1016/j.gloplacha.2013.04.011>.
- Bajpai, S., Sahni, A. and Srinivasan, S. 1993. Ornithoid eggshells from Deccan intertrappean beds near Anjar, Western India. *Current Science*, 1(42–45).

- Baksi S.K., Deb, U., 1976. On *Mulleripollis* gen. nov., a pollen tetrad from the upper Cretaceous of the Bengal Basin, West Bengal, India. *Rev. Palaeobot. Palynol.* 22 (1), 73–77
- Bardhan, S., Gangopadhyay, T. K. and Mandal, U. 2002. How far did India drift during the Late Cretaceous? — *Placenticeras kaffrarium* Etheridge, 1904 (Ammonoidea) used as a measuring tape. *Sedimentary Geology*, 147(1): 193–217, [https://doi.org/https://doi.org/10.1016/S0037-0738\(01\)00197-X](https://doi.org/https://doi.org/10.1016/S0037-0738(01)00197-X).
- Barlinge, S.G., and Paradkar, S.A. 1982. Records of new fossil algal and fungal forms from the Deccan Intertrappean of Mohgaon Kalan, M.P., India. *Botanique* 10(1-4): 163-174.
- Barss, M. S. and Williams, G. L. 1973. Palynology and nannofossil processing techniques. Geological Survey of Canada Paper, 73–26(iv): 25 p.
- Batten, D. J. and Morrison, L. 1983. Methods of palynological preparation for palaeoenvironmental, source potential and organic maturation studies. In Costa, L.I. (Ed), *Palynology – Micropalaeontology: Laboratories, Equipment and Methods.*, pp. 35–53. Norwegian Petroleum Directorate Bulletin.
- Behera, L., Kolluru, R. and Singh, B. 2021. Imaging Mesozoic Sediments in Deccan Volcanic Province of India: Inferences from Seismic and Gravity Studies. *Journal Geological Society of India*, 97(10): 1260–1273, <https://doi.org/10.1007/s12594-021-1855-3>.
- Bercovici, A. and Vellekoop, J. 2017. Methods in Paleopalynology and Palynostratigraphy: An Application to the K-Pg Boundary. *An Application to the K-Pg Boundary. Terrestrial Depositional Systems: Deciphering Complexities through Multiple Stratigraphic Methods* December. Elsevier Inc., <https://doi.org/10.1016/B978-0-12-803243-5.00003-0>.
- Bhandari, A. and Colin, J. P. 1999. Limnic ostracodes from the intertrappean sediments (uppermost Maastrichtian-basal Paleocene) near Anjar (Kachchh, Gujarat state), India: Systematics, palaeoecology and palaeobiogeographical affinities. *Revue de Micropaleontologie*, 42(1): 3–20, [https://doi.org/https://doi.org/10.1016/S0035-1598\(99\)90142-3](https://doi.org/https://doi.org/10.1016/S0035-1598(99)90142-3).
- Bhatia, M. R. (1981). Plate tectonics and geochemical composition of sandstones. *Journal of Geology*, 89(5), 611-627.

- Bhatia, M. R. (1983). Plate tectonics and geochemical composition of sandstones. *Journal of Geology*, 89(5), 611-627.
- Bhatia, M. R., and Crook, K. A. W. (1986). Trace element characteristics of graywackes and tectonic setting discrimination of sedimentary basins. *Contributions to Mineralogy and Petrology*, 92(2), 181-193.
- Bhatia, S. B., Prasad, G. V. R. and Rana, R. S. 1996. Maastrichtian non-marine ostracodes from Peninsular India: palaeobiogeographic and age implications. *Memoirs - Geological Society of India*, 37(January): 297–311.
- Bhatt, N. 2000. Lithostratigraphy of the Neogene-Quaternary deposits of Dwarka-Okha area, Gujarat. *Journal - Geological Society of India*, 55(2): 139–148.
- Bhatt, N. and Bhonde, U. 2006. Geomorphic expression of late Quaternary Sea level changes along the southern Saurashtra coast, western India. *Journal of Earth System Science*, 115(4): 395–402, <https://doi.org/10.1007/BF02702868>.
- Bhatt, N. and Patel, M. P. 1998. Bioclastic shore deposits: Indicators of Late Quaternary high sea in Saurashtra, western India. *JOURNAL GEOLOGICAL SOCIETY OF INDIA*, 52: 537–542.
- Biswas, S. K. 1969. The miliolite rocks of Kutch and Kathiawar (western India). *Sedimentary Geology*, 5(1971): 147–164.
- Biswas, S. K. 1987. Regional tectonic framework, structure and evolution of the western marginal basins of India. *Tectonophysics*, 135(4): 307–327, [https://doi.org/10.1016/0040-1951\(87\)90115-6](https://doi.org/10.1016/0040-1951(87)90115-6).
- Biswas, S. K. 1999. A Review on the Evolution of Rift Basins in India During Gondwana with Special Reference to Western Indian Basins and Their Hydrocarbon Prospects. *PINSA*, 65A (No. 3): 261–283.
- Blanford, W. T. 1867. Trap and Intertrappean beds of Western and Central India. *Memoirs - Geological Survey of India*, 6(2): 137–162.
- Blanford, W. T. 1872. Sketch of the geology of Bombay Presidency. *Records Geological Survey of India*, 5: 82–102.
- Boggs, S. (1995). *Principles of Sedimentology and Stratigraphy*. Prentice Hall.

- Bolotov, I. N., Pasupuleti, R., Subba Rao, N. V., Unnikrishnan, S. K., Chan, N., Lunn, Z., Win, T., Gofarov, M. Y., Kondakov, A. V., Konopleva, E. S., Lyubas, A. A., Tomilova, A. A., Vikhrev, I. V., Pfenninger, M., Düwel, S. S., Feldmeyer, B., Neemann, H. F. and Nagel, K. O. 2022. Oriental freshwater mussels arose in East Gondwana and arrived to Asia on the Indian Plate and Burma Terrane. *Scientific Reports*, 12(1): 1–27, <https://doi.org/10.1038/s41598-022-05257-0>.
- Borkar, V. D. 1973. Fossil fishes from the intertrappean beds of Surendranagar district, Saurashtra. *Current Science*, 42(12): 181–193.
- Borkar, V. D. 1975. New fossil fish scales from the intertrappean bed of Bamanbor Surendranagar District Gujarat State India. *Biovigyanam*, 1(2): 161–166, <https://doi.org/https://eurekamag.com/research/027/028/027028017.php>.
- Borkar, V. D. 1984. *Palaeopristolepis chipionkari* new species of fossil fish from the intertrappean bed of Bamanbor Surendranagar district Gujarat, India. *Biovigyanam*, 10(1): 65–88.
- Borkar, V. D. 1986. Fossil fish scales from Intertrappean Bed at Ninama, District Surendranagar, Gujarat. *Biovigyanam*, 63–67.
- Borkar, V. D. and Chipionkar, G. W. 1967. New plant fossils from the Umias of Saurashtra*.
- Borkar, V. D., Kulkarni, K. G. and Bhattacharjee-Kapoor, S. 2014. Molluscan fauna from the Miocene sediments of Kachchh, Gujarat, India - Part 4, *Indarca*, a new anadaroid genus. *Journal of the Geological Society of India*, 83(3): 290–294, <https://doi.org/10.1007/s12594-014-0041-2>.
- Brasier, M. D. 1980. *Microfossils*. First. George Allen and Unwin, London.
- Briggs, J. C. 2003. The biogeographic and tectonic history of India. *Journal of Biogeography*, 30(3): 381–388, <https://doi.org/10.1046/j.1365-2699.2003.00809.x>.
- Brookins, D. G. 1988. *Eh–PH Diagrams for Geochemistry*. Springer Berlin, Heidelberg, <https://doi.org/https://doi.org/10.1007/978-3-642-73093-1>.
- Carter, J. G., Altaba, C. R., Anderson, L. C., Araujo, R., Biakov, A. S., Bogan, A. E., Campbell, D. C., Campbell, M., Jin-hua, C., Cope, J., Delvene, G., Dijkstra, H. H., Gardner, R. N., Gavrilova, V. A., Goncharova, I. A., Harries, P. J., Hartman, J. H., Hoeh, W. R., Hylleberg, J., Bao-yu, J., Johnston, P., Kirkendale, L., Kleemann, K., Middelfart, P. U., Mitchell, S., Nevesskaja, L. A., Özer, S., Pojeta, J., Polubotko, I. V, Pons, J. M., Popov,

- S., Sánchez, T., Sartori, A. F., Scott, R. W., Sey, I. I., Signorelli, J. H., Silantiev, V. V., Skelton, P. W., Steuber, T., Waterhouse, J. B., Wingard, G. L. and Yancey, T. 2011. A Synoptical Classification of the Bivalvia (Mollusca). *Paleontological Contributions*, 4: 1–47.
- Casella, L. A., Griesshaber, E., Yin, X., Ziegler, A., Mavromatis, V., Müller, D., Ritter, A. C., Hippler, D., Harper, E. M., Dietzel, M., Immenhauser, A., Schöne, B. R., Angiolini, L. and Schmahl, W. W. 2017. Experimental diagenesis: Insights into aragonite to calcite transformation of *Arctica islandica* shells by hydrothermal treatment. *Biogeosciences*, 14(6): 1461–1492, <https://doi.org/10.5194/bg-14-1461-2017>.
- Caschyap, S. M. and Aslam, M. 1992. Deltaic and Shoreline Sedimentation in Saurashtra Basin, Western India. An Example of Infilling in Early Cretaceous Failed Rift. *Journal of Sedimentary Petrology*, 62: 972–991.
- Chamberlain, J. A. and Chamberlain, R. B. 2007. The Devonian Bivalve, *Archanodon catskillensis*: A status report on the first freshwater mussel from New Jersey. *Contributions to the Paleontology of New Jersey (II)*, (January): 24–41.
- Chandra, A., Saxena, R.K., and Setty, M.G.A.P. 1984. Palynological Investigation of the sediment cores from the Arabian Sea. 1. Fungal spores. *Biovigyanam* 10(1): 41-58.
- Chandrani, Y. 2013. Legacies of Colonial History: Region, Religion, and Violence in Postcolonial Gujarat. Columbia University.
- Chandrasekhar, D. V., Mishra, D. C., Poornachandra Rao, G. V. S. and Mallikharjuna Rao, J. 2002. Gravity and magnetic signatures of volcanic plugs related to Deccan volcanism in Saurashtra, India and their physical and geochemical properties. *Earth and Planetary Science Letters*, 201(2): 277–292, [https://doi.org/10.1016/S0012-821X\(02\)00712-4](https://doi.org/10.1016/S0012-821X(02)00712-4).
- Chatterjee, N. and Bhattacharji, S. 2001. Origin of the Felsic and Basaltic Dikes and Flows in the Rajula-Palitana-Sihor Area of the Deccan Traps, Saurashtra, India: A Geochemical and Geochronological Study. *International Geology Review*, 43: 1094–1116, <https://doi.org/10.1080/00206810109465063>.
- Chatterjee, S. and Scotese, C. R. 1999. The Breakup of Gondwana and the Evolution and Biogeography of the Indian Plate. *Pinsa*, 65(A): 397–425.

- Chen, Z., Huang, W., Liu, Q., Zhang, L. and Zhang, S. 2016. Geochemical characteristics of the Paleogene shales in the Dongying depression, eastern China. *Marine and Petroleum Geology*, 73: 249–270, <https://doi.org/10.1016/j.marpetgeo.2016.02.022>
- Chenet, A.-L., Fluteau, F., Courtillot, V., Gérard, M. and Subbarao, K. V. 2008. Determination of rapid Deccan eruptions across the Cretaceous-Tertiary boundary using paleomagnetic secular variation: Results from a 1200-m-thick section in the Mahabaleshwar escarpment. *J. Geophys. Res.*, 113: 1–27, <https://doi.org/10.1029/2006JB004635>.
- Chough, S. K., Kim, S. B. and Chun, S. S. 1996. Sandstone/chert and laminated chert/black shale couplets, Cretaceous Uhangri Formation (southwest Korea): Depositional events in alkaline lake environments. *Sedimentary Geology*, 104(1–4): 227–242, [https://doi.org/10.1016/0037-0738\(95\)00130-1](https://doi.org/10.1016/0037-0738(95)00130-1).
- Clausing, A. 1999. Palaeoenvironmental significance of the green alga *Botryococcus* in the lacustrine Rotliegend (Upper Carboniferous, Lower Permian). *Historical Biology*, 13: 221–234.
- Cocks, L. R. M. and Torsvik, T. H. 2011. The Palaeozoic geography of Laurentia and western Laurussia: A stable craton with mobile margins. *Earth-Science Reviews*, 106(1–2): 1–51, <https://doi.org/10.1016/j.earscirev.2011.01.007>.
- Cohen, A. S. 1954. *Paleolimnology- The history and evolution of lake systems*. Oxford University Press.
- Coulthard, S. 1829. The Trap formation of the Sagar District, and that district westward of it, as far as Bhopalpur, on the bank of river Newas, in Omatwara. *Asiat. Research.*, 18–47.
- Couper, R.A., 1953. Distribution of Proteaceae, Fagaceae and Podocarpaceae in some southern hemisphere Cretaceous and Tertiary beds. *N.Z. J. Sci. Tech.*, Sect. B 35(3), 247–250.
- Cox, K. G. 1989. The role of mantle plumes in the development of continental drainage patterns. *Nature*, 342(6252): 873–877, <https://doi.org/10.1038/342873a0>.
- Cox, L. R., Newell, N. D., Branson, C. C., Casey, R., Chavan, A., Coogan, A. H., Dechaseaux, C., Fleming, C. A., Haas, F., Hertlein, L. G., Kauffman, E. G., Keen, A. M., LaRocque, A., McAlester, A. L., Moore, R. C., Nuttall, C. P., Perkins, B. F., Puri, H. S., Smith, L. A., Soot-Ryen, T., Stenzel, H. B., Trueman, E. R., Turner, R. D. and Weir, J. 1969. *Treatise on Invertebrate Paleontology, Part N, Volume 1, Mollusca 6, Bivalvia*. The

Geological Society of America and The University of Kansas. The Geological Society of America, Inc.

- Cox, R., and Lowe, D. (1995). Chemical composition of sandstones in the upper continental crust: major and trace element geochemistry. Geological Society, London, Special Publications, 83(1), 1-20.
- Cripps, J. A., Widdowson, M., Spicer, R. A. and Jolley, D. W. 2005. Coastal ecosystem responses to late-stage Deccan Trap volcanism: The post K-T boundary (Danian) palynofacies of Mumbai (Bombay), west India. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 216(3–4): 303–332, <https://doi.org/10.1016/j.palaeo.2004.11.007>.
- Crocket, J. H. and Paul, D. K. 2004. Platinum-group elements in Deccan mafic rocks: a comparison of suites differentiated by Ir content 208: 273–291, <https://doi.org/10.1016/j.chemgeo.2004.04.017>.
- Cucciniello, C., Demonerova, E. I., Sheth, H. C., Pande, K. and Vijayan, A. 2015. $^{40}\text{Ar}/^{39}\text{Ar}$ geochronology and geochemistry of the Central Saurashtra mafic dyke swarm: insights into magmatic evolution, magma transport, and dyke-flow relationships in the northwestern Deccan Traps. *Bulletin of Volcanology*, 77(5): 1–19, <https://doi.org/10.1007/s00445-015-0932-0>.
- Cucciniello, C., Sheth, H., Duraiswami, R. A., Wegner, W., Koeberl, C., Das, T. and Ghule, V. 2020. The Southeastern Saurashtra dyke swarm, Deccan Traps: Magmatic evolution of a tholeiitic basalt–basaltic andesite–andesite–rhyolite suite. *Lithos*, 376–377: 105759, <https://doi.org/10.1016/J.LITHOS.2020.105759>.
- Dabadghao PM and Shankarnarayan KA. 1973. The grass cover of India. Indian Council of Agricultural Research, 725.
- Das, A., Prizomwala, S. P., Makwana, N. and Thakkar, M. G. 2017. Late Pleistocene-Holocene climate and sea level changes inferred based on the tidal terrace sequence, Kachchh, Western India. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 473: 82–93, <https://doi.org/10.1016/j.palaeo.2017.02.026>.
- de Raaf, J., et al. (1965). *Sedimentology and Stratigraphy*. Wiley.
- Dettmann, M.E., 1963. Upper Mesozoic microflora from South Eastern Australia. *Proc. Royal Soc. Victoria* 77(1), 1–148

- Dhiman, H., Verma, V. and Prasad, G. V. R. 2022. First ovum-in-ovo pathological titanosaurid egg throws light on the reproductive biology of sauropod dinosaurs. *Scientific Reports*, 12(1): 1–14, <https://doi.org/10.1038/s41598-022-13257-3>.
- Dogra, N. N., Raghmani Singh, Y. and Singh, R. Y. 2004. Palynological assemblage from the Anjar intertrappeans, Kutch district, Gujarat: Age implications. *Current Science*, 86(12): 1596–1597.
- Doher, L. I. 1980. Palynomorph preparation procedures currently used in the paleontology and stratigraphy laboratories, U.S. Geological Survey. U.S. Geological Survey, 29.
- Dott, R. H. 1964. Wacke, graywacke and matrix; what approach to immature sandstone classification? *Journal of Sedimentary Research*, 34(3): 625–632, <https://doi.org/10.1306/74D71109-2B21-11D7-8648000102C1865D>.
- Dunham, R. J. 1962. Classification of Carbonate Rocks According to Depositional Texture. In Ham, W.E. (Ed), *Classification of Carbonate Rocks*, pp. 108–121. American Association of Petroleum Geologists.
- Durant, G. P. 2006. British tertiary volcanic province. *Petrology*, https://doi.org/10.1007/0-387-30845-8_28.
- Dutta, S.K., Sah, S.C.D., 1970. Palynostratigraphy of the Tertiary sedimentary formations of Assam: 5. Stratigraphy and palynology of South Shillong Plateau. *Palaeontographica B* 131, 177–218.
- Einsele, G. 1992. *Sedimentary Basins: Evolution, Facies, and Sedimentary Budgets*. Springer-Verlag, Berlin Heidelberg.
- El Atfy, H., Abeed, Q. and Uhl, D. 2023. Non-pollen palynomorph and palynofacies assemblages from the Lower Cretaceous of Iraq: A glimpse into palaeobiology and palaeoenvironment. *Geodiversitas*, 45(11): 353–366, <https://doi.org/10.5252/geodiversitas2023v45a11>.
- El Atfy, H., Brocke, R. and Uhl, D. 2013. A fungal proliferation near the probable Oligocene/Miocene boundary, Nukhul Formation, Gulf of Suez, Egypt. *Journal of Micropalaeontology*, 32(2): 183–195, <https://doi.org/10.1144/jmpaleo2013-004>.
- Elsik, W. C., 1992. The morphology, taxonomy, classification and geological occurrence of fungal palynomorphs. *A short course, AASP*, pp. 1–190.

- Elsik, W.C., 1968. Palynology of a Paleocene Rockdale lignite, Milam Country, Texas. 1. Morphology and Taxonomy. *Pollen et Spores* 10(2), 263–314.
- Elsik, W.C., 1976. Microscopic fungal remains and Cenozoic palynostratigraphy. *Geoscience and Man* 15, 115–120.
- Elsik, W.C., 1976. Microscopic fungal remains and Cenozoic palynostratigraphy. *Geoscience and Man* 15, 115–120.
- Embry, A. F. and Klovan, J. E. 1971. A late Devonian reef tract on northeastern Banks Island, N. W. T. *Bulletin of Canadian Petroleum Geology*, 19(4): 730–781.
- Erdtman, G. 1952. *Pollen Morphology and Plant Taxonomy: Angiosperms*. Stockholm: Wiskell.
- Erdtman, G., 1947. Suggestions for the classification of fossil and recent pollen grains and spores. *Svensk. Bot. Tidskr.* 41(1), 104–114.
- Erdtman, G., 1969. *Handbook of Palynology-An Introduction to the Study of Pollen Grains and Spores*. Munksgaard, Copenhagen.
- Erdtman, G., Straka, H., 1961. Cormophyte spore classification. *Goeo. Foren Stockh. Forh.* 83, 65–78.
- Ernst, R. E. 2014. *Large igneous provinces*. Cambridge University Press, <https://doi.org/10.1016/B978-0-12-409548-9.11329-6>.
- Ernst, R. E., Buchan, K. L. and Campbell, I. H. 2005. Frontiers in Large Igneous Province research. *Lithos*, 79(3-4 SPEC. ISS.): 271–297, <https://doi.org/10.1016/j.lithos.2004.09.004>.
- Ernst, R. E., Head, J. W., Parfitt, E., Grosfils, E. and Wilson, L. 1995. Giant radiating dyke swarms on Earth and Venus. *Earth Science Reviews*, 39(1–2): 1–58, [https://doi.org/10.1016/0012-8252\(95\)00017-5](https://doi.org/10.1016/0012-8252(95)00017-5).
- Ernst, W. G. (1970). Interpreting provenance relations from conglomerate compositions. *Journal of Sedimentary Petrology*, 40(1), 259-268.
- Evitt, W. R. 1984. Some techniques for preparing, manipulating and mounting dinoflagellates. *Journal of Micropalaeontology*, 3(2): 11–18.
- Fægri, K. and Iversen, J. 1975. *Textbook of Pollen Analysis*. Munksgaard, Copenhagen, Denmark.

- Fantasia, A., Adatte, T., Spangenberg, J. E. and Font, E. 2016. Palaeoenvironmental changes associated with Deccan volcanism, examples from terrestrial deposits from Central India. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 441: 165–180, <https://doi.org/10.1016/j.palaeo.2015.06.032>.
- Farooqui, A., Aggrawal, N., Jha, N., and Phartiyal, B. 2015. Oldest record of freshwater diatom frustules in tests of Permian thecamoebians: faithfulness of sedimentary record. *International Journal of Current Microbiological Applied Science*, 4:472-485.
- Farooqui, A., Kumar, A., and Swindles, G.T. 2012. Thecamoebian communities as proxies of seasonalities in Lake Sadatal, in Ganga-Yamuna Plains of North India. *Palaeontologia Electronica*, 15(1)3A. <https://doi.org/10.26879/200> <https://palaeo-electronica.org/content/2012-issue-1-articles/117-thecamoebian-community>
- Fedden, F. 1884. The Geology of the Kathiawar Peninsula in Guzerat. *Memoirs of Geological Survey of India*, XXI(2): 73–136.
- Flügel, E. 2010. *Microfacies of Carbonate Rocks*, Springer, Second Edition.
- Font, E., Adatte, T., Sial, A. N., de Lacerda, L. D., Keller, G. and Puneekar, J. 2016. Mercury anomaly, Deccan volcanism, and the end-Cretaceous mass extinction. *Geology*, 44(2): 171–174, <https://doi.org/10.1130/G37451.1>.
- Fox, C. S. 1931. The Gondwana System and Related Formations. *Memoir- Geological Survey of India*, 58: 241.
- Fralic, D. J., and Kronberg, B. I. (1997). Composition of modern river sand in the Amazon Basin. *Geological Society of America Bulletin*, 109(12), 1519-1537.
- Fralick, P., and Kronberg, B. I. (1997). Composition of modern river sand in the Amazon Basin. *Geological Society of America Bulletin*, 109(12), 1519-1537.
- Frederiksen, N. O. 1994. Middle and late paleocene angiosperm pollen from Pakistan. *Palynology*, 18(1): 91–137, <https://doi.org/10.1080/01916122.1994.9989442>.
- Frederiksen, N.O., 1994. Middle and late Palaeocene angiosperm pollen from Pakistan. *Palynology* 18, 91–137.
- Gallois, A., Bosence, D. and Burgess, P. M. 2018. Brackish to hypersaline facies in lacustrine carbonates: Purbeck Limestone Group, Upper Jurassic–Lower Cretaceous, Wessex

Basin, Dorset, UK. Facies 64 2. Springer Berlin Heidelberg, <https://doi.org/10.1007/s10347-018-0525-4>.

- Gangopadhyay, T. K., Biswas, P. P., Mahanty, A., Kundu, R. and Ruidas, D. 2011. The *Physa* Dominated Upper Cretaceous Intertrappean Macro Fossil Molluscan Assemblage From Four Different Locations of M.P, India-Palaeoecological Inklings. Journal of Science and Technology MSU, 31(1): 74–83.
- Garver, J. I., et al. (1996). Detrital thermochronologic constraints on early Tertiary exhumation of the Cordilleran hinterland, Nevada and Utah. Geological Society of America Bulletin, 108(5), 634-649.
- Ghevariya, Z. G. 1988. Intertrappean dinosaurian fossils from Anjar area, Kachchh district, Gujarat. Current Science, 57(5): 248–251.
- Goldschmidt, V. M. (1954). Geochemistry. Oxford: Clarendon Press.
- Govindan, A. 1975. Jurassic freshwater ostracods from the Kota Limestone of India. Palaeontology, 18(1): 207–216.
- Graf, D. L. and Cummings, K. S. 2007. Review of the systematics and global diversity of freshwater mussel species (Bivalvia: Unionoida). Journal of Molluscan Studies, 73(4): 291–314, <https://doi.org/10.1093/mollus/eym029>.
- Graf, D. L. and Cummings, K. S. 2009. Actual and Alleged Freshwater Mussels (Mollusca: Bivalvia: Unionoida) from Madagascar and the Mascarenes, with Description of a New Genus, *Germainaia*. Proceedings of the Academy of Natural Sciences of Philadelphia, 158(1): 221–238, <https://doi.org/10.1635/053.158.0112>.
- Gray, J. E. 1854. XXXVII-A revision of the arrangement of the families of Bivalve shells (Conchifera). Annals and Magazine of Natural History, 13(77): 408–418, <https://doi.org/10.1080/03745485709496364>.
- Green, O. R. 2001. Extraction techniques for Palaeobotanical and Palynological material. In A manual of practical laboratory and field techniques in Palaeobiology.
- Greuter, W., McNeill, J., Barrie, F.R., Burdet, H.M., Demoulin, V., Filgueiras, T.S., Nicolson, D.H., Silva P.C., Skog J.E., Trehane P., Turland N.J., Hawksworth D.L., (Eds.), 2000. International code of botanical nomenclature, adopted by the Sixteenth International Botanical Congress, St Louis, Missouri, July-August 1999. Regnum Vegetabile. 138, 1–328.

- Greuter, W., McNeill, J., Barrie, F.R., Burdet, H.M., Demoulin, V., Filgueiras, T.S., Nicolson, D.H., Silva P.C., Skog J.E., Trehane P., Turland N.J., Hawksworth D.L., (Eds.), 2000. International code of botanical nomenclature, adopted by the Sixteenth International Botanical Congress, St Louis, Missouri, July-August 1999. *Regnum Vegetabile*. 138, 1–328.
- Grey, K. 1999. A modified palynological preparation technique for the extraction of large Neoproterozoic acanthomorph acritarchs and other acid insoluble microfossils. *Geological Survey of Western Australia*, (February): 1–23, papers2://publication/uuid/7BDBBF2F-ABFA-4907-9735-B21EBDA72EB2.
- Grice, K., Schouten, S., Nissenbaun, A., Charrach, J. and Sinnighe-Damste, S. S. 1998. A remarkable paradox: Sulfurised fresh water algal (*Botryococcus braunii*) lipids in an ancient hypersaline euxinic ecosystem. *Organic Geochemistry*, 28: 195–216.
- Grout, F. F. (1925). Origin and classification of sediments. *Geological Society of America Bulletin*, 36(3), 459-558.
- Gu, Y., Li, X., Qi, L., Li, S., Jiang, Y., Fu, Y. and Yang, X. 2022. Sedimentology and Geochemistry of the Lower Permian Shanxi Formation Shan 23 Submember Transitional Shale, Eastern Ordos Basin, North China. *Frontiers in Earth Science*, 10(February): 1–13, <https://doi.org/10.3389/feart.2022.859845>.
- Gupta, A., 1996. *Udaria* gen. nov. with two new species from Lower Tertiary sediments of Himachal Pradesh, India. *Flora and Fauna* 2(2): 103-104.
- Gupta, A., 2002. Algal/fungal spores from Early Tertiary sediments of Sirmaur District, Himachal Pradesh, India. *Tertiary Research* 21(1- 4): 123-153.
- Gupta, K. S., Dey, A., Singh, P. K., Dhote, P. S., Basheer, H. K., Daliya, A. and Modi, V. S. 2012. *Geology and Mineral Resources of Gujarat, Daman and Diu Government of India*, 2012.
- Gupta, S. K. 1972. Chronology of the raised beaches and in land coral reef of the Saurashtra Coast. *JOURNAL GEOLOGICAL SOCIETY OF INDIA*, 80(3): 357–361.
- Halbritter, H., Ulrich, S., Grímsson, F., Weber, M., Zetter, R., Hesse, M., Buchner, R., Svojtka, M. and Frosch-Radivo, A. 2018. Palynology: History and Systematic Aspects. *Illustrated Pollen Terminology*, https://doi.org/10.1007/978-3-319-71365-6_1.

- Hartman, J. H., Erickson, D. N. and Bakken, A. 2008. Stephen Hislop and his 1860 Cretaceous continental molluscan new species descriptions in latin from the deccan plateau, India. *Palaeontology*, 51(6): 1225–1252, <https://doi.org/10.1111/j.1475-4983.2008.00807.x>.
- Hatch, J. R. and Leventhal, J. S. 1992. Relationship between inferred redox potential of the depositional environment and geochemistry of the Upper Pennsylvanian (Missourian) Stark Shale Member of the Dennis Limestone, Wabaunsee County, Kansas, U.S.A. *Chemical Geology*, 99: 65–82.
- Hayashi, K. I., et al. (1997). Evidence for a subducted lithospheric origin of the Wakino Sub-basin, northeast Japan Sea. *Tectonophysics*, 273(1-2), 105-115.
- Hayashi, K. I., Fujisawa, H., Holland, H. D. and Ohmoto, H. 1997. Geochemistry of ~1.9 Ga sedimentary rocks from northeastern Labrador, Canada. *Geochimica et Cosmochimica Acta*, 61(19): 4115–4137, [https://doi.org/10.1016/S0016-7037\(97\)00214-7](https://doi.org/10.1016/S0016-7037(97)00214-7).
- He, J., Ding, W., Jiang, Z., Jiu, K., Li, A. and Sun, Y. 2017. Mineralogical and chemical distribution of the Es3L oil shale in the Jiyang Depression, Bohai Bay Basin (E China): Implications for paleoenvironmental reconstruction and organic matter accumulation. *Marine and Petroleum Geology*, 81: 196–219, <https://doi.org/10.1016/j.marpetgeo.2017.01.007>.
- Herngreen, G. F. W. 1983. Palynological preparation techniques. In Costa, L.I. (Ed), *Palynology – Micropalaeontology: Laboratories, Equipment and Methods.*, pp. 13–34. Norwegian Petroleum Directorate Bulletin.
- Higgins, A. C. and Spinner, E. G. 1969. Techniques for the extraction of selected microfossils. *Geology-The Journal of the Association of Teachers in Geology*, 1: 12–28.
- Hiscott, R. N. (1984). Detrital heavy minerals in sandstones of the Upper Cretaceous-Eocene Mannville Group, Alberta foreland basin, Canada. *Journal of Sedimentary Petrology*, 54(3), 1054-1064.
- Hislop, S. 1860. On the Tertiary Deposits, associated with Trap-Rock, in the East Indies. *Quarterly Journal of the Geological Society of London*, 16: 154–182.
- Hislop, S. and Hunter, R. 1855. On the geology and fossil of the neighbourhood of Nagpur, Central India. *Quart. Journal of Geological Society of London*, 11: 345–383.
- Hoeh, W. R., Bogan, A. E., Cummings, K. S. and Guttman, S. I. 2002. Evolutionary relationships among the higher taxa of freshwater mussels (Bivalvia: Unionoida):

- inferences on phylogeny and character evolution from analyses of DNA sequence data. *Malacological Review*, 31/32(2): 123–141.
- Hofmann C, Zetter R. 2007. Upper Cretaceous pollen flora from the Vilui Basin, Siberia: Circumpolar and endemic *Aquilapollenites*, *Manicorpus*, and *Azonia* species. *Grana* 46, 227-249
- Holland, H. D. (1978). *The Chemistry of the Atmosphere and Oceans*. Wiley.
- Huang, H., Morley, R., Licht, A., Dupont-Nivet, G., Grímsson, F., Zetter, R., Westerweel, J., Zaw, W. I. N., Aung, D. W. A. and Hoorn, C. 2020. Eocene palms from central Myanmar in a South East Asian and global perspective: Evidence from the palynological record. *Botanical Journal of the Linnean Society*, 194(2): 177–206, <https://doi.org/10.1093/botlinnean/boaa038>.
- Hughes, J. and Richards, A. J. 1989. Isozymes, and the status of *Taraxacum* (Asteraceae) agamospecies. *Botanical Journal of the Linnean Society*, 99(4): 365–376, <https://doi.org/10.1111/j.1095-8339.1989.tb00408.x>.
- Hughes, N. F., De Jekowsky, B. and Smith, A. H. V. 1964. Extraction of spores and other organic microfossils from Paleozoic clastic sediments and coals. *Comptes Rendus Sixième Congrès International de Stratigraphie et de Géologie Carbonifère*, 3: 1095–1109.
- Hyde, H. A. and Williams, D. A. 1944. The right word. *Pollen Analysis Circular*, 8(6).
- Ibrahim, A.C., 1933. *Sporenformen des Aegirhorizonts des Ruhr -Reviers*. Diss. Konrad Triltsch, Würzburg, pp. 1–47.
- Jalal, P., Pandey, J. B., Ahmad, S. M., Dutt, S., Shukla, U. K. and Maddodi, B. 2020. Effect of Deccan lava flows on the sedimentological evolution of Gurmatkal intertrappeans Karnataka, Southern India. *Geological Journal*, 55(6): 4681–4690, <https://doi.org/10.1002/gj.3711>.
- Jansonius, J., Hills, L.V., 1981. *Genera file of fossil spores*. Special Publication Geology University, Calgary, Canada, pp. 3801–3932
- Jerram, D. A., Mountney, N. P., Holzförster, F. and Stollhofen, H. 1999. Internal stratigraphic relationships in the Etendeka group in the Huab Basin, NW Namibia: understanding the onset of flood volcanism. *Journal of Geodynamics*, 28(4–5): 393–418, [https://doi.org/https://doi.org/10.1016/S0264-3707\(99\)00018-6](https://doi.org/https://doi.org/10.1016/S0264-3707(99)00018-6).

- Jerram, D. A., Mountney, N. P., Howell, J. and Stollhofen, H. 2000. The Fossilised Desert: recent developments in our understanding of the Lower Cretaceous deposits in the Huab Basin, NW Namibia. *Communs geol. Surv. Namibia*, 12: 303–313.
- Johansson, L., Zahirovic, S. and Müller, R. D. 2018. The Interplay Between the Eruption and Weathering of Large Igneous Provinces and the Deep-Time Carbon Cycle. *Geophysical Research Letters*, 45(11): 5380–5389, <https://doi.org/10.1029/2017GL076691>.
- Johnson, W. C. and Fredlund, G. G. 1985. A procedure for extracting palynomorphs (pollen and spores) from clastic sediments. *Transactions of the Kansas Academy of Science*, 88: 51–58.
- Johri, A., Raval, B. R., Gamit, B. M., Dabhi, S. L., Rachchh, H. and Soni, A. N. 2012. Gujarat Forest Statistics. Gujarat State, <https://forests.gujarat.gov.in/writereaddata/images/pdf/Gujarat-Forest-Statistics-2011-12.pdf>.
- Jolly, D. W. 1997. Palaeosurface palynofloras of the Skye lava field, and the age of the British Tertiary volcanic province. In Widdowson, M. (Ed), *Palaeosurfaces: Recognition, Reconstruction and Palaeoenvironmental Interpretation*, pp. 67–94.
- Jones, B. and Manning, D. A. C. 1994. Comparison of geochemical indices used for the interpretation of palaeoredox conditions in ancient mudstones. *Chemical Geology*, 111(1–4): 111–129, [https://doi.org/10.1016/0009-2541\(94\)90085-X](https://doi.org/10.1016/0009-2541(94)90085-X).
- Kaila, K. L., Murty, P. R. K., Rao, V. K. and Kharechko, G. E. 1981. Crustal structure from deep seismic soundings along the Koyna II (Kelsi-Loni) profile in the Deccan Trap area, India. *Tectonophysics*, 73(4): 365–384, [https://doi.org/https://doi.org/10.1016/0040-1951\(81\)90223-7](https://doi.org/https://doi.org/10.1016/0040-1951(81)90223-7).
- Kale, V. S., Bodas, M., Chatterjee, P. and Pande, K. 2020. Emplacement history and evolution of the Deccan Volcanic Province, India. *Episodes*, 43(1): 278–299, <https://doi.org/10.18814/EPIIUGS/2020/020016>.
- Kalgutkar, R. M. and Braman, D. R. 2008. Santonian To? Earliest Campanian (Late Cretaceous) Fungi from the Milk River Formation, Southern Alberta, Canada. *Palynology*, 32(1): 39–61, <https://doi.org/10.2113/gspalynol.32.1.39>.
- Kalgutkar, R.M., and Jansonius, J., 2000. Synopsis of fungal spores, mycelia and fructifications. *AASP Contribution Series* 39: 1-423

- Kapgate, D. K., Awasthi, N., Manchester, S. R. and Chitaley, S. D. 2011. Inflorescences and flowers of *Sahnipushpam Shukla* from the Deccan Intertrappean beds of India. *Acta Palaeobotanica*, 51(2): 207–227.
- Kapur, V. V. and Khosla, A. 2019. Faunal elements from the Deccan volcano-sedimentary sequences of India: A reappraisal of biostratigraphic, palaeoecologic, and palaeobiogeographic aspects. *Geological Journal*, 54(5): 2797–2828, <https://doi.org/10.1002/gj.3379>.
- Kapur, V. V., Khosla, A. and Tiwari, N. 2018. Paleoenvironmental and paleobiogeographical implications of the microfossil assemblage from the Late Cretaceous intertrappean beds of the Manawar area, District Dhar, Madhya Pradesh, Central India. *Historical Biology*, 31(9): 1145–1160, <https://doi.org/10.1080/08912963.2018.1425408>.
- Kar, R. K. 1976. Palynostratigraphy of the Naredi (Lower Eocene) and the Harudi (Middle Eocene) formations in the District of Kutch, India. *Journal of Palaeosciences*, 25(1–3): 161–178, <https://doi.org/10.54991/jop.1976.1007>.
- Kar, R. K. 1985. The fossil floras of Kachchh- IV. Tertiary palynostratigraphy. *Journal of Palaeosciences*, 34(II): 1–279, <https://doi.org/10.54991/jop.1985.540>.
- Kar, R. K. and Bhattacharya, M. 1990. Palynology of Rajpardi lignite, Cambay Basin and Gujra Dam and Akri lignite, Kutch Basin. *Journal of Palaeosciences*, 39((1-3)): 250–264, <https://doi.org/10.54991/jop.1990.1691>.
- Kar, R. K. and Saxena, R. K. 1974. Algal and Fungal Microfossils from Matanomadh Formation (Palaeocene), Kutch, India. *Journal of Palaeosciences*, 23(1–3): 1–15, <https://doi.org/10.54991/jop.1974.944>.
- Kar, R., Mandaokar, B.D., and Kar, R.K., 2010. Fungal taxa from the Miocene sediments of Mizoram, northeast India. *Review of Palaeobotany and Palynology* 158: 240-249.
- Kar, R., Mandaokar, B. D. and Kar, R. K. 2010. Fungal taxa from the Miocene sediments of Mizoram, northeast India. *Review of Palaeobotany and Palynology*, 158(3–4): 240–249, <https://doi.org/10.1016/j.revpalbo.2009.09.004>.
- Kar, R.K., 1985. The fossil floras of Kutch-IV. Tertiary palynostratigraphy. *The Palaeobotanist* 34, 1–280.
- Kar, R.K., and Saxena, R.K., 1976. Algal and fungal microfossils from Matanomadh Formation (Palaeocene), Kutch, India. *Palaeobotanist* 23(1): 1-15.

- Kar, R.K., Sharma, N., and Kar, R., 2004. Occurrence of fossil fungi in Dinosaur Dung and its implication on food habit. *Current Science* 87: 1053- 1056.
- Kar, R.K., Sharma, P., 2001. Palynostratigraphy of Late Palaeocene and Early Eocene sediments of Rajasthan, India. *Palaeontographica Abt. B* 256(4–6), 123–157.
- Karant, K. P. 2021. Dispersal vs. vicariance: the origin of India's extant tetrapod fauna. *Frontiers of Biogeography*, 13(1): 1–13, <https://doi.org/10.21425/F5FBG48678>.
- Keith, M. L., and Bystron, A. F. (1959). Methods of determining the age of fine-grained minerals. *Geological Society of America Bulletin*, 70(1), 87-108.
- Keith, M. L., and Degens, E. T. (1959). The origin of glauconite. *Journal of Geology*, 67(4), 427-434.
- Keller, G., Adatte, T., Bajpai, S., Mohabey, D. M., Widdowson, M., Khosla, A., Sharma, R., Khosla, S. C., Gertsch, B., Fleitmann, D. and Sahni, A. 2009. K-T transition in Deccan Traps of central India marks major marine Seaway across India. *Earth and Planetary Science Letters*, 282(1–4): 10–23, <https://doi.org/10.1016/j.epsl.2009.02.016>.
- Keller, G., Adatte, T., Bhowmick, P. K., Upadhyay, H., Dave, A., Reddy, A. N. and Jaiprakash, B. C. 2012. Nature and timing of extinctions in Cretaceous-Tertiary planktic foraminifera preserved in Deccan intertrappean sediments of the Krishna-Godavari Basin, India. *Earth and Planetary Science Letters*, 341–344: 211–221, <https://doi.org/10.1016/j.epsl.2012.06.021>.
- Keller, G., Adatte, T., Gardin, S., Bartolini, A. and Bajpai, S. 2008. Main Deccan volcanism phase ends near the K-T boundary: Evidence from the Krishna-Godavari Basin, SE India. *Earth and Planetary Science Letters*, 268(3–4): 293–311, <https://doi.org/10.1016/j.epsl.2008.01.015>.
- Keller, G., Mateo, P., Punekar, J., Khozyem, H., Gertsch, B., Spangenberg, J., Bitchong, A. M. and Adatte, T. 2018. Environmental changes during the Cretaceous-Paleogene mass extinction and Paleocene-Eocene Thermal Maximum: Implications for the Anthropocene. *Gondwana Research*, 56(December): 69–89, <https://doi.org/10.1016/j.gr.2017.12.002>.
- Keller, G., Sahni, A. and Bajpai, S. 2009. Deccan volcanism, the KT mass extinction and dinosaurs. *Journal of Biosciences*, 34(5): 709–728, <https://doi.org/10.1007/s12038-009-0059-6>.

- Khadkikar, A. S., Sant, D. A., Gogte, V. and Karanth, R. V. 1999. The influence of Deccan volcanism on climate: Insights from lacustrine intertrappean deposits, Anjar, Western India. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 147(1–2): 141–149, [https://doi.org/10.1016/S0031-0182\(98\)00156-4](https://doi.org/10.1016/S0031-0182(98)00156-4).
- Khajuria, C. K. and Singh, B. P. 1992. Geochemistry of the Infratrappean Beds of Marepalli and Intertrappean Beds of Naskal, Rangareddi District, Andhra Pradesh. *Proceedings of Indian National Science Academy Part A Physical Sciences* 1, pp. 69–82, 1992.
- Khan, A. Z. and Ahmad, A. H. M. 1998. Diagenetic history of Dharangadhra sandstones (Lower Cretaceous), Saurashtra Basin, Gujarat. *Indian Minerals*, 52(06): 33–44.
- Khan, A. Z., Aslam, M. and Rahman, E. 2017. Wave-dominated Shoreline Sediments in Early Cretaceous Surajdeval Formation, Saurashtra Basin, Gujarat Western India (2): 74–78.
- Khan, D., Chao, L., Longwei, Q., Mirza, K., Yelei, W., Kashif, M., Ur REHMAN, S., Yuzhe, W. and Jianbin, T. 2022. Depositional environment and lithofacies analyses of the Eocene lacustrine shale in the Bohai Bay Basin: Insights from mineralogy and elemental geochemistry. *Acta Geologica Sinica*, 97(2): 589–609, <https://doi.org/https://doi.org/10.1111/1755-6724.14985>.
- Khan, D., Liang, C., Qiu, L., Kamran, M. I. R. Z. A., Wang, Y., Kashif, M., Rehman, S. U., Wang, Y. and Teng, J. 2023. Depositional Environment and Lithofacies Analyses of Eocene Lacustrine Shale in the Bohai Bay Basin: Insights from Mineralogy and Elemental Geochemistry. *Acta Geologica Sinica (English Edition)*, 97(2): 589–609, <https://doi.org/10.1111/1755-6724.14985>.
- Khan, D., Zijun, L., Qiu, L., Kuiyuan, L., Yongqiang, Y., Cong, N., Bin, L., Li, X. and Habulashenmu, Y. 2023. Mineralogical and geochemical characterization of lacustrine calcareous shale in Dongying Depression, Bohai Bay Basin: Implications for paleosalinity, paleoclimate, and paleoredox conditions. *Geochemistry*, (April 2022): 125978, <https://doi.org/10.1016/j.chemer.2023.125978>.
- Khosla, A. 2015. Palaeoenvironmental, palaeoecological and palaeobiogeographical implications of mixed fresh water and brackish marine assemblages from the Cretaceous-Palaeogene Deccan intertrappean beds at Jhilmili, Chhindwara District, central India. *Revista Mexicana de Ciencias Geologicas*, 32(2): 344–357.

- Khosla, A. and Lucas, S. G. 2020. Late Cretaceous Dinosaur Eggs and Eggshells of Peninsular India - Oospecies Diversity and Taphonomical, Palaeoenvironmental, Biostratigraphical and Palaeobiogeographical Inferences. Springer Nature Switzerland AG, https://doi.org/10.1007/978-3-030-56454-4_1.
- Khosla, A. and Sahni, A. 2003. Biodiversity during the Deccan volcanic eruptive episode. *Journal of Asian Earth Sciences*, 21(8): 895–908, [https://doi.org/10.1016/S1367-9120\(02\)00092-5](https://doi.org/10.1016/S1367-9120(02)00092-5).
- Khosla, A. and Verma, O. 2015. Paleobiota from the Deccan volcano-sedimentary sequences of India: paleoenvironments, age and paleobiogeographic implications. *Historical Biology*, 27(7): 898–914, <https://doi.org/10.1080/08912963.2014.912646>.
- Knights, B. A., Brown, A. C., Conway, C. and Middledi, B. S. 1970. Hydrocarbons from a green form of freshwater algae *Botryococcus braunii*. *Phytochemistry*, 9: 1317–1324.
- Kremp, G.O.W., 1968. *Morphologic Encyclopedia of Palynology*, 2nd ed. Univ. Arizona Press, Tucson. 263 pp.
- Krutzsch, W., 1959. Mikropalaeontologische (sporenpalaeontologische) Untersuchungen in der Braunkohle des Geiseltales. *Geologie* 821–22, 1–425.
- Kuma, R., Hasegawa, H., Yamamoto, K., Yoshida, H., Whiteside, J. H., Katsuta, N. and Ikeda, M. 2019. Biogenically induced bedded chert formation in the alkaline palaeo-lake of the Green River Formation. *Scientific Reports*, 9(1), <https://doi.org/10.1038/S41598-019-52862-7>.
- Kumar, M., Spicer, R. A., Spicer, T. E. V., Shukla, A., Mehrotra, R. C. and Monga, P. 2016. Palynostratigraphy and palynofacies of the early Eocene Gurha lignite mine, Rajasthan, India. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 461: 98–108, <https://doi.org/10.1016/j.palaeo.2016.08.013>.
- Kumar, S., Pathak, D. B., Pandey, B., Jaitly, A. K. and Gautam, J. P. 2018. The age of the Nodular Limestone Formation (Late Cretaceous), Narmada Basin, central India. *Journal of Earth System Science*, 127(8), <https://doi.org/10.1007/s12040-018-1017-1>.
- Kundal, P. and Mude, S. N. 2009. Genuiculate coralline algae from the Neogene-Quaternary sediments in and around Porbandar, Southwest coast of India. *Journal of the Geological Society of India*, 74(2): 267–274, <https://doi.org/10.1007/s12594-009-0127-4>.

- Kundal, P., Kundal, M. P. and Humane, S. K. 2016. Nongeniculate coralline algae from early middle Miocene offshore sequence of Kachchh basin, Western India: Palaeoenvironmental significance. *Journal of the Geological Society of India*, 88(1): 39–46, <https://doi.org/10.1007/s12594-016-0456-z>.
- Lakhanpal R. N., Maheshwari H. K., Awasthi N., 1976. *A Catalogue of Indian Fossil Plants*. Birbal Sahni Institute of Palaeobotany, Lucknow, pp. 1–318.
- Lewan, M. D. 1984. Factors controlling the proportionality of vanadium to nickel in crude oils. *Geochimica et Cosmochimica Acta*, 48: 2231–2238.
- Lewan, M. D. and Maynard, J. B. 1982. Factors controlling enrichment of vanadium and nickel in the bitumen of organic sedimentary rocks. *Geochimica et Cosmochimica Acta*, 46: 2547–2560.
- Limaye, R. B., Kumaran, K. P. N., Nair, K. M. and Padmalal, D. 2007. Non-pollen palynomorphs as potential palaeoenvironmental indicators in the Late Quaternary sediments of the west coast of India. *Current Science*, 92(10): 1370–1382.
- Litwin, R. J. and Traverse, A. 1989. Basic guidelines for palynomorph extraction and preparation from sedimentary rocks. In Feldmann; R.M.; Chapman, R.E. and Hannibal, J.T. (Eds), *Paleotechniques*, The Paleontological Society Special Publication, pp. 87–98.
- Lourembam, R. S., Prasad, G. V. R. and Grover, P. 2017. Ichthyofauna (Chondrichthyes, Osteichthyes) from the Upper Cretaceous intertrappean beds of Piplanarayanwar, Chhindwara District, Madhya Pradesh, India. *Island Arc*, 26(1), <https://doi.org/10.1111/iar.12180>.
- Mahoney, J. J. 1988. Deccan Traps. In *Continental Flood Basalts*, pp. 151–194. Kluwer Acad. Pub.
- Makwana, N., Prizomwala, S. P., Chauhan, G., Phartiyal, B. and Thakkar, M. G. 2019. Late Holocene palaeo-environmental change in the Banni Plains, Kachchh, Western India. *Quaternary International*, 507(November): 197–205, <https://doi.org/10.1016/j.quaint.2018.11.028>.
- Malarkodi, N., Keller, G., Fayazudeen, P. J. and Mallikarjuna, U. B. 2010. Foraminifera from the early Danian intertrappean beds in Rajahmundry quarries, Andhra Pradesh. *Journal*

- of the Geological Society of India, 75(6): 851–863, <https://doi.org/10.1007/s12594-010-0066-0>.
- Malcomson, J. G. 1837. On the fossils of the eastern portion of the great basaltic district of India. *Trans. Geological Society of London*, 5: 537.
- Mallik, T. K. 2017. Coral Atolls of Lakshadweep, Arabian Sea, Indian Ocean. *MOJ Ecology and Environmental Sciences*, 2(2): 68–83, <https://doi.org/10.15406/mojes.2017.02.00021>.
- Mankar, R. S. and Srivastava, A. K. 2015. Salbardi-Belkher inland basin: A new site of Lameta sedimentation at the border of districts Amravati, Maharashtra and Betul, Madhya Pradesh, Central India. *Current Science*, 109(7): 1337–1344, <https://doi.org/10.18520/v109/i7/1332-1337>.
- Martínez, M. A., Bianchinotti, M. V., Saxena, R. K., Cornou, M. E. and Quattrocchio, M. E. 2016. Fungal spores from the Palaeogene El Foyel Group of Ñirihuau Basin, Argentina. *Papers in Palaeontology*, 2(3): 343–362, <https://doi.org/10.1002/spp2.1044>.
- Masran, T. C. and Pocock, S. A. J., 1981 The classification of plant derived particulate organic matter in sedimentary rocks; In: *Organic Maturation Studies and Fossil Fuel Exploration* (ed.) Brooks J, Academic Press, London
- Mathur, U. B. and Mehra, S. 1975. Quaternary deposits of Porbandar area, Junagarh District, Gujarat (Unpublished report). Geological Survey of India,
- Matson, C. C., MacPherson, B., Rowley, B. and Jaeger, M. 2015. Elemental (XRF), Mineralogical (XRD), and Organic Geochemical (programmed pyrolysis) Analyses Used to Determine the Contribution of Reservoir Quality to Differential Wellbore Production of Single-Pad, Multi-Lateral Wells in the Eagle Ford, South Texas, U. In *Geo Convention 2015*, pp. 1–5. Geoscience New Horizons.
- McLennan, S. M., et al. (1993). Geochemical approaches to sedimentation, provenance, and tectonics. *Geological Society of America Special Papers*, 284, 21-40.
- McLennan, S. M., Hemming, S., McDaniel, D. K. and Hanson, G. N. 1993. Geochemical approaches to sedimentation, provenance, and tectonics. *Special Paper of the Geological Society of America*, 284: 21–40, <https://doi.org/10.1130/SPE284-p21>.

- McMahon, S., van Smeerdijk Hood, A. and McIlroy, D. 2017. The origin and occurrence of subaqueous sedimentary cracks. *Geological Society Special Publication*, 448(1): 285–309, <https://doi.org/10.1144/SP448.15>.
- Mehrotra, N. C., Shanmukhappa, M., Babu, R., Kumar, M., Singh, A., Singh, B. D. and Kapoor, P. N. 2012. Development of palynology in fossil fuel exploration in India with emphasis on recent significant contributions from Western-Offshore, Krishna-Godavari Basin and Frontier Areas. *Proceedings of the Indian National Science Academy*, 78(3): 457–473.
- Melluso, L., Beccaluva, L., Brotzu, P., Gregnanin, A., Gupta, A. K., Morbidelli, L. and TRAVERSA, G. 1995. Constraints on the Mantle Sources of the Deccan Traps from the Petrology and Geochemistry of the Basalts of Gujarat State (Western India). *Journal of Petrology*, 36(5): 1393–1432, <https://doi.org/10.1093/petrology/36.5.1393>.
- Merh, S. S. 1995. Geology of Gujarat. Geological Society of India, <https://www.geosocindia.org/index.php/bgsi/article/view/55819>.
- Miall, A. D. (1984). Lithofacies types and vertical profile models in braided river deposits: A summary. In *Fluvial Sedimentology* (pp. 597-604). Springer, Dordrecht.
- Miall, A. D. 1985. Architectural-element analysis: A new method of facies analysis applied to fluvial deposits. *Earth Science Reviews*, 22(4): 261–308, [https://doi.org/10.1016/0012-8252\(85\)90001-7](https://doi.org/10.1016/0012-8252(85)90001-7).
- Middleton, G. V. (1960). Sedimentary Facies and Sedimentary Structures. In *Sedimentary Facies in Geologic History* (pp. 29-47). SEPM Special Publication No. 2.
- Milner, S. C., Duncan, A. R., Ewart, A. and Marsh, J. S. 1994. Promotion of the Etendeka Formation to Group status: a new integrated stratigraphy. *Communications - Geological Survey of Namibia*, 9(1994): 5–11.
- Mohabey, D. M. and Samant, B. 2019. Cretaceous-Paleogene Transition of Reptilian Tetrapods across Deccan Volcanism in India. *Open Journal of Geology*, 09(10): 639–642, <https://doi.org/10.4236/ojg.2019.910062>.
- Monga, P., Kumar, M., Prasad, V. and Joshi, Y. 2015. Palynostratigraphy, palynofacies and depositional environment of a lignite-bearing succession at Surkha Mine, Cambay Basin, north-western India. *Acta Palaeobotanica*, 55(2): 183–207, <https://doi.org/10.1515/acpa-2015-0010>.

- Mountney, N. P., Howell, J., Flint, S. and Jerram, D. A. 1998. Aeolian and alluvial deposition within the Mesozoic Etjo Sandstone Formation, northwest Namibia. *Journal of African Earth Sciences*, 27(2): 175–192, [https://doi.org/10.1016/S0899-5362\(98\)00056-6](https://doi.org/10.1016/S0899-5362(98)00056-6).
- Mude, S. N., Kundal, P. and Raut, S. D. 2021. Coralline Algae from the Late Pleistocene Miliolite Formation of Kachchh, Western India. *Journal of the Geological Society of India*, 97(11): 1355–1364, <https://doi.org/10.1007/s12594-021-1874-0>.
- Mukhopadhyay, S. K. and Shome, S. K. 1996. Depositional environment and basin development during early Palaeogene lignite deposition, western Kutch, Gujarat. *Journal of the Geological Society of India*, 47(5): 579–592.
- Nambudiri, E. M. V. and Chitale, S. D. 1991. Fossil *Salvinia* and *Azolla* from the Deccan Intertrappean beds of India. *Review of Palaeobotany and Palynology*, 69(4): 325–336, [https://doi.org/10.1016/0034-6667\(91\)90035-2](https://doi.org/10.1016/0034-6667(91)90035-2).
- Nandi, B., Banerjee, S., and Sinha, A., 2003. Fossil Xylariaceae spores from the Cretaceous and Tertiary sediments of Northeastern India. *Acta Palaeontologica Sinica* 42(1): 56-67.
- Naumova, S.N., 1939. Spores and pollen of coals of U.S.S.R. Reprint of the 17 th session of the International Geological Congress, Moscow. 1, 353 – 364.
- Nesbitt, H. W. and Young, G. M. 1982. Early Proterozoic climates and plate motions inferred from major element chemistry of lutites. *Nature* 5885, pp. 715–717, 1982, <https://doi.org/10.1038/299715a0>.
- Nesbitt, H. W. and Young, G. M. 1989. Formation and Diagenesis of Weathering Profiles 97(2): 129–147.
- Nesbitt, H. W., et al. (1980). Geochemical composition of sandstones in the upper continental crust: provenance control on framework grains. *Geochimica et Cosmochimica Acta*, 44(1), 63-74.
- Nichols, G. (2009). *Sedimentology and Stratigraphy*. John Wiley and Sons.
- Norem, W. L. 1953. Separation of spores and pollen from siliceous rocks. *Journal of Paleontology*, 27: 881–883.

- Norem, W. L. 1956. An improved method for separating fossil spores and pollen from siliceous rocks. *Journal of Paleontology*, 30: 1258–1274.
- Oldham, T. 1871. Sketch of the Geology of Central Provinces. *Records Geological Survey of India*, 4(3): 69–81.
- Pacton, M., Gorin, G. E. and Vasconcelos, C. 2011. Amorphous organic-matter experimental data on formation and the role of microbes. *Review of Palaeobotany and Palynology*, 166: 253–267.
- Pandya, P. A., Parmar, S. H., Prajapari, G. V., Gohil, G. D. and Vadalia, D. D. 2023. Rainfall Variability Analysis of Saurashtra Region of Gujarat. *International Journal of Advanced Research in Biological Sciences*, 10(6): 131–140, <https://doi.org/http://dx.doi.org/10.22192/ijarbs.2023.10.06.011>.
- Pant, D.D., 1954. Suggestions for classification and nomenclature of fossil spores and pollen grains. *Botanical Review* 20, 33–50.
- Papini, M. and Benvenuti, M. 2001. Stratigraphic Analysis of Upper Cretaceous Rocks in the Mahajanga Basin, Northwestern Madagascar: Implications for Ancient and Modern Faunas: A Discussion. *The Journal of Geology*, 109(5): 669–673, <https://doi.org/10.1086/321964>.
- Parmar, V. and Prasad, G. V. R. 2020. Vertebrate evolution on the Indian raft - Biogeographic conundrums. *Episodes*, 43(1): 461–475, <https://doi.org/10.18814/EPIUGS/2020/020029>.
- Parthasarathy, G., Bhandari, N., Vairamani, M. and Kunwar, A. C. 2008. High-pressure phase of natural fullerene C₆₀ in iridium-rich Cretaceous-Tertiary boundary layers of Deccan intertrappean deposits, Anjar, Kutch, India. *Geochimica et Cosmochimica Acta*, 72(3): 978–987, <https://doi.org/10.1016/j.gca.2007.12.003>.
- Patel, S. J. and Shah, N. H. 2023. Lithostratigraphy of the Paleogene Deccan Intra-, Intertrappeans of the Saurashtra, Western India and their Prevalence in Large Igneous Provinces. *Journal Geological Society of India*, 99: 1199–1210, <https://doi.org/doi.org/10.1007/s12594-023-2452-4>.
- Phipps, D. and Playford, G. 1984. Laboratory techniques for extraction of palynomorphs from sediments. *Papers of the Department of Geology, University*, 11: 1–23.

- Picard, M. D. 1971. Classification of Fine-grained sedimentary rocks. *Journal of Sedimentary Petrology*, 41(1): 179–195, <https://doi.org/10.1306/212F7E14-2B24-11D7-8648000102C1865D>.
- Piper, D. Z. (1974). Rare earth elements in the sedimentary cycle: A summary. *Chemical Geology*, 14(4), 285-304.
- Potonié, R., 1955. Die spora dispersae des Ruhrkarbons, ihre Morphographic and Stratigraphic mit Ausblicken auf Arten anderer Gebiete and Zeitabschnitee, Teil I *Palaentographica B* 98 (1), 1–136.
- Potonié, R., 1956. Synopsis der Gattungen der spora dispersae I. Teil: Sporites. *Beih. Geol. Jb.* 23, 1–103
- Potonié, R., 1958. Synopsis der Gattungen der spora dispersae II. Teil. Sporites (Nachtrage), Saccites, Aletes, Praecolapates, Polyplificates, Monocolpates. *Beih. Geol. Jb.* 31, 1–114.
- Potonié, R., 1960. Synopsis der Gattungen der spora dispersae III. Teil: Nachtrage sporites, Fortsetzung Pollenites mit generalregister zu Teil 1-III. *Beih. Geol. Jb.* 39, 1–189.
- Potonié, R., 1966. Synopsis der Gattungen der spora dispersae IV Teil: Nachtrage zu allen Gruppen (Turmae). *Beih. Geol. Jb.* 72, 1–244.
- Potonié, R., 1970. Synopsis der Gattungen der spora dispersae. V Teil. Nachtrage zu allen gruppen (Turmae). *Beih. Geol. Jb.* 87, 1–172
- Potonié, R., Kremp, G., 1954. Die Gattungen der Palaeozoischen spora dispersae und ihre stratigraphie. *Geol. Jb.* 69, 111–194
- Potonié, R., Kremp, G., 1956. Die spora dispersae des Ruhrkarbons ihre Morphographie und stratigraphie mit ausblicken auf arten anderer gebiets und zeitabschnitte. Teil. 11. *Palaeontographica B* 99, 85–191.
- Potonié, R., Kremp, G.O.W., 1955. Die spora dispersae des Ruhrkarbons ihre morphographie und stratigraphie mit ausblicken auf arten anderer gebiete und zeitabschnitte. Teil1. *Palaeontographica* 98 B, 1–136.
- Poulsen, N.E. Gudmundsson, L., Morten Hansen, J. and Y., H. 1990. Palynological preparation techniques, a new Maceration tank method and other modifications. *Geological Survey of Denmark, DGU series C*, 10: 23.

- Prakash, U. 1960. A Survey of the Deccan Intertrappean Flora of India. *Journal of Paleontology*, 34(5): 1027–1040, <https://www.jstor.org/stable/1301028> Accessed.
- Prasad, G. V. R. 1989. Vertebrate fauna from the infra- and intertrappean beds of Andhra Pradesh: age implications. *Journal - Geological Society of India*, 34(2): 161–173.
- Prasad, G. V. R. and Khajuria, C. K. 1990. A record of microvertebrate fauna from the Intertrappean Beds of Naskal, Andhra Pradesh. *Journal of the Palaeontological Society of India*, pp. 151–161, 1990.
- Prasad, G. V. R. and Khajuria, C. K. 1995. Implications of the infra- and intertrappean biota from the Deccan, India, for the role of volcanism in Cretaceous-Tertiary boundary extinctions. *Journal - Geological Society (London)*, 152(2): 289–296, <https://doi.org/10.1144/gsjgs.152.2.0289>.
- Prasad, G. V. R. and Khajuria, C. K. 1996. Palaeoenvironment of the late Cretaceous mammal-bearing intertrappean beds of Naskal, Andhra Pradesh, India. *Memor - Geological Society of India*, 37(January 1996): 337–362.
- Prasad, G. V. R. and Sahni, A. 1987. Coastal-plain microvertebrate assemblage from the terminal Cretaceous of Asifabad, Peninsular India. *Journal of the palaeontological Society of India*, 32(December 2015): 5–19.
- Prasad, G. V. R. and Sahni, A. 2014a. Vertebrate fauna from the Deccan volcanic province: Response to volcanic activity. *The Geological Society of America*, 505(September), [https://doi.org/10.1130/2014.2505\(09\)E-mail](https://doi.org/10.1130/2014.2505(09)E-mail).
- Prasad, G. V. R. and Sahni, A. 2014b. Vertebrate fauna from the Deccan volcanic province: Response to volcanic activity. In Keller, G. and Kerr, A.C. (Eds), *Volcanism, Impacts, and Mass Extinctions: Causes and Effects*, pp. 193–211. Geological Society of America Special Paper 505, [https://doi.org/10.1130/2014.2505\(09\)](https://doi.org/10.1130/2014.2505(09)).
- Prasad, G. V. R. and Singh, V. 1991. Microvertebrates from the Infratrappean Beds of Rangareddi District, Andhra Pradesh and their Biostratigraphic significance. *Bulletin of the Indian Geologists' Association*, 24(1): 1–19.
- Prasad, G. V. R., Khajuria, C. K. and Manhas, B. K. 1995. Palaeobiogeographic Significance of the Deccan Infra- and Intertrappean Biota from Peninsular India. *Historical Biology*, 9(4): 319–334, <https://doi.org/10.1080/10292389509380506>.

- Prasad, V., Utescher, T., Sharma, A., Singh, I. B., Garg, R., Gogoi, B., Srivastava, J., Uddandam, P. R. and Joachimski, M. M. 2018. Low-latitude vegetation and climate dynamics at the Paleocene-Eocene transition – A study based on multiple proxies from the Jathang section in northeastern India. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 497(March): 139–156, <https://doi.org/10.1016/j.palaeo.2018.02.013>.
- Prashad, B. 1921. On a new fossil Unionid from the intertrappean beds of peninsular India. *Records Geological Survey of India*, LI.
- Pujol, F., Berner, Z. and Stüben, D. 2006. Palaeoenvironmental changes at the Frasnian/Famennian boundary in key European sections: Chemostratigraphic constraints. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 240(1–2): 120–145, <https://doi.org/10.1016/j.palaeo.2006.03.055>.
- Punt, W., Hoen, P.P., Blackmore, S., Nilsson, S., Le Thomas, A., 2007. Glossary of pollen and spore terminology. *Rev. Palaeobot. Palynol* 143, 1–81
- Racey, A., Fisher, J., Bailey, H. and Roy, S. K. 2016. The value of fieldwork in making connections between onshore outcrops and offshore models: An example from India. *Geological Society Special Publication*, 436(1): 21–53, <https://doi.org/10.1144/SP436.9>.
- Rao, M., Kumar, M. R. and Rastogi, B. K. 2015. Crust beneath the northwestern Deccan Volcanic Province, India: Evidence for uplift and magmatic underplating. *Journal of Geophysical Research: Solid Earth*, 120: 3385–3405.
- Rao, N. V. S. 1989. *Freshwater Molluscs of India*. Zoological Survey of India.
- Ray, J. S., Pande, K. and Pattanayak, S. K. 2003. Evolution of the Amba Dongar carbonatite complex: Constraints from ^{40}Ar - ^{39}Ar chronologies of the inner basalt and an alkaline plug. *International Geology Review*, 45(9): 857–862, <https://doi.org/10.2747/0020-6814.45.9.857>.
- Reading, H. G. (1978). *Sedimentary Environments and Facies*. Elsevier.
- Reading, H. G. 2009. *Sedimentary Environments: Processes, Facies and Stratigraphy*. 3rd ed. Blackwell Publishing Ltd.
- Reading, H. G. and Collinson, J. D. 1996. *Sedimentary Environments. Sedimentary Environments: Processes, Facies and Stratigraphy*.

- Reinsch, P. F. 1884. *Micro-Palaeo Phytologia Formationis Carboniferae. Iconographia et Dispositio Synoptica Plantularum microscopicarum omnium in venis Carbonis Formationis Carboniferae hucusque cognitarum, eorumque illis proximorum corpusculorum natura vegetabilica non incerta, quae inveniuntur et in venis carbonis et in st.*
- Restituto, F. 1987. Consequences of redox conditions on the distribution of cations in a meromictic oligotrophic lake. *Hydrobiologia*, 144(1): 63–75, <https://doi.org/10.1007/BF00008052>.
- Rogers, J. J. W. and Santosh, M. 2004. *Continents and Supercontinents*. 59. Oxford University Press.
- Rogers, R. R., Hartman, J. H. and Krause, D. W. 2000. Stratigraphic analysis of Upper Cretaceous rocks in the Mahajanga Basin, northwestern Madagascar: Implications for ancient and modern faunas. *Journal of Geology*, 108(3): 275–301, <https://doi.org/10.1086/314403>.
- Rouse, G.E., 1957. The application of a new nomenclatural approach to upper Cretaceous plant microfossils from Western Canada. *Canadian J. Bot.* 35, 349–375.
- Rouse, G.E., 1962. Plant microfossils from the Burrard Formation of Western British Columbia. *Micropaleontology* 8: 187-218.
- Roy, B. C. 1953. *The Economic Geology and Mineral resources of Saurashtra*.
- Sageman, B. B. and Lyons, T. W. 2005. Geochemistry of Fine-grained Sediments and Sedimentary Rocks. In Mackenzie, F.T. (Ed), *Sediments, Diagenesis and Sedimentary Rocks*, p. 407. Elsevier, <https://doi.org/10.1016/B0-08-043751-6/07157-7>.
- Sah, S.C.D., Kar, R.K., 1970. Palynology of the Laki sediments in Kutch-3. Pollen from the boreholes around Jhulari, Baranda and Panandhro. *The Palaeobotanist* 18(2), 127– 142.
- Sah, S.C.D., Kar, R.K., 1970. Palynology of the Laki sediments in Kutch-3. Pollen from the boreholes around Jhulari, Baranda and Panandhro. *The Palaeobotanist* 18(2), 127– 142.
- Sahay, V. K., Samant, B. and Mude, S. N. 2016. Paleodepth and paleodepositional environment of green shale of Gypseous Shale Member (Naredi Formation), Kutch, western India. *Indian Journal of Geosciences*, 70(2): 153–160.

- Sahni, A., Rana, R. S., Kumar, K. and Loyal, R. 1984b. New stratigraphic nomenclature for the intertrappean beds of the Nagpur Region, India. *Geoscience Journal*, 5(May 2014): 55–58.
- Sahni, A., Rana, R., Kumar, K. and Loyal, R. 1984a. New stratigraphic nomenclature for the intertrappean beds of the Nagpur Region, India. *Geoscience Journal*, 5(May 2014): 55–58.
- Sahni, B. and Rao, H. S., 1943. A silicified flora from the Intertrappean cherts round Sausar in the Deccan. *Proceedings of the National Academy of Sciences, India* 13(1): 36-75.
- Sahni, M. R. and Tewari, A. P. 1958. New unionids from the Triassic (Gondwana) rocks of Tihki; Vindhya Pradesh and Maleri, Hyderabad, Deccan. *Records of the Geological Survey of India*, 87(2): 406–417.
- Salvador, A. 1996. *International Stratigraphic Guide: A Guide to Stratigraphic Classification, Terminology, and Procedure*. *Micropaleontology*, 42: 64.
- Samant B 2000. Fungal remains from the Bhavnagar lignite, Gujarat, India. *Geophytology* 28(1-2): 11-18.
- Samant, B. and Mohabey, D. M. 2009. Palynoflora from Deccan volcano-sedimentary sequence (Cretaceous-Palaeogene transition) of central India: Implications for spatio-temporal correlation. *Journal of Biosciences*, 34(5): 811–823, <https://doi.org/10.1007/s12038-009-0064-9>.
- Samant, B. and Mohabey, D. M. 2014. Deccan volcanic eruptions and their impact on flora: Palynological evidence. *Special Paper of the Geological Society of America*, 505(October): 171–191, [https://doi.org/10.1130/2014.2505\(08\)](https://doi.org/10.1130/2014.2505(08)).
- Samant, B., Phadtare, N.R., 1997. Stratigraphic palynoflora of the Early Eocene Rajpardi lignite, Gujarat and the lower age limit of the Tarkeshwar Formation of South Cambay Basin, India. *Palaeontographica Abteilung B* 245(1-6), 1–108
- Samant, B., Kapgate, D. K., Kumar, D., Mohabey, D. M. and Dhoble, A. 2020. Maastrichtian Palynoflora from Deccan Volcanic Associated Sediments of Mahurzari, Nagpur District, Maharashtra: Age and Paleoenvironment with Comments on Megafloora. *Journal of the Geological Society of India*, 95(5): 475–482, <https://doi.org/10.1007/s12594-020-1464-6>.

- Samant, B., Kumar, D., Mohabey, D. M., Kapgate, D. K., Manchester, S. R. and Patil, S. K. 2020. Palynoflora from intertrappean localities in the southeastern part of Deccan volcanic province: taxonomic composition, age and paleogeographic implications. *Palaeoworld*, 29(1): 161–175, <https://doi.org/10.1016/j.palwor.2019.05.010>.
- Samant, B., Mohabey, D. M. and Kapgate, D. K. 2008. Palynofloral record from Singpur intertrappean, Chhindwara District, Madhya Pradesh: Implication for Late Cretaceous stratigraphic correlation and resolution. *Journal of the Geological Society of India*, 71(6): 851–858.
- Samant, B., Mohabey, D. M., Srivastava, P. and Thakre, D. 2014. Palynology and clay mineralogy of the Deccan volcanic associated sediments of Saurashtra, Gujarat: Age and paleoenvironments. *Journal of Earth System Science*, 123(1): 219–232, <https://doi.org/10.1007/s12040-013-0390-z>.
- Samant, B., Thakre, D. and Mohabey, D. M. 2013. Aquilapollenites Pollen from Deccan Intertrappean Sediments: Age Implications. *Geological Society of India Special Publication*, 1: 268–272, <https://doi.org/10.17491/cgsi/2013/63312>.
- Satpal Singh, O. P., Sar, D., Chatterjee, S. M. and Sawai, S. 2006. Integrated interpretation for sub-basalt imaging in Saurashtra Basin, India. *Leading Edge (Tulsa, OK)*, 25(7): 882–885, <https://doi.org/10.1190/1.2221367>.
- Sawyer, D. S. (1986). Sedimentary evidence for late Precambrian plate tectonics. *Nature*, 321(6067), 599-604.
- Saxena R. K. and Trivedi G. K. 2009. Palynological investigation of the Kopili formation (late Eocene) in north Cachar hills, Assam, India. *Acta Palaeobotanica* 49(2): 253-277
- Saxena, R. K. 2010. *Monocolpopollenites* Pflug and Thomson (mononucleate arecaceous pollen) from India. *Geophytology*, 38(January): 105–120.
- Saxena, R. K. and Ranhotra, P. S. 2009. Palynofloral study of the intertrappean bed exposed at a new locality in Kutch district, Gujarat and its implications on palaeoenvironment and age. *Journal of the Geological Society of India*, 74(6): 690–696, <https://doi.org/10.1007/s12594-009-0185-7>.
- Saxena, R. K. and Tripathi, S. K. M. 2011. Indian Fossil Fungi. *The Palaeobotanist*, 60: 1–208.

- Saxena, R. K. and Trivedi, G. K. 2009. Palynological investigation of the Kopili Formation (Late Eocene) in North Cachar Hills, Assam, India. *Acta Palaeobotanica*, 49(2): 253–277.
- Saxena, R.K. and Sarkar, S., 1986. Morphological study of *Frasnacritetus Taugourdeau* emend. from Tertiary sediments of Himachal Pradesh, India. *Review of Palaeobotany and Palynology* 46: 209-225. Saxena
- Saxena, R.K., 2009. Substitute names for later homonyms of five species and validation of the names of eight species of fossil fungi from Indian Tertiary sediments. *Mycotaxon* 110: 47-51. Saxena
- Saxena, R. K., and Khare, S., 1992. Fungal remains from the Neyveli Formation of Tiruchirappalli District, Tamil Nadu, India. *Geophytology* 21: 37- 43.
- Saxena, R.K., Khare, S., 1992. Fungal remains from the Neyveli Formation of Tiruchirappalli District, Tamil Nadu, India. *Geophytology* 21, 37– 43.
- Saxena, R.K., Tripathi, S.K.M., 2011. Indian Fossil Fungi. *The Palaeobotanist* 60, 1–208
- Saxena, R.K., Trivedi, G.K., 2006. A Catalogue of Tertiary Spores and Pollen from India. Diamond Jubilee Special Publication. Birbal Sahni Institute of Palaeobotany Lucknow.
- Schopf, J.M., Wilson, L.R., Bentall, R. 1944. An annotated synopsis of Paleozoic fossil spores and the definition of generic groups. *Illi. State Geol. Surv. Rep. Invest.* 91, 1– 67.
- Self, S., Mittal, T., Dole, G. and Vanderlyn, L. 2022. Toward Understanding Deccan Volcanism. *Annual Review of Earth and Planetary Sciences*, 50: 477–506, <https://doi.org/10.1146/annurev-earth-012721-051416>.
- Selkirk, D. R., 1975. Tertiary fossil fungi from Kiandra, New South Wales. *Proceedings of the Linnean Society, New South Wales* 100: 70-94.
- Sethna, B. S. and Ravi Varma, K. 2005. Petrology of the Deccan Trap basalts of Palitana hill, Saurashtra. *Indian Journal of Geochemistry*, 20: 167–179.
- Sharma, J. and Saraswati, P. K. 2015. Lignites of Kutch, western India: Dinoflagellate biostratigraphy and palaeoclimate. *Revue de micropaleontologie*, <https://doi.org/10.1016/j.revmic.2015.03.003>.

- Sheldon, N. D. and Tabor, N. J. 2009. Earth-Science Reviews Quantitative paleoenvironmental and paleoclimatic reconstruction using paleosols. *Earth Science Reviews*, 95(1–2): 1–52, <https://doi.org/10.1016/j.earscirev.2009.03.004>.
- Sheldon, N. D., Retallack, G. J., Tanaka, S., The, S., November, N., Sheldon, N. D., Retallack, G. J. and Tanaka, S. 2002. Geochemical Climofunctions from North American Soils and Application to Paleosols across the Eocene - Oligocene Boundary in Oregon. *The Journal of Geology*, 110(6): 687–696.
- Sheth, H. C., Duraiswami, R. A., Ghule, V. and Naik, A. 2022. Flood basalt structures and textures as guides to cooling histories and palaeoclimates: the Deccan Traps of Saurashtra, western India. *Geological Magazine*, (May), <https://doi.org/10.1017/S0016756822000279>.
- Shitole, A. D., Patel, S. J., Darngawn, J. L. and Joseph, J. K. 2021. Amended lithostratigraphy of the Cretaceous Bagh Group, Western Lower Narmada Valley, India: A comparison with pervasive Tethyan basins. *Geological Journal*, 56(10): 5058–5093, <https://doi.org/10.1002/gj.4224>.
- Shome, S. and Chandel, R. S. 2013. Palaeontological studies of Papro Formation (Infratrappean) of Lalitpur District, Uttar Pradesh - Its age, correlation and palaeoecology. *Indian Journal of Geosciences*, 67(1): 49–62.
- Shringarpure, D. M. 1985. Evidence predicting the existence of Trionychid turtles in the intertrappean rocks of Saurashtra (Gujarat State). *Current Science Association*, 54(21): 1114–1115.
- Shukla, A. D., Bhandari, N., Kusumgar, S., Shukla, P. N., Ghevariya, Z. G., Gopalan, K. and Balaram, V. 2001. Geochemistry and magnetostratigraphy of Deccan flows at Anjar, Kutch. *Proceedings of the Indian Academy of Sciences, Earth and Planetary Sciences*, 110(2): 111–132, <https://doi.org/10.1007/BF02702212>.
- Siever, R. (1962). *Sedimentary Facies in Geologic History*. In *SEPM Special Publication 9* (pp. 1-12).
- Silantiev, V. V and Carter, J. G. 2015. The Permian Nonmarine Bivalve *Palaeonodonta Amalitzky, 1895*: Position in the Modern *Bivalvia* System. *Paleontological Journal*, 49: 1125–1141, <https://doi.org/10.1134/S003103011511009X>.

- Silantiev, V. V., Chandra, S. and Urazaeva, M. N. 2015. Systematics of nonmarine bivalve mollusks from the Indian Gondwana Coal Measures (Damuda Group, Permian, India). *Paleontological Journal*, 49(12): 1235–1274, <https://doi.org/10.1134/S0031030115120114>.
- Simpson, M. G. 2020. *Plant Systematics*. 3rd ed. Academic Press, <https://doi.org/https://doi.org/10.1016/C2015-0-04664-0>.
- Singh, B. 2001. Major lineaments and gravity magnetic trends in Saurashtra, India Major lineaments and gravity- magnetic trends in Saurashtra, India (April).
- Singh, D., Alat, C. A., Singh, R. N. and Gupta, V. P. 1997. Source Rock Characteristics and Hydrocarbon generating Potential of Mesozoic Sediments in Lodhika Area, Saurashtra Basin, Gujarat, India. In *Proceedings Second International Petroleum Conference and Exhibition*, pp. 205–220.
- Singh, H. 2020. Palaeoenvironmental and taphonomic biases in palynological assemblages preserved in amber versus sediments from the Umarsar Lignite, Kutch Basin, Gujarat, India. *Historical Biology*, 33(10): 1–11, <https://doi.org/10.1080/08912963.2020.1791105>.
- Singh, H., Prasad, M., Kumar, K. and Singh, S. K. 2015. Early Eocene macroflora and associated palynofossils from the Cambay Shale Formation, western India: Phytogeographic and palaeoclimatic implications. *Palaeoworld*, 24(3): 293–323, <https://doi.org/10.1016/j.palwor.2015.05.002>.
- Singh, L., Patel, R. and Rana, R. S. 2017. Palaeogene Fish Otoliths from Lignite Associated Succession (Cambay Formation) Khadsaliya, Bhavnagar, Gujarat, India. *Journal of Geosciences Research*, 2(1): 81–92.
- Singh, P. K., Singh, M. P., Singh, A. K., Naik, A. S., Singh, V. K., Singh V. K and Rajak, P.K 2012. Petrological and geochemical investigations of Rajpardi lignite deposit, Gujarat, India. *Energy Exploration and Exploitation*, 30(1): 131–152.
- Singh, P. K., Singh, V. K., Singh, M. P. and Rajak, P. K. 2017. Petrographic characteristics and paleoenvironmental history of Eocene lignites of Cambay basin, Western India. *International Journal of Coal Science and Technology*, 4(3): 214–233, <https://doi.org/10.1007/s40789-017-0173-2>.

- Singh, R.Y., 1974. Stratigraphy and Palynology of The Tura formation in the type area Part II. *Palaeobotanist* 23(3), 189–205.
- Singh, R.Y., 1975. Morphological study of the Retialetes complex from Indian Tertiaries. *Geophytology* 5(1), 98–104.
- Singh, S. B., Babu, G. A., Singh, K. P., Negi, B. C., Srinivas, Y., Rao, V. P. and Ashok Babu, G. 2004. Delineation of Basaltic Covered Sediments in the Saurashtra Region using Deep Resistivity Sounding Studies (I): 69–74.
- Skawina, A. and Dzik, J. 2011. Umbonal musculature and relationships of the late Triassic filibranch unionoid bivalves. *Zoological Journal of the Linnean Society*, 163(3): 863–883, <https://doi.org/10.1111/j.1096-3642.2011.00728.x>.
- Smith, A. B. and Wright, C. W. 2008. British Cretaceous echinoids. Part 8, Atelostomata, 2. Spatangoida (1). In *Monographs of the Palaeontographical Society*, pp. 569–635.
- Smith, A. G., Smith, D. G. and Funnell, B. M. 1994. *Atlas of Mesozoic and Cenozoic Coastlines*. Cambridge University Press. Cambridge University Press.
- Smith, S. Y., Manchester, S. R., Samant, B., Mohabey, D. M., Wheeler, E., Baas, P., Kapgate, D. K., Srivastava, R. and Sheldon, N. D. 2015. Integrating Paleobotanical, Paleosol, and Stratigraphic Data to Study Critical Transitions: A Case Study from The Late Cretaceous–Paleocene of India. *The Paleontological Society Papers*, 21(December): 137–166, <https://doi.org/10.1017/s1089332600002990>.
- Somayajulu, B. L. K., Broecker, W. S. and Goddard, J. 1985. Dating Indian corals by U-decay series method. *Quaternary Research*, 24: 235–239.
- Spencer, J. E., et al. (1968). Chemical composition of sandstones as a clue to provenance in Colorado Plateau–Rocky Mountain area. *AAPG Bulletin*, 52(2), 220–245.
- Srivastava, A. K. and Kandwal, N. K. 2013. Depositional Environment and Bivalve remains of the Intertrappean Sediments, Hiradehi and Topidhana Area, Bhainsdehi Tehsil, District Betul, Madhya Pradesh. *Gondwana Geological Magazine*, 28(2): 149–157.
- Srivastava, H., Bhaumik, A. K. and Mohanty, S. 2017. Depositional environment of intertrappean and intratrappean beds of the Anjar area, Kachchh District, India: Foraminiferal Evidence. *Journal of the Palaeontological Society of India*, 62: 147–155.

- Staplin, F. L., Pocock, S. J., Jansonius, J. and Oliphant, E. 1960. Palynological techniques for sediments. *Micropaleontology*, 6: 329–331.
- Stow, D. A. V. 1981. Fine-grained sediments: Terminology. *Quarterly Journal of Engineering Geology*, 14: 243–244.
- Sugoor, R. K. and Ande, D. B. 2001. Conservation Strategy for Grasslands of Saurashtra and Kachchh Region of Gujarat State. *The Indian Forester*, 127(12), <https://doi.org/10.36808/if/2001/v127i12/3050>.
- Sukheswala, R. N. 1981. Deccan Basalt volcanism. *Memoir- Geological Society of India*, 3: 8–18.
- Suttner, L. J., and Dutta, P. K. (1986). Sedimentary Geochemistry. *Developments in Sedimentology*, 45, 1-549.
- Tandon, S. K. 2002. Records of the influence of Deccan volcanism on contemporary sedimentary environments in Central India. *Sedimentary Geology*, 147(1–2): 177–192, [https://doi.org/10.1016/S0037-0738\(01\)00196-8](https://doi.org/10.1016/S0037-0738(01)00196-8).
- Taploo, R. K. 1942. Report on the mineral investigations in Wadhwan State (unpublished).
- Taylor, S. R., and McLennan, S. M. (1985). *The continental crust: its composition and evolution*. Blackwell Scientific Publications.
- Tewari, H. C., Rao, G. S. P. and Prasad, B. R. 2009. Uplifted crust in parts of western India. *Journal - Geological Society of India*, 73(4): 479–488, <https://doi.org/10.1007/s12594-009-0033-9>.
- Thakre, D. and Samant, B. 2014. Palynofloral changes across Cretaceous-Paleogene Boundary: A case study from Deccan Volcanic sequence in Amarkantak group of Central India (April 2015): 20–23.
- Thakur, O. P., Singh, A. and Singh, B. D. 2010. Petrographic characterization of Khadsaliya lignites, Bhavnagar district, Gujarat. *Journal of the Geological Society of India*, 76(1): 40–46, <https://doi.org/10.1007/s12594-010-0079-8>.
- Thomson, P.W. et al. (1953) Pollen and spores of the Middle European Tertiary. *Paleontographica Abteilung B*, 94, 1- 138.
- Traverse, A. 1974. *Paleopalynology*. 611.

- Traverse, A. 2007a. *Paleopalynology*. 2nd ed. Springer Dordrecht, <https://doi.org/https://doi.org/10.1007/978-1-4020-5610-9>.
- Traverse, A. 2007b. Palynological laboratory techniques. *Paleopalynology*, 616–667, https://doi.org/10.1007/978-1-4020-5610-9_16.
- Tripathi, S. C. 2006. Geology and Evolution of the Cretaceous Infratrappean Basins of Lower Narmada Valley, Western India. *Journal Geological Society of India*, 67: 459–468.
- Tripathi, S. K. M. and Srivastava, D. 2012. Palynology and palynofacies of the early Palaeogene lignite bearing succession of Vastan, Cambay Basin, Western India. *Acta Palaeobotanica*, 52(1): 157–175.
- Tripathi, S. K. M., Saxena, R. K. and Prasad, V. 2000. Palynological investigation of the Tura formation (early Eocene) exposed along the Turadalu road, west Garo Hills, Meghalaya, India. *Journal of Palaeosciences*, 49((1-3)): 239–252, <https://doi.org/10.54991/jop.2000.145>.
- Tschudy, R. H. and Scott, R. A. 1969. *Aspects of Palynology*. New York: Wiley-Interscience.
- Tyson, R. V. 1989. Late Jurassic palynofacies trends, Piper and Kimmeridge Clay Formations, UK onshore and offshore northern North Sea. *Northwest European Micropalaeontology and Palynology*. Ellis Horwood, Chichester.
- Tyson, R. V. 1995 *Sedimentary Organic Matter – Organic Facies and Palynofacies*; Hapman and Hall, London, 615p. Wall D 1967 Fossil microplankton in deep-sea cores from the Caribbean Sea; *Palaeontology* 10 95–123
- Tyson, R. V. 1995. *Sedimentary Organic Matter, Organic Facies and Palynofacies*. 1st ed. 978-0-412-36350-4.
- Tyson, R. V., 1993 Palynofacies analysis; In: *Applied Micropalaeontology* (ed.) Jenkins D G, Kluwer Academic Publishers, Amsterdam, pp. 153–191.
- Van Damme, D., Bogan, A. E. and Dierick, M. 2015. A revision of the Mesozoic naiads (Unionoida) of Africa and the biogeographic implications. *Earth-Science Reviews*, 147: 141–200, <https://doi.org/10.1016/j.earscirev.2015.04.011>.
- Van Eldijk, T. J. B., Wappler, T., Strother, P. K., Van Der Weijst, C. M. H., Rajaei, H., Visscher, H. and Van De Schootbrugge, B. 2018. A Triassic-Jurassic window into the

evolution of Lepidoptera. *Science Advances*, 4(1),
<https://doi.org/10.1126/sciadv.1701568>.

Van Hoeken-Klinkenberg, P. M. J., (1966). Maastrichtian Paleocene and Eocene Pollen and Spores from Nigeria. *Leidse Geologische mededelingen*, vol. 38, pp. 37-43.

Varma, C. P. and Rawat, M. S. 1964. A Note on the age of Dhrangadhra Formation, Western India, in the Light of Pollen and Spore recovery. *Spores, Pollen*, 6: 233.

Varma, S. K., et al. (1991). Provenance of sandstones from the lower Vindhyan sediments, Son Valley, Central India. *Journal of the Geological Society of India*, 38(2), 107-118.

Venkatachala B.S., Rawat, M.S., 1972. Palynology of the Tertiary sediments in the Cauvery Basin-1. Palaeocene-Eocene palynoflora from the subsurface. In: Ghosh, A. K. et al. (Eds.), *Proc. Seminar on Paleopalynology and Indian Stratigraphy*, Calcutta, 1971. Botany Department, Calcutta Univ. pp. 292–335.

Venkatachala, B. S. 1981. Differentiation of amorphous organic types in sediments. In Brooks J. (Ed), *Organic maturation studies and fossil fuel exploration.*, pp. 177–200. London: Academic Press, London.

Venkatachala, B. S., Caratini, C., Tissot, C. and Kar, R. K. 1988. Palaeocene-Eocene marker pollen from India and tropical Africa. *Journal of Palaeosciences*, 37((1-3)): 1–25, <https://doi.org/10.54991/jop.1988.1595>.

Venkatachala, B. S., Kar, R. K. and Raza, S. 1968. Palynology of the Mesozoic sediments of Kutch, w. India - 3. Morphological study and revision of the spore genus *Trilobosporites* Pant ex Potonie, 1956. *Journal of Palaeosciences*, 17((1-3) SE-Research Articles): 123–126, <https://doi.org/10.54991/jop.1968.788>.

Venkatachala, B.S., Kar, R.K., 1969. Palynology of the Tertiary sediments of Kutch-1 Spores and pollen from borehole no. 14. *The Palaeobotanist* 17, 157–178.

Venkatesh, B., Nayak, P. C., Thomas, T., Jain, S. K. and Tyagi, J. V. 2021a. Spatio-temporal analysis of rainfall pattern in the Western Ghats region of India. *Meteorology and Atmospheric Physics*, 133: 1089–1109, <https://doi.org/10.1007/s00703-021-00796-z>.

Verma, O., Khosla, A., Goin, F. J. and Kaur, J. 2016. Historical Biogeography of the Late Cretaceous Vertebrates of India: Comparison of Geophysical and Paleontological Data. *New Mexico Museum of Natural History and Science Bulletin*, 71: 317–330.

- Verma, S. P., and Armstrong-Altrin, J. S. (2013). New multi-dimensional diagram for tectonic discrimination of siliciclastic sediments and its application to Precambrian basins. *Chemical Geology*, 355, 117-133.
- Virkki, C. 1937. n the occurrence of Winged spores in the Lower Gondwana rocks of India and Australia. *Proceedings of the Indian Academy of Science*, 6: 428–431.
- Walker, R. G. (1992). *Facies models 4*. Geological Association of Canada.
- Wei, W. and Algeo, T. J. 2020. Elemental proxies for paleosalinity analysis of ancient shales and mudrocks. *Geochimica et Cosmochimica Acta*, 287: 341–366, <https://doi.org/https://doi.org/10.1016/j.gca.2019.06.034>.
- West, W. D. 1959. The Source of the Deccan Trap Flows. *Journal of Geological Society of India*, 1: 44–52.
- Wetzel, R. G. 2001. *Limnology: Lake and River Ecosystems*. 3rd ed. Academic Press.
- Wilde, V. and Riegel, W. 2022. A middle Eocene treefall pit and its filling: a microenvironmental study from the onset of a forest mire in the Geiseltal (Germany). *Palaeobiodiversity and Palaeoenvironments*, 102(2): 237–251, <https://doi.org/10.1007/s12549-021-00501-3>.
- Williams, G. L., Fensome, R. A., Miller, M. and Bujak, J. P. 2018. Microfossils: Palynology. In *Encyclopedia of Petroleum Geoscience* June, <https://doi.org/10.1007/978-3-319-02330-4>.
- Williamson, I. T. and Bell, B. R. 1994. The Palaeocene lava field of west-central Skye, Scotland: Stratigraphy, palaeogeography and structure. *Transactions of the Royal Society of Edinburgh: Earth Sciences*, 85(1): 39–75, <https://doi.org/https://doi.org/10.1017/S0263593300006301>.
- Wilson, G. P., Das Sarma, D. C. and Anantharaman, S. 2007. Late Cretaceous sudamericid Gondwana therians from India with Paleobiogeographic considerations of Gondwanan mammals. *Journal of Vertebrate Paleontology*, 27(2): 521–531, [https://doi.org/10.1671/0272-4634\(2007\)27\[521:LCSGFI\]2.0.CO;2](https://doi.org/10.1671/0272-4634(2007)27[521:LCSGFI]2.0.CO;2).
- Zobaa, M. K. 2009. Applications of palynology for hydrocarbon exploration: case studies from Egypt, Eastern Tennessee (USA) and the Gulf of Mexico. *Researchgate.Net*, (June), <https://doi.org/10.13140/RG.2.1.4084.3369>.