

BIBLIOGRAPHY

- Abd El Aal A. M. I. and A. M. M. El Ashram (2011): A morphological study (SEM) on a parasitic marine isopod, *Cymothoa spinipalpa* (Isopoda: Cymothoidae) Egyptian Journal for Aquaculture Vol. 1 No.1.
- Adeshina, I., Amoka, P. O., Tihamiyu, L. O., Abubakar, M. I. O., & Adesanmi, O. (2019). Natural Formation and Pathological Effects of Branchiomyces Species in Farm-grown African Catfish (*Clarias gariepinus*) in Ilorin Metropolis. *Harran Üniversitesi Veteriner Fakültesi Dergisi*, 8(2), 186-190.
- Ahne, W., Bjorklund, H. V., Essbauer, S., Fijan, N., Kurath, G., & Winton, J. R. (2002). Spring viremia of carp (SVC). *Diseases of aquatic organisms*, 52(3), 261-272.
- Ali, M. N. M. and Abo-Esa, F. K. Jihan (2007): Study on some causative agents 'infection in Red Sea shrimp, *Penaeus semisulcatus* in summer season. *Egypt. J. Aquat. Biol. And Fish*, 11 (3) 845-857.
- Anonymous (2020a). The State of World Fisheries and Aquaculture. <http://www.fao.org>.
- Anonymous (2020b). Press report 2019-20 of Marine Product Export Development Authority, Ministry of Commerce India. Available at <https://www.mpeda.gov.in>.
- Atul K. Singh, Dinesh Kumar, Sharad C. Srivastava, Abubakar Ansari, J. K. Jena & U. K. Sarkar (2013). Invasion and impacts of alien fish species in the Ganga River, India. *Aquatic Ecosystem Health & Management*, 16(4), 408-414.
- Azza, M. Raef (1990): Some studies on the Helminth parasites of marine fish, M. V. Sc. Thesis, Fac Vet. Med. Zagazig Univ.
- Bakshi, A. K., Chandra, K. J. and Hoque, N (2006). Argulosis in the fish culture ponds of selected areas of Mymensingh. *Journal of Bangladesh Agricultural University*, 4, 305-312.
- Banyal, H. S., Kumar, S., & Raina, R. H. (2019). Exploration of Fish Diversity in the West Banas River, Banaskantha, Gujarat. *Records of the Zoological Survey of India*, 282-288.
- Barson, M., Mulonga, A. and Nhiwatiwa, T. (2008) Investigation of a parasitic outbreak of *Lernaea cyprinacea* Linnaeus (Crustacea: Copepoda) in fish from Zimbabwe. *Afr. Zool.*, 43(2), 175–183.
- Baur O. (1962). Parasites of freshwater fish and the biological basis for their control. Bulletin of the State Scientific Institute of Lake and river fisheries. ;49, 108-112.

- Bhakta, D., Meetei, W. A., Vaisakh, G., Kamble, S., Das, S. K., & Das, B. K. (2019). Finfish diversity of Narmada estuary in Gujarat of India. *In Proceedings of the Zoological Society*, Springer India, 72(3), 257-262.
- Bhakta, J. N., & Bandyopadhyay, P. K. (2008). Fish diversity in freshwater perennial water bodies in east Midnapore district of West Bengal, India. *Int. J. Environ. Res.*, 2(3), 255-260.
- Bondad-Reantaso, M. G., Mc Gladdery, S. E., East, I., & Subasinghe, R. P. (2001). Asia diagnostic guide to aquatic animal diseases, 240p.
- Bose, P.S. 2015. *Urban development in India: Global Indians in the remaking of Kolkata*. Routledge, Oxon & New York.
- Bright Singh, I. S., & Sreedharan, K. (2009). Ornamental fish diseases and their management measures School on Recent Advances in Breeding and Larviculture of Marine Finfish and Shellfish, *Course Manual*, CMFRI, 1-11.
- Burnley, E. B. (2005). *Surf Fishing the Atlantic Coast*. Stackpole Books.
- Bush, A. O., Lafferty, K. D., Lotz, J. M., & Shostak, A. W. (1997). Parasitology meets ecology on its own terms: Margolis et al. revisited. *The Journal of parasitology*, 575-583.
- Chanda, M., Paul, M., Maity, J., Dash, G., Gupta, S. S., & Patra, B. C. (2011). Ornamental fish goldfish, *Carassius auratus* and related parasites in three districts of West Bengal, India. *Chronicles Young Scientists*, 2(1).
- Chanratchakool, P., Turnbull, J. F. and Limsuwan, C. (1994). Health management in fish ponds. *Aquatic Animal Health Research Institute*, Thailand, pp. 91.
- Choudhury, T. G., Singh, S. K., Parhi, J., Barman, D., & Das, B. S. (2014). Common Fungal Diseases of Fish: A Review. *Environment & Ecology*, 32(2), 450-456.
- Cowx I. G. (2002). Analysis of threats to freshwater fish conservation: past and present challenges. In: Collares- Pereira MJ, Cowx IG, Coelho MM (eds) *Conservation of freshwater fishes: option for the future*. Blackwell Scientific Publications, UK, 201–220.
- Cross, M.L. and R.A. Matthews, 1992. Ichthyophthiriasis in carp, *Cyprinus carpio* L. Fate of parasites in immunized fish. *J. Fish Dis.*, 15, 497-505.
- D'Souza, R. and Nagendra, H. 2011. Changes in public commons as a consequence of urbanization: The Agara Lake in Bangalore, India. *Environmental Management*, 47, 840-850.
- Dash, G. (2021). *Freshwater Fish Parasite*. Publisher Name.

- Dash, G., Majumder, D., & Ramudu, K. R. (2015). Seasonal distribution of parasites in freshwater exotic carps of West Bengal, India. *Indian Journal of Animal Research*, 49(1), 95-102.
- David A. Studies on fish and fisheries of the Godawari and Krishna river systems. (1963). Part 1. *Proceeding of the National Academy of Science India*, 33(2), 263-293.
- Day Francis. (1994). *The fishes of India*. vol. 1 and 2. Jagamander Book agency, New Delhi.
- De Jong, J. (2017). Aquaculture in India. Rijksdienst voor Ondernemen d Nederland. 1-15.
- Devi, R.K., and Indra, T.J. (2012). Check List of the Native Freshwater Fishes of India. Accessed from: zsi.gov.in/checklist/NativefreshwaterFishesofIndia.html.
- Dholakia, A. D. (2004). *Fisheries and aquatic resources of India*. Published by Daya Books, Delhi, India, 1-443.
- Dholakia, A.D. (1986). List of important fishes of Gujarat in Fish processing preservation and quantity control. Published by DP Dholakia, Ahmedabad, 135.
- Dikkeboom, A. L., Radi, C., Toohey-Kurth, K., Marcquenski, S., Engel, M., Goodwin, A. E., ... & Longshaw, C. (2004). First report of spring viremia of carp virus (SVCV) in wild common carp in North America. *Journal of Aquatic Animal Health*, 16(4), 169-178.
- Dogiel, V.A. (1964). *General Parasitology*. Oliver and Boyd., Edinburgh., UK. pp: 516.
- Dornburg, A., & Near, T. J. (2021). The emerging phylogenetic perspective on the evolution of Actinopterygian fishes. *Annual Review of Ecology, Evolution, and Systematics*, 52, 427-452.
- Durborow, R. M., Wise, D. J., & Terhune, J. S. (2003). Saprolegniasis (winter fungus) and branchiomycosis of commercially cultured channel catfish. Southern Regional Aquaculture Center.
- Dzidziul A. (1973). The pathogenicity of *Lernaea cyprinacea* L. in the cases of heavy infestation in *Carassius carassius* (L.). *Acta parasitologica Polonica*, 21, 281-288.
- Ebrahimzadeh Mousavi, H. A., Khosravi, A. R., Firouzbakhsh, F., Mokhayer, B., F Sasani, F., Mirzargar, S. S., & Rostami, M. I. N. A. (2005). A case report of Branchiomyces infection in common carp (*Cyprinus carpio*) from Iran. *Iranian Journal of Fisheries Science*, 5(1), 105-112.
- EGUSA, S., & OHIWA, Y. (1972). Branchiomycosis of pond-cultured eels. *Fish Pathology*, 7(1), 79-83.
- Eissa I. A. M. (2002). A new approach to isopod affections in marine fish *Centropristis filamentosus* with special reference to host parasite relationship. *Suez Canal Vet. Med. J.*, (1)11-16.

- Eissa, I.A.M., (2004). *Parasitic fish diseases in Egypt*. Chapter one pp: 4.
- El-Attar, A. A., & Moustafa, M. (1996). Some studies on tail and fin rot disease among cultured Tilapia fishes. *Assiut Veterinary Medical Journal*, 35(70), 155-162.
- Eman, M. Youssef, Nahla, H. Salam, Eissa I A M and Mona, S. Zaki (2014): Parasitological studies on the isopoda (Cymothoidae) parasites infesting some marine fishes at Suez Canal area at Ismailia Province, Egypt with a key to the cymothoid genera. *Life Science Journal*, 11(1).
- FAO (2001). Production, accessibility, marketing and consumption patterns of freshwater aquaculture products in Asia [Bangladesh, China, India, the Philippines and Thailand]. A cross-country comparison. FAO Fisheries Circular 973, 275.
- FAO. 2020a. The State of World Fisheries and Aquaculture 2020. Sustainability in action. Rome (also available at <https://doi.org/10.4060/ca9229en>).
- FAO. 2021. Food and Agriculture Organization Global Fisheries and Aquaculture Production Statistics. Fish Stat J Rome, Italy. URL: <http://www.fao.org> (Updated in 2021).
- Flores-Lopes, F., & Thomaz, A. T. (2011). Histopathologic alterations observed in fish gills as a tool in environmental monitoring. *Brazilian Journal of Biology*, 71, 179-188.
- Florio, D., Gustinelli, A., Caffara, M., Turci, F., Quaglio, F., Konecny, R. & Fioravanti, M. L. (2009). Veterinary and public health aspects in tilapia (*Oreochromis niloticus*) aquaculture in Kenya, Uganda and Ethiopia. *Ittiopatologia*, 6(12), 51-93.
- Francis-Floyd, R., & Klinger, R. (1997). Use of potassium permanganate to control external infections of ornamental fish. University of Florida Cooperative Extension Service. *Institute of Food and Agriculture Sciences*, EDIS.
- Froese, R. and D. Pauly. Editors. (2024). FishBase.
- Gabriel O., von Brandt A., Lange K., Dahm E. and Wendt T. (2005). Fish catching methods of the world: Seining in fresh and sea water Wiley-Blackwell, 431–448.
- Gajaria and Mali, K.N. (2000). Ecophycological in Vesigation of aquatic environment of village fish Pond-Gujarat. In book title, “Algal Biotechnology” By P.C. Trivedi. Jaipur.
- Gajaria, S.C., Mali, K.N. and Deepa K. Raval (2002) Algal diversity of chlorophyceae in fish farm of Alindra village Gujarat Phycos.
- Ganguly, S., Wakchaure, R., Praveen, P. K., & Para, P. A. (2016). Fungal Infections in Fishes: A Brief Review. *Int. J. of Pharm. Life Sci.*, 7(9), 5245-5246.
- Gohil Mahendrasinh, N., & Mankodi Pradeep, C. (2007). Diversity of Fish Fauna from Downstream Zone of River Mahisagar, Gujarat State, India. *Aqua*, 22(2), 68-72.

- Gohil, M. N. and Mankodi, P. C. (2013). Diversity of Fish Fauna from Downstream Zone of River Mahisagar, Gujarat State, India. *Veterinary and Fishery Sciences*, 1(3), 14-15.
- Golub, D., Bukva, M., & Dekić, R. (2019). Morphological characteristics and condition of bleak *Alburnus alburnus* (Teleostei; Cyprinidae) from the Bosna River. *SKUP*, 10, 16-28.
- Goodwin, A. E. (2002). First report of spring viremia of carp virus (SVCV) in North America. *Journal of Aquatic Animal Health*, 14(3), 161-164.
- Goswami, A. P. and Mankodi, P. C. (2010). Diversity of fishes from freshwater reservoir Nyari II of Rajkot district, Gujarat, *Electronic Journal of Environmental Science*, 3, 23-26.
- Goswami, A. P., & Mankodi, P. C. (2010). Diversity of fishes from fresh water reservoir Nyari II of Rajkot district, Gujarat. *Electronic Journal of Environmental Sciences*, 3, 23-26.
- Govindan, S., & Ravichandran, R. (2016). Fish fauna diversity and conservation status of Pulicat Lagoon in Tamil Nadu. *Annals of Aquaculture and Research*, 3(2), 1018.
- Grimaldi, N. (1971). *Le désir et le temps*. Presses universitaires de France.
- Gupta, R., Tatu, K., Christian, L., Patel, R., & Kamboj, R. D. (2020). Assessment of Water Quality Parameters of Lentic and Lotic Waterbodies in Narmada Canal Command Area in Saurashtra Region, Gujarat. *International Journal of Scientific Research in Science, Engineering and Technology*, 7 (6): 86-95.
- Gutiérrez-Galindo, J. F., & Lacasa-Millán, M. I. (2005). Population dynamics of *Lernaea cyprinacea* (Crustacea: Copepoda) on four cyprinid species. *Diseases of Aquatic Organisms*, 67(1-2), 111-114.
- Hall, T.A. (1999). BioEdit: A user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucleic Acids Symp. Ser.*, 41(41), 95–98.
- Harish'Kumar and Gajaria, S.C. (1996). Ecological studies of aquatic environment of Lingda fish seed farm, Gujarat, India. *Ecoprint*. 3(1), 57-61.
- Hassan, A. M. (2001). Isopoda crustacean infection in some fishes from the Egyptian Red Sea, Egypt. *Acad. Soc. Environ. Develop.*, (Aquac.), I, (2) 77- 87.
- Ho, J. S. (1998). Cladistics of the Lernaeidae (Cyclopoida), a major family of freshwater fish parasites. *Journal of marine systems*, 15(1-4), 177-183.
- Hoagland, K. E. (1996). The taxonomic impediment and the convention on biodiversity. *Association of Systematics Collections Newsletter*, 24(5), 61-62.
- Hoffman, G. L. (2019). *Parasites of North American freshwater fishes*. Cornell University Press.

- Hooper, D. U., Chapin III, F. S., Ewel, J. J., Hector, A., Inchausti, P., Lavorel, S., & Wardle, D. A. (2005). Effects of biodiversity on ecosystem functioning: a consensus of current knowledge. *Ecological monographs*, 75(1), 3-35.
- Hora, S. L., & Pillai, T. V. R. (1962). Feeding and growth. Handbook of Fish Culture in the Indo-Pacific Region. *FAO Fisheries Technical Paper*, 14.
- Hossain, M. A., Nahiduzzaman, M., Sayeed, M. A., Azim, M. E., Wahab, M. A., & Olin, P. G. (2009). The Chalan beel in Bangladesh: Habitat and biodiversity degradation, and implications for future management. *Lakes & Reservoirs: Research & Management*, 14(1), 3-19.
- Hossain, M. M. M., Ferdoushi, J., & Rupom, A. H. (2018). Biology of anchor worms (*Lernaea cyprinacea*). *Journal of Entomology and Zoology Studies*, 6(1), 910-917.
- Hua, C.J., Zhang, D., Zou, H., Li, M., Jakovlić, I., Wu, S.G., Wang, G.T. and Li, W.X. (2019). Morphology is not a reliable taxonomic tool for the genus *Lernaea*: Molecular data and experimental infection reveal that *L. cyprinacea* and *L. cruciata* are conspecific. *Parasit. Vectors*, 12(1), 579.
- Hussain MJ, Kadhim BS (2020): Histological alterations of gills in common carp (*Cyprinus carpio*) infected by Branchiomycosis. *Ann Trop Med & Public Health*, 23(24), 1-7.
- Ibrahim, K. S. (2011). Isolation and pathological study of Branchiomycosis from the commercial pond of common carp (*Cyprinus carpio*) fish, in Governorate of Duhok/Iraq. *The Iraqi Journal of Veterinary Medicine*, 35(1), 1-9.
- Iqbal, Z. A. F. A. R., Mumtaz, R. A. B. I. A., and Sajjad, R. A. M. S. H. A. (2013). Argulosis, in some ornamental fishes imported to Lahore, Pakistan. *Eur. J. Vet. Med.*, 2(3), 171-178.
- Ivanova, N. V., Zemlak, T. S., Hanner, R. H., & Hebert, P. D. (2007). Universal primer cocktails for fish DNA barcoding. *Molecular Ecology Notes*, 7(4), 544-548.
- Jadhav, B.V., S.S. Kharat, R. Raut, M. Paingankar & N. Dahanukar (2011). Freshwater fish fauna of Koyna River, Northern Western Ghats, India. *Journal of Threatened Taxa*, 3(1), 1449-1455.
- Jafri, S. I. H. and Ahmed, S. S. (1994). Some observations on mortality in major carps due to fish lice and their chemical control. *Pakistan J. Zool.*, 26(2), 274-276.
- Jalali B and Barzegeer M. (2006). Fish parasites of Zarivar Lake. *Journal of Agricultural Science and Technology*, 8, 47-58.
- Jayangauder, I. (1980). Hydrobiological studies on the Ajwa reservoir the source of raw water supply to the Baroda water works. *Hydrobiologia*, 72(1/2), 113-124.

- Jayaram, K.C. (2010). *The Freshwater Fishes of the Indian Region*. Second Edition. Narendra. Publishing House, Delhi, 616.
- Jayaram, K.C. (1999). *The fresh water fishes of India, region*. Narendra Publication House, Delhi 110006.
- Kabata, Z. (1970). *Diseases of fishes, crustaca as enemies of fishes*. T.F.H. Publications, Inc. Jersey city, U.S.A.
- Kabata. Z. (1985). *Parasites and Disease of Fish Cultured in the Tropics*. Taylore and Francis Ltd. London. UK. pp: 318.
- Kalamkar, S. S., Swain, M., & Bhaiya, S. R. (2016). Evaluation and Assessment of Economic Losses on Account of Inadequate Post Harvest Infrastructure Facilities for Fisheries Sector in Gujarat State, Report No. 163. Agro-Economic Research Centre, Sardar Patel University, Vallabh Vidyanagar, Anand, Gujarat. pp.249.
- Kar, D., Kumar, A., Bohra, C. and Singh, L.K. (2003). Fishes of Barak drainage, Mizoram and Tripura. In: *Environment, pollution and management*, APH Publishing Corporation, New Delhi, 604, 203-211.
- Khalifa, K.A., K.M. Al-Khayat and F.H. Al-Rijab, (1983). Ichthyophthiriasis in farmed fishes in Iraq. *J. Wildlife Diseases*, 19(2): 129-132.
- Kharat, S. S., Paingankar, M., & Dahanukar, N. (2012). CEPF Western Ghats Special Series: Freshwater fish fauna of Krishna River at Wai, northern Western Ghats, India. *Journal of Threatened Taxa*, 4(6), 2644-2652.
- Khoo, L., Leard, A. T., Waterstrat, P. R., Jack, S. W., & Camp, K. L. (1998). Branchiomyces infection in farm-reared channel catfish, *Ictalurus punctatus* (Rafinesque). *Journal of Fish Diseases*, 21(6), 423-432.
- Kulkarni, A. V. (2010). Monitoring Himalayan cryosphere using remote sensing techniques. *Jour. Ind. Inst. Sci.*, 90 (4), 457-469.
- Kulkarni, A. V., Bahuguna, I.M., Rathore, B.P., Singh, S.K., Randhawa, S.S., Sood, R.K. and Dhar, S., (2007). Glacial retreat in Himalaya using Indian Remote Sensing satellite data, *Curr. Sci.*, 92(1), 69-74
- Leaño, E. M. (2001). Fungal diseases. In Health Management in Aquaculture. Aquaculture Department, *Southeast Asian Fisheries Development Center*, 43-53.
- Lester, R. J. and Hayward, C. J. (2006). Phylum Arthropoda. *Fish Diseases and Disorders*, 1, 463-562.

- Li, A. and K. Buchmann, (2001). Temperature dependent and salinity dependent development of a Nordic strain of *Ichthyophthirius multifiliis* from rainbow trout. *Applied Ichthyology*, in press.
- Light, T., & Marchetti, M. P. (2007). Distinguishing between invasions and habitat changes as drivers of diversity loss among California's freshwater fishes. *Conservation Biology*, 21(2), 434-446.
- M. K. Sinha. (2018). Narmada control authority transforming conflict into cooperation amongst riparian states. *NDCWWC Journal* (A Half Yearly Journal of New Delhi Centre of WWC), 7(2), 3-9.
- Mahboub, H. H. (2021). Mycological and histopathological identification of potential fish pathogens in Nile tilapia. *Aquaculture*, 530, 735849.
- Mankodi, P.C. (2018). *Report, Documentation of Inland fishes of Gujarat*. Gujarat Biodiversity Board, 1-201.
- Mariganti, A. 2011. *No estoppel: Claiming right to the city via the commons*. Economic & Political Weekly 46, 64-70
- Menon, A.G.K. (1999). *Check List Freshwater Fishes of India*. Occasional Paper No. 175. Records of the Zoological Survey of India, Kolkata. 366.
- Milardi, M., Gavioli, A., Soinen, J., & Castaldelli, G. (2019). Exotic species invasions undermine regional functional diversity of freshwater fish. *Scientific reports*, 9(1), 1-10.
- Mishra SS, Das R, Dhiman M, Choudhary P, Debbarma J. (2017). Present Status of Fish Disease Management in Freshwater Aquaculture in India: State of the Art Review. *J Aquac Fisheries*, 1, 003.
- Mishra, S., Das, R., & Swain, P. (2018). Status of Fish Diseases in Aquaculture and Assessment of Economic Loss due to Disease. *Contemporary Trends in Fisheries and Aquaculture*; Rao, P., Pandey, B., Pandey, P., Joshi, BD, Eds, ICAR-CIFA, 183-199.
- Mohapatra, S., Chakraborty, T., Kumar, V., DeBoeck, G., & Mohanta, K. N. (2013). Aquaculture and stress management: A review of probiotic intervention. *Journal of animal physiology and animal nutrition*, 97(3), 405-430.
- Moyle, P. B. and Leidy, R. A. (1992). Loss of biodiversity in aquatic ecosystems: Evidence from fish faunas. *In: Conservation biology*, Springer, Boston, MA, 127-169.
- Muniya, T., Kardani, H., Gohel, K., Joshi, A., & Vadher, P. (2019). Ichthyofaunal diversity of the Kadana reservoir in Mahisagar district, Gujarat, India. *Journal of Entomology and Zoology Studies*, 7(6), 20-25.

- Muruganandam, M., Chipps, S. R. and Ojasvi, P. R. (2019). On the Advanced Technologies to Enhance Fisheries Production and Management. *Acta Scientific Agriculture*, 3(8), 216.
- Nagendra, H. and Ostrom, E. 2014. Applying the social-ecological system framework to the diagnosis of urban lake commons in Bangalore, India. *Ecology and Society*, 19(2), 67.
- Noga, E. J. (2010). *Fish disease: diagnosis and treatment*. Ames: Wiley.
- Noga, E.J. (1986). The importance of *Lernaea cruciata* (Le Sueur) in the initiation of skin lesions in largemouth bass, *Micropterus salmoides* (Lacepede), in the Chowan River, North Carolina, USA. *J. Fish Dis.*, 9(4), 295–302.
- Nur, F.M., Batubara, A.S., Fadli, N., Rizal, S., Siti Azizah, M.N., Wilkes, M. and Muchlisin, Z.A. (2022). *Lernaea cyprinacea* Linnaeus, 1758 (Copepoda: Lernaeidae) infection on *Betta Rubra* Perugia, 1893 (Anabantiformes: Osphronemidae) from Aceh Province, Indonesia. *Rev. Bras. Parasitol. Vet.*, 31(1), e020421.
- O' Sullivan, A.J. (1992). Aquaculture and user conflicts, in: De Pauw, N. et al. (Ed.) *Aquaculture and the Environment: Reviews of the International Conference Aquaculture Europe*. EAS Special Publication, 16, 405-412.
- Opiyo, M., Mziri, V., Musa, S., Kyule, D., Hinzano, S., Wainaina, M. & Ombwa, V. (2020). Fish Disease Management and Biosecurity Systems. State of Aquaculture in Kenya. *Towards Nutrition -Sensitive Fish Food Systems*; Chapter 7, 97-126.
- Osman, H. A. M., El-Bana, L. F., Noor El Deen, A. E., & Abd El-Hady, O. K. (2009). Investigations on white spots disease (*Ichthyophthiriasis*) in catfish (*Clarias gariepinus*) with special reference to the immune response. *Global Veterinaria*, 3(2), 113-119.
- Pallavi, B., Shankar, K.M., Abhiman, P.B. and Ahmed, I. (2017). Molecular identification of the fish parasite *Lernaea*. *Indian J. Fish.*, 64(2), 76–82.
- Paperna, I. (1996). *Parasites, infections, and diseases of fishes in Africa: an update*, 31.
- Paperna, I., & Smirnova, M. (1997). Branchiomyces-like infection in a cultured tilapia (*Oreochromis hybrid*, Cichlidae). *Diseases of aquatic organisms*, 31(3), 233-238.
- Parikh Ankita, N., & Mankodi, P. C. (2012). Limnology of Sama Pond, Vadodara City, Gujarat. *Res. J. Recent Sci*, 1(1), 16-21.
- Parikh, A. N., & Mankodi, P. C. (2011). Water quality assessment of Harni pond of Vadodara (Gujarat). *Electronic Journal of Environmental Sciences*, 4, 55-59.
- Parikh, P., Unadkat, K., & Nagar, P. (2015). Study of aquatic weeds in two ponds of Vadodara, Gujarat. *IJAPRR (International Peer Reviewed Refereed Journal)*, 2(1), 1-7.

- Parveen, I. and Gaikwad, J. M. (2018). Diversity of Fish Parasites from fresh water fishes of Masooli Reservoir of Parbhani District. *International Journal of Scientific and Research Publications*, 8(10), 371-376.
- Patel MI and ND. Chhaya. (1980). *Field key to Fishes of Gujarat*, Dept. of Fisheries, Govt. of Gujarat.
- Phelps, N. B., Armién, A. G., Mor, S. K., Goyal, S. M., Warg, J. V., Bhagyam, R., & Monahan, T. (2012). Spring viremia of carp virus in Minnehaha Creek, Minnesota. *Journal of Aquatic Animal Health*, 24(4), 232-237.
- Piasecki, W.; Goodwin, A. E.; Eiras, J. C. and Nowak, B. F. (2004). Importance of copepod in freshwater aquaculture. *Zool. Stud.*, 43, 193-205.
- Pillai, C. T., & Yvonne, M. F. (1983). Fungal infection causing mass mortality of fresh water fish *Tilapia mossambica*. *Seafood Export Journal*, 15(1), 15-17.
- Plehn, C. C. (1912). *The Taxation of Franchises in California*. Nat'l Mun. Rev., 1, 337.
- Plumb, J. A., Grizzle, J. M., & Defigueiredo, J. (1976). Necrosis and bacterial infection in channel catfish (*Ictalurus punctatus*) following hypoxia. *Journal of wildlife diseases*, 12(2), 247-253.
- Post G. (1987). *Revised and Expanded Textbook of fish health*. 1st ed. (T.F.H.) publication, Inc. U.S.A by T.F.H., 288.
- Prastowo, J., Priyowidodo, D., Nugraheni, Y. R., Sahara, A., Nurcahyo, W., & Ninditya, V. I. (2023). Molecular and morphological identification of *Lernaea* spp. in Cyprinid fishes from two districts in Yogyakarta, Indonesia. *Veterinary World*, 16(4), 851.
- Rahman, M. M., Ferdowsy, H., Kashem, M. A., & Foysal, M. J. (2010). Tail and fin rot disease of Indian major carp and climbing perch in Bangladesh. *Journal of Biological Sciences*, 10(8), 800-804.
- Raja, R.A., Patil, P.K., Avunje, S., Aravind, R.P., Alavandi, S.V. and Vijayan, K.K. (2020). Biosafety, withdrawal, and efficacy of anti-parasitic drug emamectin benzoate in Asian Seabass (*Lates calcarifer*). *Aquaculture*, 525, 735335.
- Raja, R.A., Patil, P.K., Avunje, S., Kumaran, M., Solanki, H.G., Jithendran, K.P., Alavandi, S.V. and Vijayan, K.K. (2022). Efficacy of emamectin benzoate in controlling natural infestations of ectoparasites in economically important fish species of India. *Aquaculture*, 551, 737940.
- Ramaiah, N. (2006). A review on fungal diseases of algae, marine fishes, shrimps and corals. *International Journal on Marine sciences*, 35(4), 380-387.

- Rameshkumar G, Ravichandran S, Sivasubramanian K, Trilles JP. (2013). New occurrence of parasitic isopods from Indian fishes. *J Parasit Dis*, 37(1), 42-46.
- Rameshkumar G, Ravichandran S, Trilles JP. (2011). Cymothoidae (Crustacea, Isopoda) from Indian fishes. *Acta Parasitol*, 56(1), 78-91.
- Rameshkumar G, Ravichandran S, Trilles JP. (2012). Observation on an isopod parasitizing the edible fish *Parastromateus niger* in the Parangipettai coast of India. *J Environ Biol.*, 33(2), 191-193.
- Rameshkumar G, Ravichandran S. (2010). New host record, *Rastrelliger kanagurta*, for *Nerocila phaeopleura* parasites (Crustacea, Isopoda, Cymothoidae). *Mid. East J. Sci. Res.*, 5(1), 54-56.
- Rameshkumar G, Ravichandran S. (2010). *Cymothoa indica* (Isopoda: Cymothoidae) and *Alitropus typus* (Isopoda: Aegidae) on freshwater fish *Tilapia mossambica* (Cichlidae) in Vellar estuary, Southeast coast of India. *Biotemas*, 23(3), 67-70.
- Rameshkumar G, Ravichandran S. (2013). Effect of the parasitic isopod, *Catoessa bosicii* (Isopoda, Cymothoidae) a buccal cavity parasite of the marine fish, *Carangoides malabaricus*. *Asia Pac J Trop Biomed*, 3(2), 118-122.
- Rameshkumar G, Ravichandran S. (2013). Histopathological changes in the skins and gills of some marine fishes due to parasitic isopod infestation. *J Coast Life Med*, 1(1), 74-80.
- Ramudu, K. R., & Dash, G. (2013). Prevalence of monogenean parasites on Indian major carps in bheries of West Bengal. *Int J Chem Biochem Sci*, 4, 13-21.
- Rania, A. A., & Rehab, R. A. (2015). Some studies on parasitic isopods of some marine fishes. *Egypt J Chem Environ Health*, 1(1), 400-420.
- Ravichandran, S., Balasubramanian, T. and Kannupandi, T. (2007): Incidence of parasitic isopods on the fish *Sphyraena obtusata*. *Res.J. Parasitol.*, 2 (1) 45-50.
- Rhode, K. (2005). *Marine parasitology*. CABI, Australia.
- Richards, J. and T.E. McDonald, (1998). *Ichthyophthirius multifiliis* (Ich) epizootics in Spawning Sockeye Salmon in British Columbia, Canada. *J. Aquatic. Animal. Health*, 10, 143-151.
- Rico, A., Satapornvanit, K., Haque, M. M., Min, J., Nguyen, P. T., Telfer, T. C., & Van Den Brink, P. J. (2012). Use of chemicals and biological products in Asian aquaculture and their potential environmental risks: a critical review. *Reviews in Aquaculture*, 4(2), 75-93.

- Robinson, J., & Avenant-Oldewage, A. (1996). Aspects of the morphology of the parasitic copepod *Lernaea cyprinacea* Linnaeus, 1758 and notes on its distribution in Africa. *Crustaceana*, 69(5), 610-626.
- Rohde K. (1993). *Ecology of marine parasites*. C.A.B. International, Oxon, 300p.
- Sahoo, P. K., Kar, B., Garnayak, S. K., & Mohanty, J. (2012). Mixed infection of *Argulus japonicus* and *Argulus siamensis* (Branchiura, Argulidae) in carps (Pisces, Cyprinidae): loss estimation and a comparative invasive pattern study. *Crustaceana*, 85(12), 1449–1462.
- Sahoo, P. K., Mohanty, J., Garnayak, S. K., Mohanty, B. R., Kar, B., Jena, J., & Prasanth, H. (2013). Genetic diversity and species identification of *Argulus* parasites collected from major aquaculture regions of India using RAPD-PCR. *Aquaculture Research*, 44(2), 220-230.
- Sahu, S., Das, B. K., Mishra, B. K., Pradhan, J., Samal, S. K., & Sarangi, N. (2008). Effect of dietary *Curcuma longa* on enzymatic and immunological profiles of rohu, *Labeo rohita* (Ham.), infected with *Aeromonas hydrophila*. *Aquaculture Research*, 39(16), 1720-1730.
- Sambrook, J., Fritsch, E. F., & Maniatis, T. (1989). *Molecular cloning: a laboratory manual* (No. Ed. 2). Cold spring harbor laboratory press.
- Sarkar, U. K., Pathak, A. K., & Lakra, W. S. (2008). Conservation of freshwater fish resources of India: new approaches, assessment and challenges. *Biodiversity and conservation*, 17, 2495-2511.
- Sarma, D., Das, J., Bhattacharyya, R. C., & Dutta, A. (2012). Ichthyofaunal diversity of lower reaches of the Brahmaputra River, Assam. *International Journal of Applied Biology Pharmaceutical Technology*, 3(2), 126-130.
- Sarma, K. J., & Mankodi, P. C. (2017). Deciphering identification of inland fishes of Gujarat using DNA barcoding. *Turkish Journal of Fisheries and Aquatic Sciences*, 17(5), 1055-1060.
- Sarma, K. J., Prajapati, M., & Mankodi, P. C. (2017). Morphological description and taxonomic account of *Labeo species* (Cypriniformes, Family: Cyprinidae) from Gujarat, India. *Journal of Entomology and Zoology Studies*, 5(4), 1120-1125.
- Satish, P. V. V., Sree Rekha, N., Sunita, K., Somaiah, K., & Kanaka Raju, A. (2013). Prevalence of fin and tail rot disease in nursery ponds of guntur district, andhra pradesh, India. *The Ecoscan*, 7(3-4), 95-99.
- Sen, K., & Mandal, R. (2018). Fresh-water fish diseases in west Bengal, India. *International Journal of Fisheries and Aquatic Studies*, 6(5), 356-362.

- Sen, T.K. and Banerjee, P.K. (2000). Freshwater fishes. In: Fauna of Gujarat Eds. The Director, ZSI. State Fauna Series, 8: Fauna of Gujarat (Part-I, Vertebrates), 413-464.
- Shaheen, A. A., Hassanin, M. E., & Mahboub, H. H. (2014). Branchiomyosis in Nile tilapia (*Oreochromis niloticus*) in Behiera Governorate with Trials for Treatment. *Zagazig Veterinary Journal*, 42(3), 29-42.
- Shariff M, Kabata Z, Sommerville C. (1986). Host susceptibility to *Lernaea cyprinacea* L. and its treatment in a large aquarium system. *Journal of Fish Diseases*, 9, 393-401.
- Sharma, M., Shrivastav, A. B., Sahni, Y. P., & Pandey, G. (2012). Overviews of the treatment and control of common fish diseases. *IRJP*, 3(7), 123-127.
- Sheikh, G. F., Bamnelkar, P., & Mankodi, P. C. (2022). The occurrence and redescription of cymothoids (Wagele, 1989) parasites in commercially available fishes from markets of Vadodara, Gujarat, India. *International Journal of Entomology Research*, 7 (1), 49-54.
- Sheikh, G., Lende, S., Vasava, R., Bhadesiya, C., & Mankodi, P. (2023). Occurrence of *Argulus* (Crustacea: Branchiura) in fishes of the freshwater reservoirs and aquarium shops of Vadodara, Gujarat (India). *Eco. Env. & Cons.*, 29, 181-185.
- Sheikh, S. R. (2014). Studies on Ichthyofaunal diversity of Pranhita River, Sironcha, Dist: Gadchiroli, Maharashtra, India. *International Journal of Fisheries and Aquatic Studies*, 1(5), 144-147.
- Sheikha, G. F., & Mankodi, P. C. (2021). A case report of Branchiomyces sp. infection in carp (*Labeo Catla*) from Vadodara, Gujarat. In National Conference on Present Day Biology: Recent Advancements in Biological Sciences, 34.
- Shinde, S. E., Pathan, T. S., Raut, K. S., Bhandare, R. Y., & Sonawane, D. I. (2009). Fish Biodiversity of Pravara River at Pravara Sangam District Ahmednagar, (MS) India. *World Journal of Zoology*, 4(3), 176-179.
- Sindermann C.J. (1990). *Principal diseases of marine fish and shellfish*. Vol I. Diseases of marine fish, 2nd ed. Academic Press, San Diago, 516.
- Singh, H.S., Patel, B.H., Parvez, R., Soni, V.C., Shah, Niba, Tatu, Ketan and Patel, D. (1999). Ecological Study of Wild Ass Sanctuary. Technical Report, GEER Foundation, GFD, Gandhinagar, Gujarat.
- Singh, P. and Khan, S. (2014). Studies on infection and relative density of *Argulus* in Indian and exotic major carp from mixed fish culture ponds at Faizabad, Uttar Pradesh. *Journal of the Kalash Science*, 2(2), 71-74.
- Sinha, R. A. J. I. V., Jain, V., Tandon, S. K., & Chakraborty, T. A. P. A. N. (2012). Large river systems of India. In Proc. *Indian Nat. Sci. Acad.*, 78, 277-294.

- Smith, S. A. (Ed.). (2019). *Fish Diseases and Medicine*. CRC Press.
- Soares, I.A., Salinas, V., del Ponti, O., Mancini, M.A. and Luque, J.L. (2018). First molecular data for *Lernaea cyprinacea* (Copepoda: Cyclopoida) infesting *Odontesthes bonariensis*, a commercially important freshwater fish in Argentina. *Rev. Bras. Parasitol. Vet.*, 27(1), 105–108.
- Soes, D., Walker, P., & Kruijt, D. (2010). The Japanese fish louse *Argulus japonicus* new for The Netherlands. *Lauterbornia*, 70, 11–17
- Solanki, H. G., Patil, P. K., Vanza, J. G., Patel, P., Sethi, S., & Gopal, C. (2016). Sea lice, *Caligus rotundigenitalis* infestations and its management in pond cultured pearlspot, *Etroplus suratensis* in Gujarat: a case study. *Journal of Parasitic Diseases*, 40(2), 565-567.
- Soni, H. B., & Thomas, M. D. S. (2013). Surface water quality assessment and conservation measures of two pond ecosystems of central Gujarat. *International Research Journal of Chemistry*, 3, 69-81.
- Srivastava. C.B. (1975). Fish pathological studies in India: A brief review. Dr. B.S. Chauhan Commemoration, 649-358.
- Sundaresan, J. (2011). Planning as commoning: Transformation of a Bangalore lake. *Economic & Political Weekly* 46, 71-79.
- Sundaresan, J.; Allen, A. and Johnson, C. (2017). Reading urban futures through their blue infrastructure: Wetland networks in Bangalore and Madurai, India. In Bell, S.; Allen A. and Hofmann P. (Eds) *Urban water trajectories*, 35-50.
- Suski CD, Cooke SJ (2006). Conservation of aquatic resources through the use of freshwater protected areas: Opportunities and challenges. *Biodivers Conserv.*, 16, 2015-2029.
- Tailor Manthan, A., & Mankodi Pradeep, C. (2013). Comparative study of two Urban Ponds of Vadodara city with special reference to their chemical parameters. *Research Journal of Animal, Veterinary and Fishery Sciences*, 1(10), 10-15.
- Talwar, P.K., and A.G. Jhingran. (1991). *Inland Fishes of India and Adjacent Countries*. New Delhi: Oxford and IBH. Publishing Co., 12, 1158.
- Tandel, R. S., Chanu, K. V., Hussain Bhat, R. A., Dash, P., Shah, T. K., & Thakuria, D. (2021). Morphometric and molecular identification of *Argulus japonicus* (Thiele 1900) in vulnerable Himalayan snow trout, *Schizothorax richardsonii* (Gray 1832). *Aquaculture Research*, 52(12), 6770-6778.
- Tandon, S. K., & Sinha, R. (2022). *Geology of large river systems. Large Rivers: Geomorphology and Management*, Second Edition, 7-41.

- Tasawar Z, Siraj Z, Kanwal N, Lashari MH, Aziz F. (2012). The observations of Lernaeid parasites of *Cirrhinus mrigala* Mori. *International Journal of Engineering, Science and Metallurgy*, 2(1), 391- 394.
- Teng, Y., Liu, H., Lv, J. Q., Fan, W. H., Zhang, Q. Y., & Qin, Q. W. (2007). Characterization of the complete genome sequence of the spring viremia of carp virus isolated from common carp (*Cyprinus carpio*) in China. *Archives of virology*, 152, 1457-1465.
- Timalsina, P., Gurung, B., Thapa, R., Kunwor, P., Rayamajhi, A., Pradhan, N., ... & Sharma, A. (2022). Tail and fin rot disease and antibiotics resistance pattern in major rainbow trout farms of Nepal. *International Journal of Fisheries and Aquatic Studies*, 10(1), 33-37.
- Toor, H. S., Sehgal, H. S., & Sehdev, R. S. (1983). A case study of acute fish diseases in tanks loaded with high levels of organic manures. *Aquaculture*, 35, 277-282.
- Valdez-Moreno, M., Ivanova, N. V., Elías-Gutiérrez, M., Contreras-Balderas, S., & Hebert, P. D. N. (2009). Probing diversity in freshwater fishes from Mexico and Guatemala with DNA barcodes. *Journal of Fish Biology*, 74(2), 377-402.
- Vijaylaxmi, C., Rajshekhar, M., & Vijaykumar, K. (2010). Freshwater fishes' distribution and diversity status of Mullameri River, a minor tributary of Bheema River of Gulbarga District, Kamataka. *International Journal of Systems Biology*, 2(2), 1.
- Walker P.D., Flik G. & Wendelaar Bonga S.E. (2004). The biology of parasites from the genus *Argulus* and a review of the interactions with its host. In: *Host-Parasite Interactions* (ed. by G.F. Wiegertjes & G. Flik), Garland/Bios Scientific publishers, Abingdon, UK, 107–129.
- Warda, K. H. A. N., SAFDAR, M., & JUNEJO, Y. (2020). Molecular identification of *Argulus japonicus* in red cap oranda goldfish (*Carassius auratus*) in Multan, Pakistan. *Zeugma Biological Science*, 1(2), 42-46.
- Warren ML, Jr, Burr BM (1994). Status of freshwater Wsh of the United States: overview of an imperiled fauna. *Fisheries*, 19, 6–18.
- Wildgoose, W. (1998). Skin disease in ornamental fish: identifying common problems. *In Practice*, 20(5), 226-243.
- William J.P. (2008). Global diversity of fish lice (Crustacea: Branchiura: Argulidae) in freshwater. *Hydrobiologia*, 595, 209–212
- Williams JE, Johnson JE, Hendricson DA, Contreeras-Balderas S, Williams JD, Navarro-Mendoza M, McAllister DE, Deacon JE (1989). Fishes of North America endangered, threatened, or of special concern. *Fisheries*, 14,2–20.

- Woo, P. and Shariff, M. (2006). *Lernaea cyprinacea* L. (Copepoda: Caligidea) in *Helostoma temmincki* Cuvier and Valenciennes: The dynamics of resistance in recovered and naive fish. *J. Fish Dis.*, 13(6), 485–493.
- Woo, P.T.K. (2006). *Fish Diseases and Disorders, Volume 1: Protozoan and Metazoan Infections*. 2nd Edition, CABI, U.K.
- Xu, D., P.H. Klesius, C.A. Shoemaker and J.J. Evans, (2002). The early development of *Ichthyophthirius multifiliis* in Channel Catfish in Vitro. *J. Aquatic Animal Health*, 12(4), 290-296.
- Yadav, S., & Goyal, V. C. (2022). Current Status of Ponds in India: A Framework for Restoration, Policies and Circular Economy. *Wetlands*, 42(8), 107.
- Yamaguti, S. (1963). *Parasitic Copepoda and Branchiura of Fishes*. Wiley Interscience, New York.
- Zhu, X., Barton, D.P., Wassens, S. and Shamsi, S. (2021). Morphological and genetic characterisation of the introduced copepod *Lernaea cyprinacea* Linnaeus (Cyclopoida: Lernaeidae) occurring in the Murrumbidgee catchment, Australia. *Mar. Freshw. Res.*, 72(6), 876–886.
- Zimmer, A., Véron, R., & Cornea, N. L. (2020). Urban ponds, environmental imaginaries and (un) commoning: An urban political ecology of the pondscape in a small city in Gujarat, India. *Water Alternatives*, 13(2), 225-247.

WEB

- Devi, R. K., & Indra, T. J. (2012). Check List of the native freshwater fishes of India. Available: <https://zsi.gov.in/uploads/documents/importantLinks/english/76.pdf> Accessed (2023).
- FAO, (1995). <http://www.fao.org/docrep/003/v5930e/v5930e00.htm>
- Froese, R. and D. Pauly. Editors. (2023). FishBase. World Wide Web electronic publication. <https://www.fishbase.se/search.php>
- ISRO National Inventory. (2011). Web Source: <http://www.environment.nsw.gov.au/threatenedSpeciesApp/VegFormation.aspx?format=Freshwater+wetlands>
- Narmada, Water resources, Water supply and Kalpsar department (Water resources) (Equity, Efficiency, Sustainability, WRD) <https://guj-nwrws.gujarat.gov.in/showpage.aspx?contentid=1&lang=english>
- Ramachandraiah, C. and Prasad, S. (2004). Impact of urban growth on water bodies: The case of Hyderabad [Online]. www.cess.ac.in/cesshome/wp%5Cwp-60.pdf

Sugunan, V.V. Reservoir fisheries of India. FAO Fisheries Technical Paper. No. 345. Rome, FAO. 1995. 423. <https://vikaspedia.in/agriculture/fisheries/fish-production/capture-fisheries/fish-culture-in-reservoirs/reservoir-fisheries-of-india>

References (Thesis)

Brahmbhatt N. H. (2006). *Assessment of physico-chemical and phycological characterization of fishponds of Gujarat*, [Ph. D., S. P. Univeristy] Department of Bio-Science, Sardar Patel University. <http://hdl.handle.net/10603/76019>

Chaudhary, M. A. (2014). *Comparative study of aquatic flora and water bodies of Mehsana district Gujarat*, [Ph. D., HNGU] Hemchandracharya North Gujarat University. <http://hdl.handle.net/10603/44288>

Chavda, D. V. (2012). *Biomonitoring of hygienic conditions of aquaculture units and their effect on health status of cultivable prawns and fishes*, 1-172. (PhD thesis).

Derwa, H.I.M., (2004). *Studies on the role of some insecticides on the prevalence of protozoal diseases in some freshwater fishes*. Thesis of Ph.D. Faculty. of Veterinary. Medicine. Suez Canal University.

Nair, R. C. (2013). *Hydrobiological characterization of selected aquatic habitat in Kanyakumari district*, [Ph. D., M. S. University] Department of Zoology, Manonmaniam Sundaranar University. <http://hdl.handle.net/10603/133931>