
LIST OF FIGURE

Sr. No	Title of Figure	Page No.
1	Figure 2.1 Braided structures (a) regular, (b) diamond (c) basket, and (d) Hercules braids.	8
2	Figure 2.2 Braiding Structure	9
3	Figure 2.3 Flat braiding (a) Flat braiding machine, (b) Flat braiding structure	9
4	Figure 2.4 Solid braided structures	10
5	Figure 2.5 Fancy braided structures	11
6	Figure 2.6 Measurement of braid angle	12
7	Figure 2.7 Classification of textile composites	14
8	Figure 2.8 Fibre reinforced composite	15
9	Figure 2.9 Fabric reinforced composite	15
10	Figure 2.10 Hybrid Composite	16
11	Figure 2.11 Application of geotextile in road building	28
12	Figure 2.12 Application of geogrids	29
13	Figure 2.13 Application of geomembranes	29
14	Figure 2.14 Application as reinforcement material	30
15	Figure 2.15 Textile material application as Tensile Structures	30
16	Figure 2.16 Textile material application as Architectural membranes	31
17	Figure 2.17 Textile material application as reinforcement masonry	31
18	Figure 2.18 Grid pattern of reinforcement bars	32
19	Figure 2.19 Corrosion of steel rebars	34
20	Figure 2.20 Fibre reinforcement rebars	35
21	Figure 3.1 Tri-axial braiding machine	48
22	Figure 3.2 Nut & bolt at horn gear assembly for biaxial machine	48
23	Figure 3.3 Modification at horn gear assembly for triaxial machine	48
24	Figure 3.4 Modification at take up zone for braiding machine	49
25	Figure 3.5 Take up zone for braiding machine	49
26	Figure 3.6 Yarns procured for braiding	50
27	Figure 3.7 GLM testing	53
28	Figure 3.8 Braided rope during tensile testing	54
29	Figure 3.9 Epoxy resin with hardener	56
30	Figure 3.10 Rope calendaring equipment	57
31	Figure 3.11 Resin mixture preparation	58
32	Figure 3.12 Manual hand lay preparation	59
33	Figure 3.13 Curing treatment for braided rod preparation	59
34	Figure 3.14 Specimen diameter check through digital Vernier	60
35	Figure 3.15 FTIR Spectrometer	62
36	Figure 3.16 Specimen tensile testing (a) Specimen marking, (b) Specimen before Test	63
37	Figure 3.17 Bond strength specimen preparation	64

Sr. No	Title of Figure	Page No.
38	Figure 3.18 Bond strength Specimen Testing	65
39	Figure 3.19 Flexural strength specimen preparation	67
40	Figure 3.20 Flexural strength specimen testing	67
41	Figure 4.1 FTIR image for resin	70
42	Figure 4.2 FTIR image for hardener	71
43	Figure 4.3 Yarn stress-strain analysis	72
44	Figure 4.4 Prepared Braided ropes with different material	74
45	Figure 4.5 Tensile Testing for rope prepared from different material	74
46	Figure 4.6 Percentage change in tensile strength	75
47	Figure 4.7 Percentage change in tensile strength	77
48	Figure 4.8 Percentage change in tensile strength	78
49	Figure 4.9 Percentage change in tensile strength	79
50	Figure 4.10 Percentage change in tensile strength	81
51	Figure 4.11 Stress-strain behaviour of first layer	82
52	Figure 4.12 Stress-strain behaviour of second layer	83
53	Figure 4.13 Stress-strain behaviour of third layer	85
54	Figure 4.14 Stress-strain behaviour of fourth layer	86
55	Figure 4.15 Stress-strain behaviour of fifth layer	87
56	Figure 4.16 Braided Composite rods prepared from various materials	88
57	Figure 4.17 Comparison of ultimate load with stress	94
58	Figure 4.18 Comparison of strain % with modulus	95
59	Figure 4.19 Rod Tensile Testing Process	95
60	Figure 4.20 Comparison of ultimate load with stress	96
61	Figure 4.21 Comparison of strain % with modulus	97
62	Figure 4.22 Comparison of ultimate load with stress	99
63	Figure 4.23 Comparison of strain % with modulus	99
64	Figure 4.24 Comparison of ultimate load with stress	100
65	Figure 4.25 Comparison of strain % with modulus	101
66	Figure 4.26 Comparison of ultimate load with stress	102
67	Figure 4.27 Comparison of strain % with modulus	103
68	Figure 4.28 First layer braided rod tensile properties comparison	105
69	Figure 4.29 Second layer braided rod tensile properties comparison	106
70	Figure 4.30 Third layer braided rod tensile properties comparison	109
71	Figure 4.31 Fourth layer braided rod tensile properties comparison	111
72	Figure 4.32 Fifth layer braided rod tensile properties comparison	113
73	Figure 4.33 Comparison of BCR and steel rebar for bond strength	114
74	Figure 4.34 Comparison of BCR and steel rebar for bond strength	115
75	Figure 4.35 Comparison of BCR and steel rebar for bond strength	116
76	Figure 4.36 Process of Pull Out Test	117
77	Figure 4.37 Comparison of BCR and steel rebar for bond strength	118
78	Figure 4.38 Comparison of BCR and steel rebar for bond strength	119
79	Figure 4.39 Flexural Strength Testing	120

Sr. No	Title of Figure	Page No.
80	Figure 4.40 Comparison of BCR with unreinforced beam for flexural strength	121
81	Figure 4.41 Comparison of BCR with unreinforced beam for flexural strength	122
82	Figure 4.42 Comparison of BCR with unreinforced beam for flexural strength	123
83	Figure 4.43 Comparison of BCR with unreinforced beam for flexural strength	124
84	Figure 4.44 Comparison of BCR with unreinforced beam for flexural strength	125
85	Figure 5. 1 Plot of linear curve	131
86	Figure 5. 2 Plot of quadratic curve	131
87	Figure 5. 3 Plot of cubic curve	132
88	Figure 5. 4 Plot of bi-quadratic curve	132
89	Figure 5. 5 Plot of quintic curve	133
90	Figure 5. 6 Plot of hexic curve	133
91	Figure 5. 7 Best fitted curve	135
92	Figure 5. 8 Best fitted curve for nylon rope	137
93	Figure 5. 9 Best fitted curve for polypropylene rope	138
94	Figure 5. 10 Best fitted curve for basalt rope	138
95	Figure 5. 11 Best fitted curve for nylon + basalt rope	138
96	Figure 5. 12 Best fitted curve for polypropylene + basalt rope	138
97	Figure 5. 13 Reverse curve for nylon rope	140
98	Figure 5. 14 Reverse curve for PP rope	140
99	Figure 5. 15 Best fitted curve for basalt rope	140
100	Figure 5. 16 Best fitted curve for nylon + basalt Rope	141
101	Figure 5. 17 Best fitted curve for polypropylene + basalt rope	141
102	Figure 5. 18 Comparison of nylon, basalt, polypropylene rope	142
103	Figure 5. 19 Comparison of nylon, basalt, mix rope	143
104	Figure 5. 20 Comparison of basalt, polypropylene, mix rope	144
105	Figure 5. 21 Best fitted curve for nylon rod	148
106	Figure 5. 22 Best fitted curve for polypropylene rod	149
107	Figure 5. 23 Best fitted curve for basalt rod	149
108	Figure 5. 24 Best fitted curve for nylon + basalt rod	149
109	Figure 5. 25 Best fitted curve for polypropylene + basalt rod	149
110	Figure 5. 26 Comparison of nylon, basalt and polypropylene rod	150
111	Figure 5. 27 Comparison of nylon, basalt and nylon + basalt rod	151
112	Figure 5. 28 Comparison of polypropylene, basalt and polypropylene + basalt rod	153
113	Figure 5. 29 MLP regressor for nylon rope	159
114	Figure 5. 30 MLP regressor for basalt rope	160
115	Figure 5. 31 MLP regressor for polypropylene rope	160
116	Figure 5. 32 MLP regressor for nylon + basalt rope	160
117	Figure 5. 33 MLP regressor for basalt + polypropylene rope	160

Sr. No	Title of Figure	Page No.
118	Figure 5. 34 MLP regressor for nylon rod	161
119	Figure 5. 35MLP regressor for basalt rod	162
120	Figure 5. 36 MLP regressor for PP rod	162
121	Figure 5. 37 MLP regressor for nylon + basalt rod	162
122	Figure 5. 38 MLP regressor for polypropylene + basalt rod	162