

List of Tables

Table 3.1	Comparison of lattice parameters, bond lengths, angles, and electronic band gaps for pristine and C-defected α -CX (X = N, P) monolayers...	(41)
Table 3.2	Adsorption Energies (E_{ads}) and adsorption distances (d) for CO and NO adsorbed pristine and defected α -CX (X= N and P) monolayers, respectively.....	(47)
Table 3.3	Löwdin charge (e) analysis of pristine and defected α -CX, (X=N,P).....	(48)
Table 3.4	Work function analysis of α -CN and α -CP monolayers upon CO and NO adsorption.....	(50)
Table 3.5	Recovery times for different gas adsorptions.....	(52)
Table 4.1	Structural parameter, adsorption energy, adsorption distance, electronic bandgap of Beryllium doped α -CN with gas molecule.....	(63)
Table 4.2	Structural parameter, adsorption distance, adsorption energy, electronic bandgap of Boron doped α -CN with gas molecule	(68)
Table 4.3	Structural parameter, adsorption energy, adsorption distance, electronic bandgap of Aluminium doped α -CN with gas molecule	(70)
Table 4.4	Löwdin charge transfer analysis.....	(71)
Table 4.5	Work function analysis of Be, B and Al doped α -CN upon CO, NO and NH ₃ adsorption.....	(72)
Table 4.6	Recovery time for different gas adsorptions.....	(77)
Table 5.1	Structural parameters, adsorption and electronic properties of Ni decorated α -CN before and after gas adsorption.....	(86)
Table 5.2	Löwdin charge values on gas molecule before and after adsorption....	(88)
Table 5.3	Variation in σ/τ values upon gas adsorptions at T = 300 K	(90)
Table 5.4	Comparative work function analysis	(92)
Table 5.5	Recovery times for CO, NO, and NH ₃ adsorption	(94)

Table 5.6 Adsorption properties of Ni decorated monolayer with previously reported α -CN and other transition metal-functionalized nanomaterials (95)

Table 6.1 Adsorption properties of the α -CX monolayers, both before and after the process of doping and decoration (103)