

LIST OF REFERENCES

- [1] B. Huang *et al.*, “A Life Cycle Thinking Framework to Mitigate the Environmental Impact of Building Materials,” *One Earth*, vol. 3, no. 5, pp. 564–573, Nov. 2020, doi: 10.1016/j.oneear.2020.10.010.
- [2] E. Yilmaz, H. Arslan, and A. Bideci, “Environmental performance analysis of insulated composite facade panels using life cycle assessment (LCA),” *Constr. Build. Mater.*, vol. 202, pp. 806–813, Mar. 2019, doi: 10.1016/j.conbuildmat.2019.01.057.
- [3] D. J. M. Flower and J. G. Sanjayan, “Green house gas emissions due to concrete manufacture,” *Int. J. Life Cycle Assess.*, vol. 12, no. 5, pp. 282–288, Jul. 2007, doi: 10.1007/s11367-007-0327-3.
- [4] N. W. Portal, K. Lundgren, H. Wallbaum, and K. Malaga, “Sustainable potential of textile-reinforced concrete,” *J. Mater. Civ. Eng.*, vol. 27, no. 7, 2015, doi: 10.1061/(ASCE)MT.1943-5533.0001160.
- [5] A. E. Naaman, “Textile Reinforced Cement Composites: Competitive status and research directions,” in *International RILEM Conference on Material Science*, 2010, pp. 3–22, [Online]. Available: <https://www.rilem.net/images/publis/pro075-001.pdf>.
- [6] F. de A. Silva, B. Mobasher, and R. D. T. Filho, “Cracking mechanisms in durable sisal fiber reinforced cement composites,” *Cem. Concr. Compos.*, vol. 31, no. 10, pp. 721–730, Nov. 2009, doi: 10.1016/j.cemconcomp.2009.07.004.

- [7] P. Baruah and S. Talukdar, "A comparative study of compressive, flexural, tensile and shear strength of concrete with fibres of different origins," *Indian Concr. J.*, vol. 81, no. 7, pp. 17–24, Jul. 2007.
- [8] E. Awwad, M. Mabsout, B. Hamad, M. T. Farran, and H. Khatib, "Studies on fiber-reinforced concrete using industrial hemp fibers," *Constr. Build. Mater.*, vol. 35, pp. 710–717, Oct. 2012, doi: 10.1016/j.conbuildmat.2012.04.119.
- [9] A. Bentur and S. Mindess, *Fibre Reinforced Cementitious Composites*. CRC Press, 2006.
- [10] M. Ali, A. Liu, H. Sou, and N. Chouw, "Mechanical and dynamic properties of coconut fibre reinforced concrete," *Constr. Build. Mater.*, vol. 30, pp. 814–825, May 2012, doi: 10.1016/j.conbuildmat.2011.12.068.
- [11] A. Peled, B. Mobasher, and A. Bentur, *Textile Reinforced Concrete*. CRC Press, 2017.
- [12] A. Peled, A. Bentur, and D. Yankelevsky, "Woven fabric reinforcement of cement matrix," *Adv. Cem. Based Mater.*, vol. 1, no. 5, pp. 216–223, Jul. 1994, doi: 10.1016/1065-7355(94)90027-2.
- [13] T. Quadflieg, O. Stolyarov, and T. Gries, "Influence of the fabric construction parameters and roving type on the tensile property retention of high-performance rovings in warp-knitted reinforced fabrics and cement-based composites," *J. Ind. Text.*, vol. 47, no. 4, pp. 453–471, Nov. 2017, doi: 10.1177/1528083716652831.
- [14] A. Peled, A. Bentur, and D. Yankelevsky, "Effects of Woven Fabric Geometry on the Bonding Performance of Cementitious Composites," *Adv. Cem. Based Mater.*, vol. 7, no. 1, pp. 20–27, Jan. 1998, doi: 10.1016/S1065-7355(97)00012-6.
- [15] A. Peled, Z. Cohen, Y. Pasder, A. Roye, and T. Gries, "Influences of textile characteristics on the tensile properties of warp knitted cement based composites," *Cem. Concr. Compos.*, vol. 30, no. 3, pp. 174–183, Mar. 2008, doi: 10.1016/j.cemconcomp.2007.09.001.
- [16] B. Mobasher, N. Jain, C. M. Aldea, and C. Soranakom, "Mechanical Properties of Alkali Resistant Glass Fabric Composites for Retrofitting Unreinforced Masonry Walls," in *SP-244: Thin Fiber and Textile Reinforced Cementitious Systems*, 2007,

- vol. SP-244, pp. 125–140, doi: 10.14359/18756.
- [17] M. Popescu, M. Rippmann, T. Van Mele, and P. Block, “Complex concrete casting : Knitting stay-in-place fabric formwork,” in *Proceedings of the IASS Annual Symposium 2016 : Spatial Structures in the 21st Century*, 2016, pp. 1–9, [Online]. Available: https://block.arch.ethz.ch/brg/files/POPESCU_2016_IASS_complex-concrete-casting-knitting-stay-in-place-formwork_1545049665.pdf.
- [18] L. N. Koutas, Z. Tetta, D. A. Bournas, and T. C. Triantafillou, “Strengthening of Concrete Structures with Textile Reinforced Mortars: State-of-the-Art Review,” *J. Compos. Constr.*, vol. 23, no. 1, pp. 1–20, Feb. 2019, doi: 10.1061/(ASCE)CC.1943-5614.0000882.
- [19] J. Hegger and S. Voss, “Investigations on the bearing behaviour and application potential of textile reinforced concrete,” *Eng. Struct.*, vol. 30, no. 7, pp. 2050–2056, Jul. 2008, doi: 10.1016/j.engstruct.2008.01.006.
- [20] T. Gries, M. Raina, T. Quadflieg, and O. Stolyarov, “Manufacturing of textiles for civil engineering applications,” in *Textile Fibre Composites in Civil Engineering*, T. Triantafillou, Ed. Elsevier, 2016, pp. 3–24.
- [21] T. Triantafillou, “Strengthening of existing concrete structures: Concepts and structural behavior,” in *Textile Fibre Composites in Civil Engineering*, T. Triantafillou, Ed. Elsevier, 2016, pp. 303–322.
- [22] N. K. Barman, S. S. Bhattacharya, and R. Alagirusamy, “Textile structures in concrete reinforcement,” *Text. Prog.*, vol. 56, no. 1, pp. 1–229, Jan. 2024, doi: 10.1080/00405167.2023.2266930.
- [23] N. K. Barman, S. S. Bhattacharya, and R. Alagirusamy, “Development of Hybrid Yarn based Woven Textile Structures for Textile Reinforced Concrete Applications,” in *Fifth International Conference on Industrial Textiles – Products, Applications and Prospects*, 2020.
- [24] A. Peled and A. Bentur, “Fabric structure and its reinforcing efficiency in textile reinforced cement composites,” *Compos. Part A Appl. Sci. Manuf.*, vol. 34, no. 2, pp. 107–118, Feb. 2003, doi: 10.1016/S1359-835X(03)00003-4.

- [25] A. Peled and A. Bentur, “Geometrical characteristics and efficiency of textile fabrics for reinforcing cement composites,” *Cem. Concr. Res.*, vol. 30, no. 5, pp. 781–790, May 2000, doi: 10.1016/S0008-8846(00)00239-8.
- [26] O. Weichold and M. Hojczyk, “Size Effects in Multifilament Glass-Rovings: The Influence of Geometrical Factors on Their Performance in Textile-Reinforced Concrete,” *Text. Res. J.*, vol. 79, no. 16, pp. 1438–1445, 2009, doi: 10.1177/0040517508100628.
- [27] P. Kravaev *et al.*, “Commingling Yarns for Reinforcement of Concrete,” *4th Colloq. Text. Reinf. Struct.*, pp. 1–13, 2009, [Online]. Available: http://www.qucosa.de/fileadmin/data/qucosa/documents/436/paper02_aa11_qucosa.pdf.
- [28] S. Janetzko, P. Kravaev, T. Gries, W. Brameshuber, M. Schneider, and J. Hegger, “Textile Reinforcements with Spread and Commingled Yarn Structures,” in *International RILEM Conference on Material Science – MATSCI, Aachen 2010*, 2010, vol. I, pp. 37–44.
- [29] H. Jamshaid, R. Mishra, J. Militký, and M. T. Noman, “Interfacial performance and durability of textile reinforced concrete,” *J. Text. Inst.*, vol. 109, no. 7, pp. 879–890, Jul. 2018, doi: 10.1080/00405000.2017.1381394.
- [30] M. Varsei, S. Shaikhzadeh Najar, M. Hosseini, and M. Seyed Razzaghi, “Bending properties of fine-grained concrete composite beams reinforced with single-layer carbon/polypropylene woven fabrics with different weave designs and thread densities,” *J. Text. Inst.*, vol. 104, no. 11, pp. 1213–1220, Nov. 2013, doi: 10.1080/00405000.2013.787269.
- [31] S. Gopinath, A. Prakash, and A. K. F. Ahmed, “Synergy of hybrid textile reinforced concrete under impact loading,” *Sādhanā*, vol. 45, no. 1, p. 72, Dec. 2020, doi: 10.1007/s12046-020-1312-9.
- [32] M. Kurban, O. Babaarslan, and İ. H. Çağatay, “Hybrid Yarn Composites for Construction,” in *Textiles for Advanced Applications*, no. 2016, InTech, 2017, pp. 135–160.
- [33] M. Kurban, O. Babaarslan, and İ. H. Çağatay, “Investigation of the flexural behavior

- of textile reinforced concrete with braiding yarn structure,” *Constr. Build. Mater.*, vol. 334, no. November 2021, p. 127434, Jun. 2022, doi: 10.1016/j.conbuildmat.2022.127434.
- [34] A. Peled, B. Mobasher, and Z. Cohen, “Mechanical properties of hybrid fabrics in pultruded cement composites,” *Cem. Concr. Compos.*, vol. 31, no. 9, pp. 647–657, 2009, doi: 10.1016/j.cemconcomp.2009.06.002.
- [35] M. Kurban, O. Babaarslan, and İ. H. Çağatay, “Investigation of the flexural behavior of textile reinforced concrete with braiding yarn structure,” *Constr. Build. Mater.*, vol. 334, no. March, p. 127434, Jun. 2022, doi: 10.1016/j.conbuildmat.2022.127434.
- [36] E. Fehrer, “Engineered yarns with DREF friction spinning technology,” *Can. Text. J.*, vol. 104, no. 8, pp. 14–15, 1987.
- [37] M. Bar, R. Alagirusamy, and A. Das, “Properties of flax-polypropylene composites made through hybrid yarn and film stacking methods,” *Compos. Struct.*, vol. 197, pp. 63–71, Aug. 2018, doi: 10.1016/j.compstruct.2018.04.078.
- [38] V. Hanisch, A. Kolkman, A. Roye, and T. Gries, “Influence of machine settings on mechanical performance of yarn and textile structures,” in *ICTRC’2006 - 1st International RILEM Conference on Textile Reinforced Concrete*, 2006, pp. 13–22, doi: 10.1617/2351580087.002.
- [39] G. Plizzari and S. Mindess, “Fiber-reinforced concrete,” in *Developments in the Formulation and Reinforcement of Concrete*, Second., Elsevier, 2019, pp. 257–287.
- [40] A. E. Naaman, “Fiber reinforced concrete: five decades of progress,” in *Proceedings of the 4th Brazilian Conference on Composite Materials*, 2018, pp. 35–56, doi: 10.21452/bccm4.2018.02.01.
- [41] ACI Committee 544, “ACI PRC-544.1R-96: Report on Fiber Reinforced Concrete (Reapproved 2009),” American Concrete Institute, 2002. [Online]. Available: <https://books.google.fr/books?id=76mGZwEACAAJ>.
- [42] C. Zhao, Z. Wang, Z. Zhu, Q. Guo, X. Wu, and R. Zhao, “Research on different types of fiber reinforced concrete in recent years: An overview,” *Constr. Build. Mater.*, vol. 365, no. October 2022, p. 130075, Feb. 2023, doi:

10.1016/j.conbuildmat.2022.130075.

- [43] N. K. Barman, R. Alagirusamy, and S. S. Bhattacharya, “Flexible Towpregs and Thermoplastic Composites for Civil Engineering Applications,” in *Flexible Towpregs and Their Thermoplastic Composites*, First., R. Alagirusamy, Ed. Boca Raton: CRC Press, 2022, pp. 357–396.
- [44] A. E. Naaman, “Thin TRC products: Status, outlook, and future directions,” in *Textile Fibre Composites in Civil Engineering*, T. Triantafillou, Ed. Elsevier, 2016, pp. 413–439.
- [45] C. Aldea, T. Gries, and A. Roye, “Definition,” in *Textile Reinforced Concrete - State-of-the-Art Report of RILEM TC 201-TRC*, W. Brameshuber, Ed. RILEM Publications SARL, 2006, pp. 5–9.
- [46] M. J. Islam, T. Ahmed, S. M. F. Bin Imam, H. Islam, and F. U. A. Shaikh, “Comparative study of carbon fiber and galvanized iron textile reinforced concrete,” *Constr. Build. Mater.*, vol. 374, no. March, p. 130928, Apr. 2023, doi: 10.1016/j.conbuildmat.2023.130928.
- [47] S. Paul, R. Gettu, D. Naidu Arnepalli, and R. Samanthula, “Experimental evaluation of the durability of glass Textile-Reinforced concrete,” *Constr. Build. Mater.*, vol. 406, no. May, p. 133390, Nov. 2023, doi: 10.1016/j.conbuildmat.2023.133390.
- [48] H. Thiyagarajan, R. Gopal, and S. Gopinath, “Textile Reinforced Concrete Subjected to Acidic and Alkaline Environment: Experimental Study,” *J. Mater. Civ. Eng.*, vol. 34, no. 8, Aug. 2022, doi: 10.1061/(ASCE)MT.1943-5533.0004307.
- [49] M. Hutaibat, B. Ghiassi, and W. Tizani, “Flexural behaviour of concrete thin sheets prestressed with basalt-textile reinforcement,” *Constr. Build. Mater.*, vol. 404, no. August, p. 133213, Nov. 2023, doi: 10.1016/j.conbuildmat.2023.133213.
- [50] A. Peled, S. Sueki, and B. Mobasher, “Bonding in fabric–cement systems: Effects of fabrication methods,” *Cem. Concr. Res.*, vol. 36, no. 9, pp. 1661–1671, Sep. 2006, doi: 10.1016/j.cemconres.2006.05.009.
- [51] K. Holschemacher, “Challenges in the Production of Carbon Reinforced Concrete,” in *Lecture Notes in Civil Engineering*, vol. 203, Springer Singapore, 2022, pp. 823–831.

- [52] W. Brameshuber, “Manufacturing methods for textile-reinforced concrete,” in *Textile Fibre Composites in Civil Engineering*, Elsevier, 2016, pp. 45–59.
- [53] P. Valeri, P. Guaita, R. Baur, M. Fernández Ruiz, D. Fernández- Ordóñez, and A. Muttoni, “Textile reinforced concrete for sustainable structures: Future perspectives and application to a prototype pavilion,” *Struct. Concr.*, vol. 21, no. 6, pp. 2251–2267, Dec. 2020, doi: 10.1002/suco.201900511.
- [54] E. Tsangouri, A. Van Driessche, G. Livitsanos, and D. G. Aggelis, “Design, casting and fracture analysis of textile reinforced cementitious shells,” *Dev. Built Environ.*, vol. 3, no. June, p. 100013, Aug. 2020, doi: 10.1016/j.dibe.2020.100013.
- [55] H. W. Reinhardt, M. Krüger, and C. U. Große, “Concrete Prestressed with Textile Fabric,” *J. Adv. Concr. Technol.*, vol. 1, no. 3, pp. 231–239, 2003, doi: 10.3151/jact.1.231.
- [56] S. Gopinath, R. Gettu, and N. R. Iyer, “Influence of prestressing the textile on the tensile behaviour of textile reinforced concrete,” *Mater. Struct.*, vol. 51, no. 3, p. 64, Jun. 2018, doi: 10.1617/s11527-018-1194-z.
- [57] A. Peled, “Pre-tensioning of fabrics in cement-based composites,” *Cem. Concr. Res.*, vol. 37, no. 5, pp. 805–813, May 2007, doi: 10.1016/j.cemconres.2007.02.010.
- [58] K. Zdanowicz, B. Schmidt, H. Naraniecki, and S. Marx, “Bond behaviour of chemically prestressed textile reinforced concrete,” in *IABSE Symposium, Guimaraes 2019: Towards a Resilient Built Environment Risk and Asset Management - Report*, 2019, no. March, pp. 297–303, doi: 10.2749/guimaraes.2019.0297.
- [59] J. Park, S.-K. Park, and S. Hong, “Experimental Study of Flexural Behavior of Reinforced Concrete Beam Strengthened with Prestressed Textile-Reinforced Mortar,” *Materials (Basel)*, vol. 13, no. 5, p. 1137, Mar. 2020, doi: 10.3390/ma13051137.
- [60] W. Brameshuber *et al.*, “Production technologies,” in *Textile Reinforced Concrete - State-of-the-Art Report of RILEM TC 201-TRC*, W. Brameshuber, Ed. RILEM Publications SARL, 2006, pp. 57–81.
- [61] I. G. Colombo, A. Magri, G. Zani, M. Colombo, and M. di Prisco, “Erratum to: Textile Reinforced Concrete: experimental investigation on design parameters,” *Mater.*

- Struct.*, vol. 46, no. 11, pp. 1953–1971, Nov. 2013, doi: 10.1617/s11527-013-0023-7.
- [62] I. Galan, A. Baldermann, W. Kusterle, M. Dietzel, and F. Mittermayr, “Durability of shotcrete for underground support– Review and update,” *Constr. Build. Mater.*, vol. 202, pp. 465–493, Mar. 2019, doi: 10.1016/j.conbuildmat.2018.12.151.
- [63] C0050600, *ACI PRC-506-16 Guide to Shotcrete*. Farmington Hills, MI: American Concrete Institute, 2016.
- [64] B. Mobasher and A. Pivacek, “A filament winding technique for manufacturing cement based cross-ply laminates,” *Cem. Concr. Compos.*, vol. 20, no. 5, pp. 405–415, Oct. 1998, doi: 10.1016/S0958-9465(98)00011-0.
- [65] A. Peled and B. Mobasher, “Properties of Fabric–Cement Composites made by Pultrusion,” *Mater. Struct.*, vol. 39, no. 8, pp. 787–797, Oct. 2006, doi: 10.1617/s11527-006-9171-3.
- [66] A. Peled and B. Mobasher, “Pultruded Fabric-Cement Composites,” *ACI Mater. J.*, vol. 102, no. 1, pp. 15–23, 2005.
- [67] E. Haim and A. Peled, “Impact Behavior of Textile and Hybrid Cement-Based Composites,” *ACI Mater. J.*, vol. 108, no. 3, pp. 235–243, 2011.
- [68] A. Peled and B. Mobasher, “Tensile Behavior of Fabric Cement-Based Composites: Pultruded and Cast,” *J. Mater. Civ. Eng.*, vol. 19, no. 4, pp. 340–348, Apr. 2007, doi: 10.1061/(ASCE)0899-1561(2007)19:4(340).
- [69] H. Kloft, M. Empelmann, N. Hack, E. Herrmann, and D. Lowke, “Reinforcement strategies for 3D- concrete- printing,” *Civ. Eng. Des.*, vol. 2, no. 4, pp. 131–139, Aug. 2020, doi: 10.1002/cend.202000022.
- [70] N. Hack *et al.*, “Development of a Robot-Based Multi-Directional Dynamic Fiber Winding Process for Additive Manufacturing Using Shotcrete 3D Printing,” *Fibers*, vol. 9, no. 6, p. 39, Jun. 2021, doi: 10.3390/fib9060039.
- [71] R. Alagirusamy, R. Fanguero, V. Ogale, and N. Padaki, “Hybrid Yarns and Textile Preforming for Thermoplastic Composites,” *Text. Prog.*, vol. 38, no. 4, pp. 1–71, Jan. 2006, doi: 10.1533/tepr.2006.0004.

- [72] R. Alagirusamy and V. Ogale, “Commingled and Air Jet-textured Hybrid Yarns for Thermoplastic Composites,” *J. Ind. Text.*, vol. 33, no. 4, pp. 223–243, Apr. 2004, doi: 10.1177/1528083704044360.
- [73] B. Lauke, U. Bunzel, and K. Schneider, “Effect of hybrid yarn structure on the delamination behaviour of thermoplastic composites,” *Compos. Part A Appl. Sci. Manuf.*, vol. 29, no. 11, pp. 1397–1409, 1998, doi: 10.1016/S1359-835X(98)00059-1.
- [74] R. Alagirusamy and V. Ogale, “Development and Characterization of GF/PET, GF/Nylon, and GF/PP Commingled Yarns for Thermoplastic Composites,” *J. Thermoplast. Compos. Mater.*, vol. 18, no. 3, pp. 269–285, May 2005, doi: 10.1177/0892705705049557.
- [75] J. Bernhardsson and R. Shishoo, “Effect of Processing Parameters on Consolidation Quality of GF/PP Commingled Yarn Based Composites,” *J. Thermoplast. Compos. Mater.*, vol. 13, no. 4, pp. 292–313, Jul. 2000, doi: 10.1177/089270570001300403.
- [76] E. Mäder, J. Rausch, and N. Schmidt, “Commingled yarns – Processing aspects and tailored surfaces of polypropylene/glass composites,” *Compos. Part A Appl. Sci. Manuf.*, vol. 39, no. 4, pp. 612–623, Apr. 2008, doi: 10.1016/j.compositesa.2007.07.011.
- [77] N. Wiegand and E. Mäder, “Commingled Yarn Spinning for Thermoplastic/Glass Fiber Composites,” *Fibers*, vol. 5, no. 3, p. 26, Jul. 2017, doi: 10.3390/fib5030026.
- [78] B.-D. Choi, O. Diestel, and P. Offermann, “Commingled CF/PEEK Hybrid Yarns for Use in Textile Reinforced High Performance Rotors,” in *12th International Conference on Composite Materials (ICCM)*, 1999, pp. 796–806, [Online]. Available: <http://www.iccm-central.org/Proceedings/ICCM12proceedings/site/papers/pap528.pdf>.
- [79] J. P. Nunes, J. F. Silva, and P. J. Novo, “PROCESSING THERMOPLASTIC MATRIX TOWPREGS BY PULTRUSION,” *Adv. Polym. Technol.*, vol. 32, no. S1, pp. E306–E312, Mar. 2013, doi: 10.1002/adv.21279.
- [80] V. Goud, R. Alagirusamy, A. Das, and D. Kalyanasundaram, “Dry Electrostatic Spray Coated Towpregs for Thermoplastic Composites,” *Fibers Polym.*, vol. 19, no. 2, pp. 364–374, Feb. 2018, doi: 10.1007/s12221-018-7470-7.

- [81] V. Goud, A. Ramasamy, A. Das, and D. Kalyanasundaram, “Box-Behnken technique based multi-parametric optimization of electrostatic spray coating in the manufacturing of thermoplastic composites,” *Mater. Manuf. Process.*, vol. 34, no. 14, pp. 1638–1645, Oct. 2019, doi: 10.1080/10426914.2019.1666991.
- [82] V. Goud, R. Alagirusamy, A. Das, and D. Kalyanasundaram, “Influence of various forms of polypropylene matrix (fiber, powder and film states) on the flexural strength of carbon-polypropylene composites,” *Compos. Part B Eng.*, vol. 166, no. May 2018, pp. 56–64, Jun. 2019, doi: 10.1016/j.compositesb.2018.11.135.
- [83] V. Goud, R. Alagirusamy, and A. Das, “Towpreg Manufacturing Techniques,” in *Flexible Towpregs and Their Thermoplastic Composites*, First., R. Alagirusamy, Ed. Boca Raton: CRC Press, 2022, pp. 33–58.
- [84] M. Bar, “Studies on natural fibre based twist-less hybrid yarn reinforced thermoplastic composites,” Indian Institute of Technology Delhi, 2018.
- [85] C. Ayranci and J. Carey, “2D braided composites: A review for stiffness critical applications,” *Compos. Struct.*, vol. 85, no. 1, pp. 43–58, Sep. 2008, doi: 10.1016/j.compstruct.2007.10.004.
- [86] Y. Kyosev, *Braiding Technology for Textiles*. Elsevier, 2015.
- [87] K. Birkefeld, M. Röder, T. von Reden, M. Bulat, and K. Drechsler, “Characterization of Biaxial and Triaxial Braids: Fiber Architecture and Mechanical Properties,” *Appl. Compos. Mater.*, vol. 19, no. 3–4, pp. 259–273, Jun. 2012, doi: 10.1007/s10443-011-9190-2.
- [88] Z. T. Kier, A. Salvi, G. Theis, A. M. Waas, and K. Shahwan, “Estimating mechanical properties of 2D triaxially braided textile composites based on microstructure properties,” *Compos. Part B Eng.*, vol. 68, pp. 288–299, Jan. 2015, doi: 10.1016/j.compositesb.2014.08.039.
- [89] L. Zhang and M. Miao, “Commingled natural fibre/polypropylene wrap spun yarns for structured thermoplastic composites,” *Compos. Sci. Technol.*, vol. 70, no. 1, pp. 130–135, 2010, doi: 10.1016/j.compscitech.2009.09.016.
- [90] O. A. Khondker, U. S. Ishiaku, A. Nakai, and H. Hamada, “A novel processing

- technique for thermoplastic manufacturing of unidirectional composites reinforced with jute yarns,” *Compos. Part A Appl. Sci. Manuf.*, vol. 37, no. 12, pp. 2274–2284, Dec. 2006, doi: 10.1016/j.compositesa.2005.12.030.
- [91] M. A. Kaddaha, R. Younes, and P. Lafon, “New Geometrical Modelling for 2D Fabric and 2.5D Interlock Composites,” *Textiles*, vol. 2, no. 1, pp. 142–161, Mar. 2022, doi: 10.3390/textiles2010008.
- [92] K. L. Gandhi and W. S. Sondhelm, “Technical fabric structures – 1. Woven fabrics,” in *Handbook of Technical Textiles*, Second., R. A. Horrocks and S. C. Anand, Eds. Woodhead Publishing, 2016, pp. 63–106.
- [93] D. Weise, M. Vorhof, R. Brünler, C. Sennewald, G. Hoffmann, and C. Cherif, “Reduction of weaving process-induced warp yarn damage and crimp of leno scrim based on coarse high-performance fibers,” *Text. Res. J.*, vol. 89, no. 16, pp. 3326–3341, Aug. 2019, doi: 10.1177/0040517518809049.
- [94] A. Peled, A. Bentur, and D. Yankelevsky, “Flexural Performance of Cementitious Composites Reinforced with Woven Fabrics,” *J. Mater. Civ. Eng.*, vol. 11, no. 4, pp. 325–330, Nov. 1999, doi: 10.1061/(ASCE)0899-1561(1999)11:4(325).
- [95] M. Halvaei, M. Jamshidi, M. Latifi, and M. Ejtemaei, “Experimental investigation and modelling of flexural properties of carbon textile reinforced concrete,” *Constr. Build. Mater.*, vol. 262, p. 120877, Nov. 2020, doi: 10.1016/j.conbuildmat.2020.120877.
- [96] N. K. Barman, A. Ramasamy, and S. S. Bhattacharya, “Improving Performance of Concrete Structures with Textile Reinforcements,” in *Emerging Trends in Traditional and Technical Textiles-Select Proceedings of ICETT 2023*, V. Midha, R. Figueiro, and S. Rajendran, Eds. Springer Nature Singapore Pte Ltd., 2025, pp. 245–272.
- [97] D. Zhu, A. Peled, and B. Mobasher, “Dynamic tensile testing of fabric–cement composites,” *Constr. Build. Mater.*, vol. 25, no. 1, pp. 385–395, Jan. 2011, doi: 10.1016/j.conbuildmat.2010.06.014.
- [98] S. Gopinath, A. Prakash, R. Aahrthy, and M. B. Harish, “Investigations on the influence of matrix and textile on the response of textile reinforced concrete slabs under impact loading,” *Sadhana - Acad. Proc. Eng. Sci.*, vol. 43, no. 11, 2018, doi: 10.1007/s12046-018-0933-8.

- [99] M. Zargarán, N. K. A. Attari, S. Alizadeh, and P. Teymouri, "Minimum reinforcement ratio in TRC panels for deflection hardening flexural performance," *Constr. Build. Mater.*, vol. 137, pp. 459–469, Apr. 2017, doi: 10.1016/j.conbuildmat.2017.01.091.
- [100] P. Teymouri, M. Zargarán, and N. K. A. Attari, "Special Nylon Fabric as a New Material for Reinforcing Cement Composite," *Adv. Mater. Res.*, vol. 772, pp. 167–172, Sep. 2013, doi: 10.4028/www.scientific.net/AMR.772.167.
- [101] F. Schladitz, M. Frenzel, D. Ehlig, and M. Curbach, "Bending load capacity of reinforced concrete slabs strengthened with textile reinforced concrete," *Eng. Struct.*, vol. 40, pp. 317–326, Jul. 2012, doi: 10.1016/j.engstruct.2012.02.029.
- [102] A. Bentur, A. Peled, and D. Yankelevsky, "Enhanced Bonding of Low Modulus Polymer Fibers-Cement Matrix by Means of Crimped Geometry," *Cem. Concr. Res.*, vol. 27, no. 7, pp. 1099–1111, Jul. 1997, doi: 10.1016/S0008-8846(97)00088-4.
- [103] A. Peled, "Textiles as reinforcements for cement composites under impact loading," in *Fifth International RILEM Workshop on High Performance Fiber Reinforced Cement Composites (HPFRCC5)*, 2007, pp. 455–462.
- [104] M. A. Al-Monsur, G. Bardl, and C. Cherif, "Evaluation of adhesive binders for the development of yarn bonding for new stitch-free non-crimp fabrics," *Text. Res. J.*, vol. 85, no. 15, pp. 1635–1648, Sep. 2015, doi: 10.1177/0040517514566111.
- [105] L. Hahn, S. Rittner, C. Bauer, and C. Cherif, "Development of alternative bondings for the production of stitch-free non-crimp fabrics made of multiple carbon fiber heavy tows for construction industry," *J. Ind. Text.*, vol. 48, no. 3, pp. 660–681, Sep. 2018, doi: 10.1177/1528083717736100.
- [106] M. K. Dolatabadi, S. Janetzko, and T. Gries, "Geometrical and mechanical properties of a non-crimp fabric applicable for textile reinforced concrete," *J. Text. Inst.*, vol. 105, no. 7, pp. 711–716, Jul. 2014, doi: 10.1080/00405000.2013.844908.
- [107] R. Böhm, M. Thieme, D. Wohlfahrt, D. Wolz, B. Richter, and H. Jäger, "Reinforcement Systems for Carbon Concrete Composites Based on Low-Cost Carbon Fibers," *Fibers*, vol. 6, no. 3, p. 56, Aug. 2018, doi: 10.3390/fib6030056.
- [108] E. Zdraveva, C. Gonilho-Pereira, R. Fanguero, S. Lanceros-Méndez, S. Jalali, and M.

- Araújo, “Multifunctional Braided Composite Rods for Civil Engineering Applications,” *Adv. Mater. Res.*, vol. 123–125, pp. 149–152, Aug. 2010, doi: 10.4028/www.scientific.net/AMR.123-125.149.
- [109] L. Correia, F. Cunha, P. Subramani, and R. Figueiro, “Development of Hybrid Braided Composite Rods with High Ductility for Civil Engineering,” in *Proceedings of the 5th International Conference on Integrity-Reliability-Failure*, 2016, no. July, pp. 305–306.
- [110] C. Gonilho Pereira, R. Figueiro, S. Jalali, M. Araujo, and P. Marques, “Braided reinforced composite rods for the internal reinforcement of concrete,” *Mech. Compos. Mater.*, vol. 44, no. 3, pp. 221–230, May 2008, doi: 10.1007/s11029-008-9015-z.
- [111] N. F. Grace, W. F. Ragheb, and G. Abdel-Sayed, “Development and application of innovative triaxially braided ductile FRP fabric for strengthening concrete beams,” *Compos. Struct.*, vol. 64, no. 3–4, pp. 521–530, Jun. 2004, doi: 10.1016/j.compstruct.2003.09.051.
- [112] N. F. Grace, W. F. Ragheb, and G. Abdel-Sayed, “Innovative Triaxially Braided DuctileFRP Fabric for Strengthening Structures,” in *SP-230: 7th International Symposium on Fiber-Reinforced (FRP) Polymer Reinforcement for Concrete Structures*, 2005, vol. SP-230, pp. 119–134, doi: 10.14359/14828.
- [113] K. P. Rosado, S. Rana, C. Pereira, and R. Figueiro, “Self-Sensing Hybrid Composite Rod with Braided Reinforcement for Structural Health Monitoring,” *Mater. Sci. Forum*, vol. 730–732, pp. 379–384, Nov. 2012, doi: 10.4028/www.scientific.net/MSF.730-732.379.
- [114] F. Cunha, D. Oliveira, G. Vasconcelos, and R. Figueiro, “Applications of Braided Structures in Civil Engineering,” in *Braided Structures and Composites: Production, Properties, Mechanics, and Technical Applications*, First., S. Rana and R. Figueiro, Eds. Boca Raton: CRC Press, 2015, pp. 195–230.
- [115] S. Rana, E. Zdraveva, C. Pereira, R. Figueiro, and A. G. Correia, “Development of Hybrid Braided Composite Rods for Reinforcement and Health Monitoring of Structures,” *Sci. World J.*, vol. 2014, pp. 1–9, 2014, doi: 10.1155/2014/170187.
- [116] C. Li, R. Guo, G. Xian, and H. Li, “Effects of elevated temperature, hydraulic pressure

- and fatigue loading on the property evolution of a carbon/glass fiber hybrid rod,” *Polym. Test.*, vol. 90, no. July, pp. 1–13, Oct. 2020, doi: 10.1016/j.polymertesting.2020.106761.
- [117] C. Li, X. Yin, Y. Liu, R. Guo, and G. Xian, “Long-term service evaluation of a pultruded carbon/glass hybrid rod exposed to elevated temperature, hydraulic pressure and fatigue load coupling,” *Int. J. Fatigue*, vol. 134, no. September 2019, pp. 1–15, May 2020, doi: 10.1016/j.ijfatigue.2020.105480.
- [118] C. Li *et al.*, “Mechanical property evolution and service life prediction of pultruded carbon/glass hybrid rod exposed in harsh oil-well condition,” *Compos. Struct.*, vol. 246, no. March, pp. 1–12, Aug. 2020, doi: 10.1016/j.compstruct.2020.112418.
- [119] C. M. Pastore and F. K. Ko, “Braided Hybrid Composites for Bridge Repair, National Textile Center Annual Report, Project No: F98-P01,” Philadelphia, 1999. [Online]. Available: <https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.384.8066&rep=rep1&type=pdf>.
- [120] F. K. Ko, W. Somboonsong, and H. G. Harris, “Fibre Architecture Based Design of Ductile Composite Rebar for Concrete Structures,” in *Proceedings of ICCM-11: International Conference on Composite Materials*, 1997, no. July, pp. 723–730, [Online]. Available: http://www.iccm-central.org/Proceedings/ICCM11proceedings/papers/ICCM11_V6_76.pdf.
- [121] H. G. Harris, W. Somboonsong, and F. K. Ko, “New Ductile Hybrid FRP Reinforcing Bar for Concrete Structures,” *J. Compos. Constr.*, vol. 2, no. 1, pp. 28–37, Feb. 1998, doi: 10.1061/(ASCE)1090-0268(1998)2:1(28).
- [122] D. Y. Moon, J. Sim, and H. Oh, “Experimental characterization of the bond performance of a new type of glass fibre-reinforced polymer rebar for application in concrete structures,” *Proc. Inst. Mech. Eng. Part L J. Mater. Des. Appl.*, vol. 221, no. 2, pp. 113–119, Apr. 2007, doi: 10.1243/14644207JMDA109.
- [123] J.-P. Won, C.-G. Park, and C.-I. Jang, “Tensile Fracture and Bond Properties of Ductile Hybrid FRP Reinforcing Bars,” *Polym. Polym. Compos.*, vol. 15, no. 1, pp. 9–16, Jan. 2007, doi: 10.1177/096739110701500102.

- [124] M. Glowania, T. Gries, J. Schoene, M. Schleser, and U. Reisgen, “Innovative Coating Technology for Textile Reinforcements of Concrete Applications,” *Key Eng. Mater.*, vol. 466, pp. 167–173, Jan. 2011, doi: 10.4028/www.scientific.net/KEM.466.167.
- [125] P. Valeri, M. Fernández Ruiz, and A. Muttoni, “Tensile response of textile reinforced concrete,” *Constr. Build. Mater.*, vol. 258, p. 119517, Oct. 2020, doi: 10.1016/j.conbuildmat.2020.119517.
- [126] M. Scheurer, M. Kalthoff, T. Matschei, M. Raupach, and T. Gries, “Analysis of Curing and Mechanical Performance of Pre-Impregnated Carbon Fibers Cured within Concrete,” *Textiles*, vol. 2, no. 4, pp. 657–672, Dec. 2022, doi: 10.3390/textiles2040038.
- [127] V. Mechtcherine, A. Michel, M. Liebscher, K. Schneider, and C. Großmann, “Mineral-impregnated carbon fiber composites as novel reinforcement for concrete construction: Material and automation perspectives,” *Autom. Constr.*, vol. 110, no. March 2019, p. 103002, Feb. 2020, doi: 10.1016/j.autcon.2019.103002.
- [128] K. Schneider, A. Michel, M. Liebscher, L. Terreri, S. Hempel, and V. Mechtcherine, “Mineral-impregnated carbon fibre reinforcement for high temperature resistance of thin-walled concrete structures,” *Cem. Concr. Compos.*, vol. 97, pp. 68–77, Mar. 2019, doi: 10.1016/j.cemconcomp.2018.12.006.
- [129] H. Li *et al.*, “Electrochemical modification of carbon fiber yarns in cementitious pore solution for an enhanced interaction towards concrete matrices,” *Appl. Surf. Sci.*, vol. 487, no. November 2018, pp. 52–58, Sep. 2019, doi: 10.1016/j.apsusc.2019.04.246.
- [130] J. Zhao *et al.*, “Development and testing of fast curing, mineral-impregnated carbon fiber (MCF) reinforcements based on metakaolin-made geopolymers,” *Cem. Concr. Compos.*, vol. 116, p. 103898, Feb. 2021, doi: 10.1016/j.cemconcomp.2020.103898.
- [131] K. Schneider *et al.*, “Mineral-Based Coating of Plasma-Treated Carbon Fibre Rovings for Carbon Concrete Composites with Enhanced Mechanical Performance,” *Materials (Basel)*, vol. 10, no. 4, p. 360, Mar. 2017, doi: 10.3390/ma10040360.
- [132] C. Scheffler *et al.*, “Interphase modification of alkali-resistant glass fibres and carbon fibres for textile reinforced concrete I: Fibre properties and durability,” *Compos. Sci. Technol.*, vol. 69, no. 3–4, pp. 531–538, 2009, doi:

10.1016/j.compscitech.2008.11.027.

- [133] S. L. Gao, E. Mäder, and R. Plonka, “Coatings for glass fibers in a cementitious matrix,” *Acta Mater.*, vol. 52, no. 16, pp. 4745–4755, Sep. 2004, doi: 10.1016/j.actamat.2004.06.028.
- [134] U. Koeckritz, C. Cherif, S. Weiland, and M. Curbach, “In-situ polymer coating of open grid warp knitted fabrics for textile reinforced concrete application,” *J. Ind. Text.*, vol. 40, no. 2, pp. 157–169, 2010, doi: 10.1177/1528083709102938.
- [135] O. Weichold and M. Möller, “A Cement-in-Poly(Vinyl Alcohol) Dispersion for Improved Fibre-Matrix Adhesion in Continuous Glass-Fibre Reinforced Concrete,” *Adv. Eng. Mater.*, vol. 9, no. 8, pp. 712–715, Aug. 2007, doi: 10.1002/adem.200700113.
- [136] S. Tyagi, J. Y. Lee, G. A. Buxton, and A. C. Balazs, “Using Nanocomposite Coatings To Heal Surface Defects,” *Macromolecules*, vol. 37, no. 24, pp. 9160–9168, Nov. 2004, doi: 10.1021/ma048773l.
- [137] O. Weichold, “Preparation and properties of hybrid cement-in-polymer coatings used for the improvement of fiber-matrix adhesion in textile reinforced concrete,” *J. Appl. Polym. Sci.*, vol. 116, no. 6, p. NA-NA, 2010, doi: 10.1002/app.31815.
- [138] A. Pourasee, A. Peled, and J. Weiss, “Fluid transport in cracked fabric-reinforced-cement-based composites,” *J. Mater. Civ. Eng.*, vol. 23, no. 8, pp. 1227–1238, 2011, doi: 10.1061/(ASCE)MT.1943-5533.0000289.
- [139] M. Lieboldt and V. Mechtcherine, “Capillary transport of water through textile-reinforced concrete applied in repairing and/or strengthening cracked RC structures,” *Cem. Concr. Res.*, vol. 52, pp. 53–62, 2013, doi: 10.1016/j.cemconres.2013.05.012.
- [140] H. H. Pham, N. H. Dinh, S. Kim, S. Park, and K.-K. Choi, “Tensile behavioral characteristics of lightweight carbon textile-reinforced cementitious composites,” *J. Build. Eng.*, vol. 57, no. April, p. 104848, Oct. 2022, doi: 10.1016/j.job.2022.104848.
- [141] M. El-Messiry, S. El-Tarfawy, and R. El Deeb, “Enhanced impact properties of cementitious composites reinforced with pultruded flax/polymeric matrix fabric,” *Alexandria Eng. J.*, vol. 56, no. 3, pp. 297–307, Sep. 2017, doi:

10.1016/j.aej.2017.03.032.

- [142] R. Barhum and V. Mechtcherine, “Effect of short, dispersed glass and carbon fibres on the behaviour of textile-reinforced concrete under tensile loading,” *Eng. Fract. Mech.*, vol. 92, pp. 56–71, Sep. 2012, doi: 10.1016/j.engfracmech.2012.06.001.
- [143] Y. Ding, Q. Wang, F. Pacheco-Torgal, and Y. Zhang, “Hybrid effect of basalt fiber textile and macro polypropylene fiber on flexural load-bearing capacity and toughness of two-way concrete slabs,” *Constr. Build. Mater.*, vol. 261, pp. 1–11, Nov. 2020, doi: 10.1016/j.conbuildmat.2020.119881.
- [144] H. R. Pakravan, M. Jamshidi, and H. Rezaei, “Effect of textile surface treatment on the flexural properties of textile-reinforced cementitious composites,” *J. Ind. Text.*, vol. 46, no. 1, pp. 116–129, Jul. 2016, doi: 10.1177/1528083715576320.
- [145] M. Deng, Z. Dong, and C. Zhang, “Experimental investigation on tensile behavior of carbon textile reinforced mortar (TRM) added with short polyvinyl alcohol (PVA) fibers,” *Constr. Build. Mater.*, vol. 235, pp. 1–12, Feb. 2020, doi: 10.1016/j.conbuildmat.2019.117801.
- [146] A. Peled and A. Bentur, “Quantitative Description of the Pull-Out Behavior of Crimped Yarns from Cement Matrix,” *J. Mater. Civ. Eng.*, vol. 15, no. 6, pp. 537–544, 2003, doi: 10.1061/(asce)0899-1561(2003)15:6(537).
- [147] H. Zhang, Y. Shen, K. J. Edgar, G. Yang, and H. Shao, “Influence of cross-section shape on structure and properties of Lyocell fibers,” *Cellulose*, vol. 28, no. 2, pp. 1191–1201, Jan. 2021, doi: 10.1007/s10570-020-03605-9.
- [148] M. K. Singh and B. K. Behera, “Effect of fibre cross-sectional shape on bending behaviour of yarns and fabrics; part I,” *J. Text. Inst.*, vol. 113, no. 5, pp. 810–823, May 2022, doi: 10.1080/00405000.2021.1906488.
- [149] W. E. Morton and J. W. S. Hearle, *Physical properties of textile fibres*, Fourth. Cambridge: Woodhead Publishing Limited, 2008.
- [150] B. Neckar, “Morphology and structural mechanics of fibrous assemblies,” *Faculty of Textile Engineering*. TU Liberec, 1998.
- [151] M. A. Bueno, A. P. Aneja, and M. Renner, “Influence of the shape of fiber cross

- section on fabric surface characteristics,” *J. Mater. Sci.*, vol. 39, no. 2, pp. 557–564, Jan. 2004, doi: 10.1023/B:JMISC.0000011511.66614.48.
- [152] IS-1199-2018, *Fresh Concrete - Methods of Sampling, Testing and Analysis: Part 5 Making and Curing of Test Specimens*. Bureau of Indian Standards, New Delhi, India, 2018.
- [153] IS-1199-2018, “Fresh Concrete - Methods of Sampling, Testing and Analysis: Part 2 Determination of Consistency of Fresh Concrete.” Bureau of Indian Standards, New Delhi, India, 2018.
- [154] ASTM, “Test Methods for Properties of Continuous Filament Carbon and Graphite Fiber Tows.” ASTM International, West Conshohocken, PA, Sep. 01, 2023, doi: 10.1520/D4018-23.
- [155] ASTM, “Test Method for Tensile Properties of Polymer Matrix Composite Materials.” ASTM International, West Conshohocken, PA, Oct. 15, 2017, doi: 10.1520/D3039_D3039M-17.
- [156] ASTM, “Test Method for Tensile Properties of Glass Fiber Strands, Yarns, and Rovings Used in Reinforced Plastics,” vol. 17, no. January. ASTM International, West Conshohocken, PA, pp. 1–6, Aug. 01, 2023, doi: 10.1520/D2343-17R23.
- [157] IS 516 (Part 1/Sec 1): 2021, “Hardened concrete methods of test. Part 1 testing of strength of hardened concrete. Section 1 compressive, flexural and split tensile strength,” Bureau of Indian Standards, New Delhi, India, no. March. pp. 1–20, 2021.
- [158] E. Lorenz and R. Ortlepp, “Bond Behavior of Textile Reinforcements - Development of a Pull-Out Test and Modeling of the Respective Bond versus Slip Relation,” in *High Performance Fiber Reinforced Cement Composites*, vol. 2, no. June, G. J. Parra-Montesinos, H. W. Reinhardt, and A. E. Naaman, Eds. Dordrecht: Springer Netherlands, 2012, pp. 479–486.
- [159] N. Williams Portal, I. Fernandez Perez, L. Nyholm Thrane, and K. Lundgren, “Pull-out of textile reinforcement in concrete,” *Constr. Build. Mater.*, vol. 71, pp. 63–71, Nov. 2014, doi: 10.1016/j.conbuildmat.2014.08.014.
- [160] B. H. Tekle, D. Messerer, and K. Holschemacher, “Bond induced concrete splitting

- failure in textile-reinforced fine-grained concrete,” *Constr. Build. Mater.*, vol. 303, no. August, p. 124503, Oct. 2021, doi: 10.1016/j.conbuildmat.2021.124503.
- [161] RILEM Technical Committee 232-TDT (Wolfgang Brameshuber) *et al.*, “Recommendation of RILEM TC 232-TDT: test methods and design of textile reinforced concrete,” *Mater. Struct.*, vol. 49, no. 12, pp. 4923–4927, Dec. 2016, doi: 10.1617/s11527-016-0839-z.
- [162] S. Gopinath, “Development of Fabric Reinforced Concrete for Flexural Strengthening of RC Beams,” Ph.D. Thesis, Indian Institute of Technology Madras, Chennai, 2017. Available: https://civil.iitm.ac.in/admin/civilcont/CE09D025_Smitha Gopinath.pdf
- [163] B. Wei, H. Cao, and S. Song, “Surface modification and characterization of basalt fibers with hybrid sizings,” *Compos. Part A Appl. Sci. Manuf.*, vol. 42, no. 1, pp. 22–29, Jan. 2011, doi: 10.1016/j.compositesa.2010.09.010.

2.

).