

LIST OF TABLES

Chapter No.	Figure No.	Title of Table	Page No.
Chapter – 1: Introduction			
1	1.1	Acute Vs. Chronic inflammation	5
	1.2	Mediators that regulate the acute inflammatory response	7
Chapter – 2: Literature review			
2	2.1	The plants reported in the treatment of inflammation.	15
Chapter – 3 Aim and Objectives			
Chapter – 4: Preparation of extracts, Qualitative and Quantitative Analysis			
4	4.1	Chromatographic conditions for quantification of Gallic acid	75
	4.2	Chromatographic conditions for quantification of Rutin	77
	4.3	Chromatographic conditions for quantification of Vasicine	79
	4.4	Standardization of the powdered materials	81
	4.5	Phytochemical screening results of extracts	81
	4.6	Linearity and Range for Gallic acid	85
	4.7	LOD and LOQ of Gallic acid	85
	4.8	Interday and Intraday precision data of Gallic acid	86
	4.9	Accuracy data of HPTLC method validation for Gallic acid	86
	4.10	Robustness data for HPTLC method of Gallic acid	86
	4.11	Linearity and Range for Rutin	90
	4.12	LOD and LOQ for Rutin	90
	4.13	Interday and Intraday precision data of Rutin	91
	4.14	Accuracy data HPTLC method of Rutin	91
	4.15	Robustness data for HPTLC method of Rutin	91
	4.16	Linearity and Range for Vasicine	95

	4.17	LOD and LOQ for Vasicine	95
	4.18	Interday and Intraday precision data for Vasicine	95
	4.19	Accuracy data for HPTLC method for Vasicine	96
	4.20	Robustness data for HPTLC method of Vasicine	96
	4.21	Summary of all validation parameters of three standards	97
Chapter – 5: <i>In-silico</i> studies of extracts			
5	5.1	Details of Target receptors used for molecular docking	115
	5.2	Binding affinity of constituents against COX-2	117
	5.3	Binding affinity of constituents against IL-6	121
	5.4	Binding affinity of constituents against COX-1	124
	5.5	Binding affinity of constituents towards TNF- α	128
Chapter – 6: <i>In-vitro</i> studies of extracts			
Chapter – 7: Formulation development and evaluation			
7	7.1	Classification of topical preparations	161
	7.2	Selected values of variables for BBD	170
	7.3	Formula of Optimized batch of Polyherbal Gel	172
	7.4	Formula of Optimized Polyherbal Spray	173
	7.5	HPTLC Chromatographic Conditions for Vasicine quantification	175
	7.6	HPTLC Chromatographic Conditions for Rutin quantification	176
	7.7	HPTLC Chromatographic Conditions for Gallic acid quantification	177
	7.8	Randomized BBD design matrix generated by Design-Expert software	178
	7.9	The statistical analysis of the design for Viscosity	179
	7.10	ANOVA for Response Surface Quadratic Model for Viscosity	179
	7.11	ANOVA study results for Viscosity	180

	7.12	Coded equation for Viscosity	181
	7.13	Statistical analysis of design for Spreadability	185
	7.14	The ANOVA for Spreadability	185
	7.15	ANOVA study results for Spreadability	186
	7.16	Coded equation for Spreadability	187
	7.17	The statistical analysis of the design for pH	191
	7.18	The ANOVA for pH.	191
	7.19	ANOVA study results for pH	192
	7.20	Coded equation for pH	193
	7.21	Composition of optimized batch of Polyherbal gel by Overlay Plot	195
	7.22	Evaluation of optimised batch of Polyherbal gel	200
	7.23	Evaluation parameters of developed Polyherbal Spray	200
	7.24	Stability studies of Both Formulations	201
	7.25	Assay data of both the formulations	208
Chapter – 8: <i>In-vivo</i> studies			
8	8.1	Groups of animals for skin irritation study	215
	8.2	Groups of animals for Evaluation of anti-inflammatory activity	216
	8.3	Effect of developed formulations and diclofenac formulations on carrageenan-induced paws edema in rats.	219