

Bibliography

- Achary, A. E., & Jain, S. K. (2017). Adiponectin, a Therapeutic Target for Obesity, Diabetes, and Endothelial Dysfunction. *International Journal of Molecular Sciences*, *18*(6). <https://doi.org/10.3390/ijms18061321>
- Adhikary, T., Wortmann, A., Schumann, T., Finkernagel, F., Lieber, S., Roth, K., Toth, P. M., Diederich, W. E., Nist, A., Stiewe, T., Kleinesudeik, L., Reinartz, S., Müller-Brüsselbach, S., & Müller, R. (2015). The transcriptional PPAR β/δ network in human macrophages defines a unique agonist-induced activation state. *Nucleic Acids Research*, *43*(10), 5033–5051. <https://doi.org/10.1093/nar/gkv331>
- Aihao Ding, Jing Zhu, Fenyu Jin, Grobmyer, S. R., & Nathan, C. F. (1999). Anti-inflammatory function of secretory leukocyte protease inhibitor. *Journal of Endotoxin Research*, *5*(3), 167–169. <https://doi.org/10.1177/09680519990050031201>
- Albuquerque, D., Nóbrega, C., Manco, L., & Padez, C. (2017). The contribution of genetics and environment to obesity. *British Medical Bulletin*, *123*(1), 159–173. <https://doi.org/10.1093/bmb/ldx022>
- Altintas, M. M., Azad, A., Nayer, B., Contreras, G., Zaias, J., Faul, C., Reiser, J., & Nayer, A. (2011). Mast cells, macrophages, and crown-like structures distinguish subcutaneous from visceral fat in mice. *Journal of Lipid Research*, *52*(3), 480–488. <https://doi.org/10.1194/jlr.M011338>
- Amici, S. A., Young, N. A., Narvaez-Miranda, J., Jablonski, K. A., Arcos, J., Rosas, L., Papenfuss, T. L., Torrelles, J. B., Jarjour, W. N., & Guerau-de-Arellano, M. (2018). CD38 Is Robustly Induced in Human Macrophages and Monocytes in Inflammatory Conditions. *Frontiers in Immunology*, *9*, 1593. <https://doi.org/10.3389/fimmu.2018.01593>
- Anaya-Morua, W., Villafan-Bernal, J. R., Ramírez-Moreno, E., García-Ortiz, H., Martínez-Portilla, R. J., Contreras-Cubas, C., Martínez-Hernández, A., Centeno-Cruz, F., Pedroza-Montoya, F. E., Orozco, L., & Barajas-Olmos, F. (2023). Total Antioxidant Capacity in Obese and Non-Obese Subjects and Its Association with Anthro-Metabolic Markers: Systematic Review and Meta-Analysis. *Antioxidants (Basel, Switzerland)*, *12*(8), 1512. <https://doi.org/10.3390/antiox12081512>
- Arita, Y., Kihara, S., Ouchi, N., Takahashi, M., Maeda, K., Miyagawa, J., Hotta, K., Shimomura, I., Nakamura, T., Miyaoka, K., Kuriyama, H., Nishida, M., Yamashita, S., Okubo, K., Matsubara, K., Muraguchi, M., Ohmoto, Y., Funahashi, T., & Matsuzawa, Y. (1999). Paradoxical decrease of an adipose-specific protein, adiponectin, in obesity. *Biochemical and Biophysical Research Communications*, *257*(1), 79–83. <https://doi.org/10.1006/bbrc.1999.0255>
- Arnold, C. E., Whyte, C. S., Gordon, P., Barker, R. N., Rees, A. J., & Wilson, H. M. (2014). A critical role for suppressor of cytokine signalling 3 in promoting M1 macrophage activation and function in vitro and in vivo. *Immunology*, *141*(1), 96–110. <https://doi.org/10.1111/imm.12173>
- Askari, H., Tykodi, G., Liu, J., & Dagogo-Jack, S. (2010). Fasting plasma leptin level is a surrogate measure of insulin sensitivity. *The Journal of Clinical Endocrinology and Metabolism*, *95*(8), 3836–3843. <https://doi.org/10.1210/jc.2010-0296>
- Barry, J. C., Shakibakho, S., Durrer, C., Simtchouk, S., Jawanda, K. K., Cheung, S. T., Mui, A. L., & Little, J. P. (2016). Hyporesponsiveness to the anti-inflammatory action of interleukin-10 in type 2 diabetes. *Scientific Reports*, *6*, 21244. <https://doi.org/10.1038/srep21244>
- Bertola, A., Ciucci, T., Rousseau, D., Bourlier, V., Duffaut, C., Bonnafous, S., Blin-

- Wakkach, C., Anty, R., Iannelli, A., Gugenheim, J., Tran, A., Bouloumié, A., Gual, P., & Wakkach, A. (2012). Identification of adipose tissue dendritic cells correlated with obesity-associated insulin-resistance and inducing Th17 responses in mice and patients. *Diabetes*, *61*(9), 2238–2247. <https://doi.org/10.2337/db11-1274>
- Bhattacharjee, A., Shukla, M., Yakubenko, V. P., Mulya, A., Kundu, S., & Cathcart, M. K. (2013). IL-4 and IL-13 employ discrete signaling pathways for target gene expression in alternatively activated monocytes/macrophages. *Free Radical Biology & Medicine*, *54*, 1–16. <https://doi.org/10.1016/j.freeradbiomed.2012.10.553>
- Bijnen, M., Josefs, T., Cuijpers, I., Maalsen, C. J., van de Gaar, J., Vroomen, M., Wijnands, E., Rensen, S. S., Greve, J. W. M., Hofker, M. H., Biessen, E. A. L., Stehouwer, C. D. A., Schalkwijk, C. G., & Wouters, K. (2018). Adipose tissue macrophages induce hepatic neutrophil recruitment and macrophage accumulation in mice. *Gut*, *67*(7), 1317–1327. <https://doi.org/10.1136/gutjnl-2016-313654>
- Biswas, S. K. (2015). Metabolic Reprogramming of Immune Cells in Cancer Progression. *Immunity*, *43*(3), 435–449. <https://doi.org/10.1016/j.immuni.2015.09.001>
- Blaak, E. E., van Baak, M. A., Kemerink, G. J., Pakbiers, M. T., Heidendal, G. A., & Saris, W. H. (1995). Beta-adrenergic stimulation and abdominal subcutaneous fat blood flow in lean, obese, and reduced-obese subjects. *Metabolism: Clinical and Experimental*, *44*(2), 183–187. [https://doi.org/10.1016/0026-0495\(95\)90262-7](https://doi.org/10.1016/0026-0495(95)90262-7)
- Boden, G., Duan, X., Homko, C., Molina, E. J., Song, W., Perez, O., Cheung, P., & Merali, S. (2008). Increase in endoplasmic reticulum stress-related proteins and genes in adipose tissue of obese, insulin-resistant individuals. *Diabetes*, *57*(9), 2438–2444. <https://doi.org/10.2337/db08-0604>
- Bolus, W. R., Kennedy, A. J., & Hasty, A. H. (2018). Obesity-induced reduction of adipose eosinophils is reversed with low-calorie dietary intervention. *Physiological Reports*, *6*(22), e13919. <https://doi.org/10.14814/phy2.13919>
- Borcherding, N., Jia, W., Giwa, R., Field, R. L., Moley, J. R., Kopecky, B. J., Chan, M. M., Yang, B. Q., Sabio, J. M., Walker, E. C., Osorio, O., Bredemeyer, A. L., Pietka, T., Alexander-Brett, J., Morley, S. C., Artyomov, M. N., Abumrad, N. A., Schilling, J., Lavine, K., ... Brestoff, J. R. (2022). Dietary lipids inhibit mitochondria transfer to macrophages to divert adipocyte-derived mitochondria into the blood. *Cell Metabolism*, *34*(10), 1499-1513.e8. <https://doi.org/10.1016/j.cmet.2022.08.010>
- Bourlier, V., Zakaroff-Girard, A., Miranville, A., De Barros, S., Maumus, M., Sengenès, C., Galitzky, J., Lafontan, M., Karpe, F., Frayn, K. N., & Bouloumié, A. (2008). Remodeling phenotype of human subcutaneous adipose tissue macrophages. *Circulation*, *117*(6), 806–815. <https://doi.org/10.1161/CIRCULATIONAHA.107.724096>
- Boutens, L., Hooiveld, G. J., Dhingra, S., Cramer, R. A., Netea, M. G., & Stienstra, R. (2018). Unique metabolic activation of adipose tissue macrophages in obesity promotes inflammatory responses. *Diabetologia*, *61*(4), 942–953. <https://doi.org/10.1007/s00125-017-4526-6>
- Brahimi-Horn, M. C., & Pouyssegur, J. (2007). Oxygen, a source of life and stress. *FEBS Letters*, *581*(19), 3582–3591. <https://doi.org/10.1016/j.febslet.2007.06.018>
- Brestoff, J. R., Kim, B. S., Saenz, S. A., Stine, R. R., Monticelli, L. A., Sonnenberg, G. F., Thome, J. J., Farber, D. L., Lutfy, K., Seale, P., & Artis, D. (2015). Group 2 innate lymphoid cells promote beiging of white adipose tissue and limit obesity. *Nature*, *519*(7542), 242–246. <https://doi.org/10.1038/nature14115>
- Brestoff, J. R., Wilen, C. B., Moley, J. R., Li, Y., Zou, W., Malvin, N. P., Rowen, M. N., Saunders, B. T., Ma, H., Mack, M. R., Hykes, B. L., Balce, D. R., Orvedahl, A., Williams, J. W., Rohatgi, N., Wang, X., McAllaster, M. R., Handley, S. A., Kim, B.

- S., ... Teitelbaum, S. L. (2021). Intercellular Mitochondria Transfer to Macrophages Regulates White Adipose Tissue Homeostasis and Is Impaired in Obesity. *Cell Metabolism*, 33(2), 270-282.e8. <https://doi.org/10.1016/j.cmet.2020.11.008>
- Brotfain, E., Hadad, N., Shapira, Y., Avinoah, E., Zlotnik, A., Raichel, L., & Levy, R. (2015). Neutrophil functions in morbidly obese subjects. *Clinical and Experimental Immunology*, 181(1), 156–163. <https://doi.org/10.1111/cei.12631>
- Burke, S. J., Karlstad, M. D., Regal, K. M., Sparer, T. E., Lu, D., Elks, C. M., Grant, R. W., Stephens, J. M., Burk, D. H., & Collier, J. J. (2015). CCL20 is elevated during obesity and differentially regulated by NF- κ B subunits in pancreatic β -cells. *Biochimica et Biophysica Acta*, 1849(6), 637–652. <https://doi.org/10.1016/j.bbagr.2015.03.007>
- Cai, S., Zhao, M., Zhou, B., Yoshii, A., Bugg, D., Villet, O., Sahu, A., Olson, G. S., Davis, J., & Tian, R. (2023). Mitochondrial dysfunction in macrophages promotes inflammation and suppresses repair after myocardial infarction. *The Journal of Clinical Investigation*, 133(4), e159498. <https://doi.org/10.1172/JCI159498>
- Cambiaggi, L., Chakravarty, A., Nouredine, N., & Hersberger, M. (2023). The Role of α -Linolenic Acid and Its Oxylipins in Human Cardiovascular Diseases. *International Journal of Molecular Sciences*, 24(7), 6110. <https://doi.org/10.3390/ijms24076110>
- Cao, H., Xiang, Y., Zhang, S., Chao, Y., Guo, J., Aurich, T., Ho, J. W., Huang, Y., Liu, P., & Sugimura, R. (2024). PD-L1 regulates inflammatory programs of macrophages from human pluripotent stem cells. *Life Science Alliance*, 7(2), e202302461. <https://doi.org/10.26508/lsa.202302461>
- Castoldi, A., Naffah de Souza, C., Câmara, N. O. S., & Moraes-Vieira, P. M. (2015). The Macrophage Switch in Obesity Development. *Frontiers in Immunology*, 6, 637. <https://doi.org/10.3389/fimmu.2015.00637>
- Cave, E., & Crowther, N. J. (2019). The Use of 3T3-L1 Murine Preadipocytes as a Model of Adipogenesis. *Methods in Molecular Biology (Clifton, N.J.)*, 1916, 263–272. https://doi.org/10.1007/978-1-4939-8994-2_25
- Chang, Y.-H., Ho, K.-T., Lu, S.-H., Huang, C.-N., & Shiau, M.-Y. (2012). Regulation of glucose/lipid metabolism and insulin sensitivity by interleukin-4. *International Journal of Obesity*, 36(7), 993–998. <https://doi.org/10.1038/ijo.2011.168>
- Chanput, W., Mes, J. J., & Wichers, H. J. (2014). THP-1 cell line: An in vitro cell model for immune modulation approach. *International Immunopharmacology*, 23(1), 37–45. <https://doi.org/10.1016/j.intimp.2014.08.002>
- Charo, I. F. (2007). Macrophage Polarization and Insulin Resistance: PPAR γ in Control. *Cell Metabolism*, 6(2), 96–98. <https://doi.org/10.1016/j.cmet.2007.07.006>
- Chawla, A., Boisvert, W. A., Lee, C.-H., Laffitte, B. A., Barak, Y., Joseph, S. B., Liao, D., Nagy, L., Edwards, P. A., Curtiss, L. K., Evans, R. M., & Tontonoz, P. (2001). A PPAR γ -LXR-ABCA1 Pathway in Macrophages Is Involved in Cholesterol Efflux and Atherogenesis. *Molecular Cell*, 7(1), 161–171. [https://doi.org/10.1016/S1097-2765\(01\)00164-2](https://doi.org/10.1016/S1097-2765(01)00164-2)
- Chen, B., Lam, K. S. L., Wang, Y., Wu, D., Lam, M. C., Shen, J., Wong, L., Hoo, R. L. C., Zhang, J., & Xu, A. (2006). Hypoxia dysregulates the production of adiponectin and plasminogen activator inhibitor-1 independent of reactive oxygen species in adipocytes. *Biochemical and Biophysical Research Communications*, 341(2), 549–556. <https://doi.org/10.1016/j.bbrc.2006.01.004>
- Chen, R., Wang, J., Dai, X., Wu, S., Huang, Q., Jiang, L., & Kong, X. (2022). Augmented PFKFB3-mediated glycolysis by interferon- γ promotes inflammatory M1 polarization through the JAK2/STAT1 pathway in local vascular inflammation in Takayasu arteritis. *Arthritis Research & Therapy*, 24(1), 266. <https://doi.org/10.1186/s13075->

- Chen, Y., Tian, J., Tian, X., Tang, X., Rui, K., Tong, J., Lu, L., Xu, H., & Wang, S. (2014). Adipose Tissue Dendritic Cells Enhances Inflammation by Prompting the Generation of Th17 Cells. *PLoS ONE*, *9*(3), e92450. <https://doi.org/10.1371/journal.pone.0092450>
- Cho, C.-H., Jun Koh, Y., Han, J., Sung, H.-K., Jong Lee, H., Morisada, T., Schwendener, R. A., Brekken, R. A., Kang, G., Oike, Y., Choi, T.-S., Suda, T., Yoo, O.-J., & Koh, G. Y. (2007). Angiogenic Role of LYVE-1-Positive Macrophages in Adipose Tissue. *Circulation Research*, *100*(4), e47-57. <https://doi.org/10.1161/01.RES.0000259564.92792.93>
- Cho, K. W., Zamarron, B. F., Muir, L. A., Singer, K., Porsche, C. E., DelProposto, J. B., Geletka, L., Meyer, K. A., O'Rourke, R. W., & Lumeng, C. N. (2016). Adipose Tissue Dendritic Cells Are Independent Contributors to Obesity-Induced Inflammation and Insulin Resistance. *The Journal of Immunology*, *197*(9), 3650–3661. <https://doi.org/10.4049/jimmunol.1600820>
- Choi, C. S., Kim, Y.-B., Lee, F. N., Zabolotny, J. M., Kahn, B. B., & Youn, J. H. (2002). Lactate induces insulin resistance in skeletal muscle by suppressing glycolysis and impairing insulin signaling. *American Journal of Physiology-Endocrinology and Metabolism*, *283*(2), E233–E240. <https://doi.org/10.1152/ajpendo.00557.2001>
- Chuang, Y., Hung, M. E., Cangelose, B. K., & Leonard, J. N. (2016). Regulation of the IL-10-driven macrophage phenotype under incoherent stimuli. *Innate Immunity*, *22*(8), 647–657. <https://doi.org/10.1177/1753425916668243>
- Cinti, S., Mitchell, G., Barbatelli, G., Murano, I., Ceresi, E., Faloia, E., Wang, S., Fortier, M., Greenberg, A. S., & Obin, M. S. (2005). Adipocyte death defines macrophage localization and function in adipose tissue of obese mice and humans. *Journal of Lipid Research*, *46*(11), 2347–2355. <https://doi.org/10.1194/jlr.M500294-JLR200>
- Coats, B. R., Schoenfelt, K. Q., Barbosa-Lorenzi, V. C., Peris, E., Cui, C., Hoffman, A., Zhou, G., Fernandez, S., Zhai, L., Hall, B. A., Haka, A. S., Shah, A. M., Reardon, C. A., Brady, M. J., Rhodes, C. J., Maxfield, F. R., & Becker, L. (2017). Metabolically Activated Adipose Tissue Macrophages Perform Detrimental and Beneficial Functions during Diet-Induced Obesity. *Cell Reports*, *20*(13), 3149–3161. <https://doi.org/10.1016/j.celrep.2017.08.096>
- Considine, R. V., Sinha, M. K., Heiman, M. L., Kriauciunas, A., Stephens, T. W., Nyce, M. R., Ohannesian, J. P., Marco, C. C., McKee, L. J., & Bauer, T. L. (1996). Serum immunoreactive-leptin concentrations in normal-weight and obese humans. *The New England Journal of Medicine*, *334*(5), 292–295. <https://doi.org/10.1056/NEJM199602013340503>
- Constant, V. A., Gagnon, A., Landry, A., & Sorisky, A. (2006). Macrophage-conditioned medium inhibits the differentiation of 3T3-L1 and human abdominal preadipocytes. *Diabetologia*, *49*(6), 1402–1411. <https://doi.org/10.1007/s00125-006-0253-0>
- Corica, F., Allegra, A., Buemi, M., Corsonello, A., Bonanzinga, S., Rubino, F., Castagna, L., & Ceruso, D. (1997). Reduced plasma concentrations of transforming growth factor β 1 (TGF- β 1) in obese women. *International Journal of Obesity*, *21*(8), 704–707. <https://doi.org/10.1038/sj.ijo.0800465>
- Dam, V., Sikder, T., & Santosa, S. (2016). From neutrophils to macrophages: differences in regional adipose tissue depots. *Obesity Reviews*, *17*(1), 1–17. <https://doi.org/10.1111/obr.12335>
- de Jong, A. J., Pollastro, S., Kwekkeboom, J. C., Andersen, S. N., Dorjée, A. L., Bakker, A. M., Alzaid, F., Soprani, A., Nelissen, R. G. H. H., Mullers, J. B., Venteclef, N., de Vries, N., Kloppenburg, M., Toes, R. E. M., & Ioan-Facsinay, A. (2018). Functional

- and phenotypical analysis of IL-6-secreting CD4⁺ T cells in human adipose tissue. *European Journal of Immunology*, 48(3), 471–481.
<https://doi.org/10.1002/eji.201747037>
- DeFuria, J., Belkina, A. C., Jagannathan-Bogdan, M., Snyder-Cappione, J., Carr, J. D., Nersesova, Y. R., Markham, D., Strissel, K. J., Watkins, A. A., Zhu, M., Allen, J., Bouchard, J., Toraldo, G., Jasuja, R., Obin, M. S., McDonnell, M. E., Apovian, C., Denis, G. V., & Nikolajczyk, B. S. (2013). B cells promote inflammation in obesity and type 2 diabetes through regulation of T-cell function and an inflammatory cytokine profile. *Proceedings of the National Academy of Sciences*, 110(13), 5133–5138. <https://doi.org/10.1073/pnas.1215840110>
- Deng, J., Liu, S., Zou, L., Xu, C., Geng, B., & Xu, G. (2012). Lipolysis Response to Endoplasmic Reticulum Stress in Adipose Cells. *Journal of Biological Chemistry*, 287(9), 6240–6249. <https://doi.org/10.1074/jbc.M111.299115>
- Divoux, A., Moutel, S., Poitou, C., Lacasa, D., Veyrie, N., Aissat, A., Arock, M., Guerre-Millo, M., & Clément, K. (2012). Mast Cells in Human Adipose Tissue: Link with Morbid Obesity, Inflammatory Status, and Diabetes. *The Journal of Clinical Endocrinology & Metabolism*, 97(9), E1677–E1685. <https://doi.org/10.1210/jc.2012-1532>
- Egalini, F., Guardamagna, O., Gaggero, G., Varaldo, E., Giannone, B., Beccuti, G., Benso, A., & Broglio, F. (2023). The Effects of Omega 3 and Omega 6 Fatty Acids on Glucose Metabolism: An Updated Review. *Nutrients*, 15(12), 2672. <https://doi.org/10.3390/nu15122672>
- Eguchi, K., & Nagai, R. (2017). Islet inflammation in type 2 diabetes and physiology. *Journal of Clinical Investigation*, 127(1), 14–23. <https://doi.org/10.1172/JCI88877>
- Elgazar-Carmon, V., Rudich, A., Hadad, N., & Levy, R. (2008). Neutrophils transiently infiltrate intra-abdominal fat early in the course of high-fat feeding. *Journal of Lipid Research*, 49(9), 1894–1903. <https://doi.org/10.1194/jlr.M800132-JLR200>
- Ellulu, M. S., Patimah, I., Khaza'ai, H., Rahmat, A., & Abed, Y. (2017). Obesity and inflammation: the linking mechanism and the complications. *Archives of Medical Science*, 13(4), 851–863. <https://doi.org/10.5114/aoms.2016.58928>
- Esser, N., L'homme, L., De Roover, A., Kohnen, L., Scheen, A. J., Moutschen, M., Piette, J., Legrand-Poels, S., & Paquot, N. (2013). Obesity phenotype is related to NLRP3 inflammasome activity and immunological profile of visceral adipose tissue. *Diabetologia*, 56(11), 2487–2497. <https://doi.org/10.1007/s00125-013-3023-9>
- Fain, J. N., Madan, A. K., Hiler, M. L., Cheema, P., & Bahouth, S. W. (2004). Comparison of the Release of Adipokines by Adipose Tissue, Adipose Tissue Matrix, and Adipocytes from Visceral and Subcutaneous Abdominal Adipose Tissues of Obese Humans. *Endocrinology*, 145(5), 2273–2282. <https://doi.org/10.1210/en.2003-1336>
- Fain, J. N., Tichansky, D. S., & Madan, A. K. (2005). Transforming Growth Factor β 1 release by human adipose tissue is enhanced in obesity. *Metabolism*, 54(11), 1546–1551. <https://doi.org/10.1016/j.metabol.2005.05.024>
- Fang, C., Li, X., Liang, H., Xue, L., Liu, L., Yang, C., Gao, G., & Jiang, X. (2015). Downregulation of SUMF2 gene in ovalbumin-induced rat model of allergic inflammation. *International Journal of Clinical and Experimental Pathology*, 8(10), 12053–12063.
- Febbraio, M. A., Hiscock, N., Sacchetti, M., Fischer, C. P., & Pedersen, B. K. (2004). Interleukin-6 Is a Novel Factor Mediating Glucose Homeostasis During Skeletal Muscle Contraction. *Diabetes*, 53(7), 1643–1648. <https://doi.org/10.2337/diabetes.53.7.1643>
- Fernández-Sánchez, A., Madrigal-Santillán, E., Bautista, M., Esquivel-Soto, J., Morales-

- González, Á., Esquivel-Chirino, C., Durante-Montiel, I., Sánchez-Rivera, G., Valadez-Vega, C., & Morales-González, J. A. (2011). Inflammation, Oxidative Stress, and Obesity. *International Journal of Molecular Sciences*, *12*(5), 3117–3132. <https://doi.org/10.3390/ijms12053117>
- Ferrante, A. W. (2013). The immune cells in adipose tissue. *Diabetes, Obesity and Metabolism*, *15*(s3), 34–38. <https://doi.org/10.1111/dom.12154>
- Feuerer, M., Herrero, L., Cipolletta, D., Naaz, A., Wong, J., Nayer, A., Lee, J., Goldfine, A. B., Benoist, C., Shoelson, S., & Mathis, D. (2009). Lean, but not obese, fat is enriched for a unique population of regulatory T cells that affect metabolic parameters. *Nature Medicine*, *15*(8), 930–939. <https://doi.org/10.1038/nm.2002>
- Flaherty, S. E., Grijalva, A., Xu, X., Ables, E., Nomani, A., & Ferrante, A. W. (2019). A lipase-independent pathway of lipid release and immune modulation by adipocytes. *Science*, *363*(6430), 989–993. <https://doi.org/10.1126/science.aaw2586>
- Fontana, L., Eagon, J. C., Trujillo, M. E., Scherer, P. E., & Klein, S. (2007). Visceral Fat Adipokine Secretion Is Associated With Systemic Inflammation in Obese Humans. *Diabetes*, *56*(4), 1010–1013. <https://doi.org/10.2337/db06-1656>
- Freemerman, A. J., Johnson, A. R., Sacks, G. N., Milner, J. J., Kirk, E. L., Troester, M. A., Macintyre, A. N., Goraksha-Hicks, P., Rathmell, J. C., & Makowski, L. (2014). Metabolic Reprogramming of Macrophages. *Journal of Biological Chemistry*, *289*(11), 7884–7896. <https://doi.org/10.1074/jbc.M113.522037>
- Fujisaka, S., Usui, I., Bukhari, A., Iikutani, M., Oya, T., Kanatani, Y., Tsuneyama, K., Nagai, Y., Takatsu, K., Urakaze, M., Kobayashi, M., & Tobe, K. (2009). Regulatory Mechanisms for Adipose Tissue M1 and M2 Macrophages in Diet-Induced Obese Mice. *Diabetes*, *58*(11), 2574–2582. <https://doi.org/10.2337/db08-1475>
- Gao, C.-L., Zhu, C., Zhao, Y.-P., Chen, X.-H., Ji, C.-B., Zhang, C.-M., Zhu, J.-G., Xia, Z.-K., Tong, M.-L., & Guo, X.-R. (2010). Mitochondrial dysfunction is induced by high levels of glucose and free fatty acids in 3T3-L1 adipocytes. *Molecular and Cellular Endocrinology*, *320*(1–2), 25–33. <https://doi.org/10.1016/j.mce.2010.01.039>
- Gao, D., Madi, M., Ding, C., Fok, M., Steele, T., Ford, C., Hunter, L., & Bing, C. (2014). Interleukin-1 β mediates macrophage-induced impairment of insulin signaling in human primary adipocytes. *American Journal of Physiology-Endocrinology and Metabolism*, *307*(3), E289–E304. <https://doi.org/10.1152/ajpendo.00430.2013>
- Gao, F., Litchfield, B., & Wu, H. (2024). Adipose tissue lymphocytes and obesity. *The Journal of Cardiovascular Aging*, *4*(1), 5. <https://doi.org/10.20517/jca.2023.38>
- Gao, Y., Sartori, D. J., Li, C., Yu, Q.-C., Kushner, J. A., Simon, M. C., & Diehl, J. A. (2012). PERK Is Required in the Adult Pancreas and Is Essential for Maintenance of Glucose Homeostasis. *Molecular and Cellular Biology*, *32*(24), 5129–5139. <https://doi.org/10.1128/MCB.01009-12>
- Geiger, K., Leihner, A., Muendlein, A., Stark, N., Geller-Rhomberg, S., Saely, C. H., Wabitsch, M., Fraunberger, P., & Drexel, H. (2011). Identification of Hypoxia-Induced Genes in Human SGBS Adipocytes by Microarray Analysis. *PLoS ONE*, *6*(10), e26465. <https://doi.org/10.1371/journal.pone.0026465>
- Ghosh, A. R., Bhattacharya, R., Bhattacharya, S., Nargis, T., Rahaman, O., Duttagupta, P., Raychaudhuri, D., Liu, C. S. C., Roy, S., Ghosh, P., Khanna, S., Chaudhuri, T., Tantia, O., Haak, S., Bandyopadhyay, S., Mukhopadhyay, S., Chakrabarti, P., & Ganguly, D. (2016). Adipose Recruitment and Activation of Plasmacytoid Dendritic Cells Fuel Metaflammation. *Diabetes*, *65*(11), 3440–3452. <https://doi.org/10.2337/db16-0331>
- Giralt, M., & Villarroya, F. (2013). White, Brown, Beige/Brite: Different Adipose Cells for Different Functions? *Endocrinology*, *154*(9), 2992–3000.

- <https://doi.org/10.1210/en.2013-1403>
- Goossens, G. H., Bizzarri, A., Venteclef, N., Essers, Y., Cleutjens, J. P., Konings, E., Jocken, J. W. E., Čajlaković, M., Ribitsch, V., Clément, K., & Blaak, E. E. (2011). Increased Adipose Tissue Oxygen Tension in Obese Compared With Lean Men Is Accompanied by Insulin Resistance, Impaired Adipose Tissue Capillarization, and Inflammation. *Circulation*, *124*(1), 67–76.
<https://doi.org/10.1161/CIRCULATIONAHA.111.027813>
- Gordon, S., & Taylor, P. R. (2005). Monocyte and macrophage heterogeneity. *Nature Reviews Immunology*, *5*(12), 953–964. <https://doi.org/10.1038/nri1733>
- Granowitz, E. V. (1997). Transforming Growth Factor- β Enhances and Pro-inflammatory Cytokines Inhibit OB Gene Expression in 3T3-L1 Adipocytes. *Biochemical and Biophysical Research Communications*, *240*(2), 382–385.
<https://doi.org/10.1006/bbrc.1997.7663>
- Gregor, M. F., & Hotamisligil, G. S. (2007). Thematic review series: Adipocyte Biology. Adipocyte stress: the endoplasmic reticulum and metabolic disease. *Journal of Lipid Research*, *48*(9), 1905–1914. <https://doi.org/10.1194/jlr.R700007-JLR200>
- Gregor, M. F., Yang, L., Fabbrini, E., Mohammed, B. S., Eagon, J. C., Hotamisligil, G. S., & Klein, S. (2009). Endoplasmic Reticulum Stress Is Reduced in Tissues of Obese Subjects After Weight Loss. *Diabetes*, *58*(3), 693–700. <https://doi.org/10.2337/db08-1220>
- Grijalva, A., Xu, X., & Ferrante, A. W. (2016). Autophagy Is Dispensable for Macrophage-Mediated Lipid Homeostasis in Adipose Tissue. *Diabetes*, *65*(4), 967–980. <https://doi.org/10.2337/db15-1219>
- Guimarães, E. S., Gomes, M. T. R., Sanches, R. C. O., Matteucci, K. C., Marinho, F. V., & Oliveira, S. C. (2023). The endoplasmic reticulum stress sensor IRE1 α modulates macrophage metabolic function during *Brucella abortus* infection. *Frontiers in Immunology*, *13*, 1063221. <https://doi.org/10.3389/fimmu.2022.1063221>
- Guo, H., Callaway, J. B., & Ting, J. P.-Y. (2015). Inflammasomes: mechanism of action, role in disease, and therapeutics. *Nature Medicine*, *21*(7), 677–687.
<https://doi.org/10.1038/nm.3893>
- Guo, Q., Chang, B., Yu, Q., Xu, S., Yi, X., & Cao, S. (2020). Adiponectin treatment improves insulin resistance in mice by regulating the expression of the mitochondrial-derived peptide MOTS-c and its response to exercise via APPL1–SIRT1–PGC-1 α . *Diabetologia*, *63*(12), 2675–2688. <https://doi.org/10.1007/s00125-020-05269-3>
- Gupta, R. Das, Tamanna, N., Siddika, N., Haider, S. S., Apu, E. H., & Haider, M. R. (2023). Obesity and Abdominal Obesity in Indian Population: Findings from a Nationally Representative Study of 698,286 Participants. *Epidemiologia*, *4*(2), 163–172. <https://doi.org/10.3390/epidemiologia4020017>
- Gurung, P., Moussa, K., Adams-Huet, B., Devaraj, S., & Jialal, I. (2019). Increased mast cell abundance in adipose tissue of metabolic syndrome: relevance to the proinflammatory state and increased adipose tissue fibrosis. *American Journal of Physiology-Endocrinology and Metabolism*, *316*(3), E504–E509.
<https://doi.org/10.1152/ajpendo.00462.2018>
- Hahn, W. S., Kuzmicic, J., Burrill, J. S., Donoghue, M. A., Foncea, R., Jensen, M. D., Lavandero, S., Arriaga, E. A., & Bernlohr, D. A. (2014). Proinflammatory cytokines differentially regulate adipocyte mitochondrial metabolism, oxidative stress, and dynamics. *American Journal of Physiology-Endocrinology and Metabolism*, *306*(9), E1033–E1045. <https://doi.org/10.1152/ajpendo.00422.2013>
- Haka, A. S., Barbosa-Lorenzi, V. C., Lee, H. J., Falcone, D. J., Hudis, C. A., Dannenberg, A. J., & Maxfield, F. R. (2016). Exocytosis of macrophage lysosomes leads to

- digestion of apoptotic adipocytes and foam cell formation. *Journal of Lipid Research*, 57(6), 980–992. <https://doi.org/10.1194/jlr.M064089>
- Halaas, J. L., Gajiwala, K. S., Maffei, M., Cohen, S. L., Chait, B. T., Rabinowitz, D., Lallone, R. L., Burley, S. K., & Friedman, J. M. (1995). Weight-reducing effects of the plasma protein encoded by the obese gene. *Science*, 269(5223), 543–546. <https://doi.org/10.1126/science.7624777>
- Halberg, N., Khan, T., Trujillo, M. E., Wernstedt-Asterholm, I., Attie, A. D., Sherwani, S., Wang, Z. V., Landskroner-Eiger, S., Dineen, S., Magalang, U. J., Brekken, R. A., & Scherer, P. E. (2009). Hypoxia-Inducible Factor 1 α Induces Fibrosis and Insulin Resistance in White Adipose Tissue. *Molecular and Cellular Biology*, 29(16), 4467–4483. <https://doi.org/10.1128/MCB.00192-09>
- Han, M. S., White, A., Perry, R. J., Camporez, J.-P., Hidalgo, J., Shulman, G. I., & Davis, R. J. (2020). Regulation of adipose tissue inflammation by interleukin 6. *Proceedings of the National Academy of Sciences*, 117(6), 2751–2760. <https://doi.org/10.1073/pnas.1920004117>
- Han, X., Li, W., He, X., Lu, X., Zhang, Y., Li, Y., Bi, G., Ma, X., Huang, X., Bai, R., & Zhang, H. (2023). Blockade of TGF- β signalling alleviates human adipose stem cell senescence induced by native ECM in obesity visceral white adipose tissue. *Stem Cell Research & Therapy*, 14(1), 291. <https://doi.org/10.1186/s13287-023-03525-y>
- Harman-Boehm, I., Blüher, M., Redel, H., Sion-Vardy, N., Ovadia, S., Avinoach, E., Shai, I., Klöting, N., Stumvoll, M., Bashan, N., & Rudich, A. (2007). Macrophage infiltration into omental versus subcutaneous fat across different populations: effect of regional adiposity and the comorbidities of obesity. *The Journal of Clinical Endocrinology & Metabolism*, 92(6), 2240–2247. <https://doi.org/10.1210/jc.2006-1811>
- Hayashi, M., Iwashita, M., Nishimura, Y., Shinjo, T., Sano, T., Yamashita, A., Fukuda, T., Sanui, T., Asano, T., & Nishimura, F. (2021). Adipose-specific C-C motif chemokine ligand (CCL) 19 overexpression drives the mice to both insulin resistance and weight gain. *BMJ Open Diabetes Research & Care*, 9(1), e001871. <https://doi.org/10.1136/bmjdr-2020-001871>
- He, F., Doucet, J. A., & Stephens, J. M. (2008). Caspase-mediated Degradation of PPAR γ Proteins in Adipocytes. *Obesity*, 16(8), 1735–1741. <https://doi.org/10.1038/oby.2008.269>
- He, Q., Gao, Z., Yin, J., Zhang, J., Yun, Z., & Ye, J. (2011). Regulation of HIF-1 α activity in adipose tissue by obesity-associated factors: adipogenesis, insulin, and hypoxia. *American Journal of Physiology-Endocrinology and Metabolism*, 300(5), E877–E885. <https://doi.org/10.1152/ajpendo.00626.2010>
- Heinonen, S., Buzkova, J., Muniandy, M., Kaksonen, R., Ollikainen, M., Ismail, K., Hakkarainen, A., Lundbom, J., Lundbom, N., Vuolteenaho, K., Moilanen, E., Kaprio, J., Rissanen, A., Suomalainen, A., & Pietiläinen, K. H. (2015). Impaired Mitochondrial Biogenesis in Adipose Tissue in Acquired Obesity. *Diabetes*, 64(9), 3135–3145. <https://doi.org/10.2337/db14-1937>
- Hess, B., Saftig, P., Hartmann, D., Coenen, R., Lüllmann-Rauch, R., Goebel, H. H., Evers, M., von Figura, K., D’Hooge, R., Nagels, G., De Deyn, P., Peters, C., & Gieselmann, V. (1996). Phenotype of arylsulfatase A-deficient mice: Relationship to human metachromatic leukodystrophy. *Proceedings of the National Academy of Sciences*, 93(25), 14821–14826. <https://doi.org/10.1073/pnas.93.25.14821>
- Hill, D. A., Lim, H.-W., Kim, Y. H., Ho, W. Y., Foong, Y. H., Nelson, V. L., Nguyen, H. C. B., Chegireddy, K., Kim, J., Habertheuer, A., Vallabhajosyula, P., Kambayashi, T., Won, K.-J., & Lazar, M. A. (2018). Distinct macrophage populations direct

- inflammatory versus physiological changes in adipose tissue. *Proceedings of the National Academy of Sciences*, 115(22). <https://doi.org/10.1073/pnas.1802611115>
- Hirotsu, Y., Katsuoka, F., Funayama, R., Nagashima, T., Nishida, Y., Nakayama, K., Douglas Engel, J., & Yamamoto, M. (2012). Nrf2–MafG heterodimers contribute globally to antioxidant and metabolic networks. *Nucleic Acids Research*, 40(20), 10228–10239. <https://doi.org/10.1093/nar/gks827>
- Hofmann, C., Lorenz, K., Braithwaite, S. S., Colca, J. R., Palazuk, B. J., Hotamisligil, G. S., & Spiegelman, B. M. (1994). Altered gene expression for tumor necrosis factor- α and its receptors during drug and dietary modulation of insulin resistance. *Endocrinology*, 134(1), 264–270. <https://doi.org/10.1210/endo.134.1.8275942>
- Hong, E.-G., Ko, H. J., Cho, Y.-R., Kim, H.-J., Ma, Z., Yu, T. Y., Friedline, R. H., Kurt-Jones, E., Finberg, R., Fischer, M. A., Granger, E. L., Norbury, C. C., Hauschka, S. D., Philbrick, W. M., Lee, C.-G., Elias, J. A., & Kim, J. K. (2009). Interleukin-10 Prevents Diet-Induced Insulin Resistance by Attenuating Macrophage and Cytokine Response in Skeletal Muscle. *Diabetes*, 58(11), 2525–2535. <https://doi.org/10.2337/db08-1261>
- Hong, S. J., Jin, D. P., Buck, D. W., Galiano, R. D., & Mustoe, T. A. (2011). Impaired response of mature adipocytes of diabetic mice to hypoxia. *Experimental Cell Research*, 317(16), 2299–2307. <https://doi.org/10.1016/j.yexcr.2011.07.004>
- Hosogai, N., Fukuhara, A., Oshima, K., Miyata, Y., Tanaka, S., Segawa, K., Furukawa, S., Tochino, Y., Komuro, R., Matsuda, M., & Shimomura, I. (2007). Adipose Tissue Hypoxia in Obesity and Its Impact on Adipocytokine Dysregulation. *Diabetes*, 56(4), 901–911. <https://doi.org/10.2337/db06-0911>
- Hotamisligil, G. S. (2017). Inflammation, metaflammation and immunometabolic disorders. *Nature*, 542(7640), 177–185. <https://doi.org/10.1038/nature21363>
- Hotamisligil, G. S., Arner, P., Caro, J. F., Atkinson, R. L., & Spiegelman, B. M. (1995). Increased adipose tissue expression of tumor necrosis factor- α in human obesity and insulin resistance. *Journal of Clinical Investigation*, 95(5), 2409–2415. <https://doi.org/10.1172/JCI117936>
- Hotamisligil, G. S., Murray, D. L., Choy, L. N., & Spiegelman, B. M. (1994). Tumor necrosis factor α inhibits signaling from the insulin receptor. *Proceedings of the National Academy of Sciences*, 91(11), 4854–4858. <https://doi.org/10.1073/pnas.91.11.4854>
- Hotamisligil, G. S., Shargill, N. S., & Spiegelman, B. M. (1993). Adipose Expression of Tumor Necrosis Factor- α : Direct Role in Obesity-Linked Insulin Resistance. *Science*, 259(5091), 87–91. <https://doi.org/10.1126/science.7678183>
- Hu, E., Liang, P., & Spiegelman, B. M. (1996). AdipoQ Is a Novel Adipose-specific Gene Dysregulated in Obesity. *Journal of Biological Chemistry*, 271(18), 10697–10703. <https://doi.org/10.1074/jbc.271.18.10697>
- Hu, X., & Ivashkiv, L. B. (2009). Cross-regulation of Signaling Pathways by Interferon- γ : Implications for Immune Responses and Autoimmune Diseases. *Immunity*, 31(4), 539–550. <https://doi.org/10.1016/j.immuni.2009.09.002>
- Huang, J., Zhu, R., & Shi, D. (2021). The role of FATP1 in lipid accumulation: a review. *Molecular and Cellular Biochemistry*, 476(4), 1897–1903. <https://doi.org/10.1007/s11010-021-04057-w>
- Huang, S. C.-C., Smith, A. M., Everts, B., Colonna, M., Pearce, E. L., Schilling, J. D., & Pearce, E. J. (2016). Metabolic Reprogramming Mediated by the mTORC2-IRF4 Signaling Axis Is Essential for Macrophage Alternative Activation. *Immunity*, 45(4), 817–830. <https://doi.org/10.1016/j.immuni.2016.09.016>
- Huang, S., Xing, Y., & Liu, Y. (2019). Emerging roles for the ER stress sensor IRE1 α in

- metabolic regulation and disease. *Journal of Biological Chemistry*, 294(49), 18726–18741. <https://doi.org/10.1074/jbc.REV119.007036>
- Huber, J., Kiefer, F. W., Zeyda, M., Ludvik, B., Silberhumer, G. R., Prager, G., Zlabinger, G. J., & Stulnig, T. M. (2008). CC Chemokine and CC Chemokine Receptor Profiles in Visceral and Subcutaneous Adipose Tissue Are Altered in Human Obesity. *The Journal of Clinical Endocrinology & Metabolism*, 93(8), 3215–3221. <https://doi.org/10.1210/jc.2007-2630>
- Ip, W. K. E., Hoshi, N., Shouval, D. S., Snapper, S., & Medzhitov, R. (2017). Anti-inflammatory effect of IL-10 mediated by metabolic reprogramming of macrophages. *Science*, 356(6337), 513–519. <https://doi.org/10.1126/science.aal3535>
- Itoh, K., Chiba, T., Takahashi, S., Ishii, T., Igarashi, K., Katoh, Y., Oyake, T., Hayashi, N., Satoh, K., Hatayama, I., Yamamoto, M., & Nabeshima, Y. (1997). An Nrf2/Small Maf Heterodimer Mediates the Induction of Phase II Detoxifying Enzyme Genes through Antioxidant Response Elements. *Biochemical and Biophysical Research Communications*, 236(2), 313–322. <https://doi.org/10.1006/bbrc.1997.6943>
- Iwawaki, T., Akai, R., & Kohno, K. (2010). IRE1 α Disruption Causes Histological Abnormality of Exocrine Tissues, Increase of Blood Glucose Level, and Decrease of Serum Immunoglobulin Level. *PLoS ONE*, 5(9), e13052. <https://doi.org/10.1371/journal.pone.0013052>
- Izquierdo, A. G., Crujeiras, A. B., Casanueva, F. F., & Carreira, M. C. (2019). Leptin, Obesity, and Leptin Resistance: Where Are We 25 Years Later? *Nutrients*, 11(11), 2704. <https://doi.org/10.3390/nu11112704>
- Jais, A., Einwallner, E., Sharif, O., Gossens, K., Lu, T. T.-H., Soyak, S. M., Medgyesi, D., Neureiter, D., Paier-Pourani, J., Dalgaard, K., Duvigneau, J. C., Lindroos-Christensen, J., Zapf, T.-C., Amann, S., Saluzzo, S., Jantscher, F., Stiedl, P., Todoric, J., Martins, R., ... Esterbauer, H. (2014). Heme Oxygenase-1 Drives Metaflammation and Insulin Resistance in Mouse and Man. *Cell*, 158(1), 25–40. <https://doi.org/10.1016/j.cell.2014.04.043>
- Jaitin, D. A., Adlung, L., Thaiss, C. A., Weiner, A., Li, B., Descamps, H., Lundgren, P., Blieriot, C., Liu, Z., Deczkowska, A., Keren-Shaul, H., David, E., Zmora, N., Eldar, S. M., Lubezky, N., Shibolet, O., Hill, D. A., Lazar, M. A., Colonna, M., ... Amit, I. (2019). Lipid-Associated Macrophages Control Metabolic Homeostasis in a Trem2-Dependent Manner. *Cell*, 178(3), 686–698.e14. <https://doi.org/10.1016/j.cell.2019.05.054>
- Jansen, H. J., van Essen, P., Koenen, T., Joosten, L. A. B., Netea, M. G., Tack, C. J., & Stienstra, R. (2012). Autophagy Activity Is Up-Regulated in Adipose Tissue of Obese Individuals and Modulates Proinflammatory Cytokine Expression. *Endocrinology*, 153(12), 5866–5874. <https://doi.org/10.1210/en.2012-1625>
- Jha, A. K., Huang, S. C.-C., Sergushichev, A., Lampropoulou, V., Ivanova, Y., Loginicheva, E., Chmielewski, K., Stewart, K. M., Ashall, J., Everts, B., Pearce, E. J., Driggers, E. M., & Artyomov, M. N. (2015). Network Integration of Parallel Metabolic and Transcriptional Data Reveals Metabolic Modules that Regulate Macrophage Polarization. *Immunity*, 42(3), 419–430. <https://doi.org/10.1016/j.immuni.2015.02.005>
- Jialal, I., Kaur, H., & Devaraj, S. (2014). Toll-like Receptor Status in Obesity and Metabolic Syndrome: A Translational Perspective. *The Journal of Clinical Endocrinology & Metabolism*, 99(1), 39–48. <https://doi.org/10.1210/jc.2013-3092>
- Jiang, L. Q., Franck, N., Egan, B., Sjögren, R. J. O., Katayama, M., Duque-Guimaraes, D., Arner, P., Zierath, J. R., & Krook, A. (2013). Autocrine role of interleukin-13 on skeletal muscle glucose metabolism in type 2 diabetic patients involves microRNA

- let-7. *American Journal of Physiology-Endocrinology and Metabolism*, 305(11), E1359–E1366. <https://doi.org/10.1152/ajpendo.00236.2013>
- Jiang, Y., Wang, Z., Ma, B., Fan, L., Yi, N., Lu, B., Wang, Q., & Liu, R. (2018). GLP-1 Improves Adipocyte Insulin Sensitivity Following Induction of Endoplasmic Reticulum Stress. *Frontiers in Pharmacology*, 9, 1168. <https://doi.org/10.3389/fphar.2018.01168>
- Johns, C. E., & Galam, L. (2022). Guanylate Binding Protein 1 (GBP1): A Key Protein in Inflammatory Pyroptosis. *Cell Biochemistry and Biophysics*, 80(2), 295–299. <https://doi.org/10.1007/s12013-021-01056-y>
- Joyce, D. A., Gibbons, D. P., Green, P., Steer, J. H., Feldmann, M., & Brennan, F. M. (1994). Two inhibitors of pro-inflammatory cytokine release, interleukin-10 and interleukin-4, have contrasting effects on release of soluble p75 tumor necrosis factor receptor by cultured monocytes. *European Journal of Immunology*, 24(11), 2699–2705. <https://doi.org/10.1002/eji.1830241119>
- Jung, H. S., Park, K. H., Cho, Y. M., Chung, S. S., Cho, H. J., CHO, S. Y., Kim, S. J., Kim, S. Y., Lee, H. K., & Park, K. S. (2006). Resistin is secreted from macrophages in atherosclerosis and promotes atherosclerosis. *Cardiovascular Research*, 69(1), 76–85. <https://doi.org/10.1016/j.cardiores.2005.09.015>
- Kadowaki, T. (2006). Adiponectin and adiponectin receptors in insulin resistance, diabetes, and the metabolic syndrome. *Journal of Clinical Investigation*, 116(7), 1784–1792. <https://doi.org/10.1172/JCI29126>
- Kalra, S., Kapoor, N., Verma, M., Shaikh, S., Das, S., Jacob, J., & Sahay, R. (2023). Defining and Diagnosing Obesity in India: A Call for Advocacy and Action. *Journal of Obesity*, 2023, 1–13. <https://doi.org/10.1155/2023/4178121>
- Kanda, H. (2006). MCP-1 contributes to macrophage infiltration into adipose tissue, insulin resistance, and hepatic steatosis in obesity. *Journal of Clinical Investigation*, 116(6), 1494–1505. <https://doi.org/10.1172/JCI26498>
- Karpe, F., Fielding, B. A., Ilic, V., Macdonald, I. A., Summers, L. K. M., & Frayn, K. N. (2002). Impaired Postprandial Adipose Tissue Blood Flow Response Is Related to Aspects of Insulin Sensitivity. *Diabetes*, 51(8), 2467–2473. <https://doi.org/10.2337/diabetes.51.8.2467>
- Katsuoka, F., Motohashi, H., Engel, J. D., & Yamamoto, M. (2005). Nrf2 Transcriptionally Activates the mafK Gene through an Antioxidant Response Element. *Journal of Biological Chemistry*, 280(6), 4483–4490. <https://doi.org/10.1074/jbc.M411451200>
- Kawai, T., Autieri, M. V., & Scalia, R. (2021). Adipose tissue inflammation and metabolic dysfunction in obesity. *American Journal of Physiology-Cell Physiology*, 320(3), C375–C391. <https://doi.org/10.1152/ajpcell.00379.2020>
- Kelly, B., & O'Neill, L. A. (2015). Metabolic reprogramming in macrophages and dendritic cells in innate immunity. *Cell Research*, 25(7), 771–784. <https://doi.org/10.1038/cr.2015.68>
- Kennedy, D. J., Kuchibhotla, S., Westfall, K. M., Silverstein, R. L., Morton, R. E., & Febbraio, M. (2011). A CD36-dependent pathway enhances macrophage and adipose tissue inflammation and impairs insulin signalling. *Cardiovascular Research*, 89(3), 604–613. <https://doi.org/10.1093/cvr/cvq360>
- Keuper, M., Berti, L., Raedle, B., Sachs, S., Böhm, A., Fritsche, L., Fritsche, A., Häring, H.-U., Hrabě de Angelis, M., Jastroch, M., Hofmann, S. M., & Staiger, H. (2019). Preadipocytes of obese humans display gender-specific bioenergetic responses to glucose and insulin. *Molecular Metabolism*, 20, 28–37. <https://doi.org/10.1016/j.molmet.2018.11.006>

- Keuper, M., Sachs, S., Walheim, E., Berti, L., Raedle, B., Tews, D., Fischer-Posovszky, P., Wabitsch, M., Hrabě de Angelis, M., Kastenmüller, G., Tschöp, M. H., Jastroch, M., Staiger, H., & Hofmann, S. M. (2017). Activated macrophages control human adipocyte mitochondrial bioenergetics via secreted factors. *Molecular Metabolism*, *6*(10), 1226–1239. <https://doi.org/10.1016/j.molmet.2017.07.008>
- Kim, D. H., Kim, B. M., Chung, K. W., Choi, Y. J., Yu, B. P., & Chung, H. Y. (2020). Interaction between CHOP and FoxO6 promotes hepatic lipid accumulation. *Liver International*, *40*(11), 2706–2718. <https://doi.org/10.1111/liv.14594>
- Kim, S., Joe, Y., Kim, H. J., Kim, Y.-S., Jeong, S. O., Pae, H.-O., Ryter, S. W., Surh, Y.-J., & Chung, H. T. (2015). Endoplasmic Reticulum Stress-Induced IRE1 α Activation Mediates Cross-Talk of GSK-3 β and XBP-1 To Regulate Inflammatory Cytokine Production. *The Journal of Immunology*, *194*(9), 4498–4506. <https://doi.org/10.4049/jimmunol.1401399>
- Kim, S. K., Oh, E., Yun, M., Lee, S.-B., & Chae, G. T. (2015). Palmitate induces cisternal ER expansion via the activation of XBP-1/CCT α -mediated phospholipid accumulation in RAW 264.7 cells. *Lipids in Health and Disease*, *14*(1), 73. <https://doi.org/10.1186/s12944-015-0077-3>
- Kim, S. Y., Choi, Y. J., Joung, S. M., Lee, B. H., Jung, Y., & Lee, J. Y. (2010). Hypoxic stress up-regulates the expression of Toll-like receptor 4 in macrophages via hypoxia-inducible factor. *Immunology*, *129*(4), 516–524. <https://doi.org/10.1111/j.1365-2567.2009.03203.x>
- Kitade, H., Sawamoto, K., Nagashimada, M., Inoue, H., Yamamoto, Y., Sai, Y., Takamura, T., Yamamoto, H., Miyamoto, K., Ginsberg, H. N., Mukaida, N., Kaneko, S., & Ota, T. (2012). CCR5 Plays a Critical Role in Obesity-Induced Adipose Tissue Inflammation and Insulin Resistance by Regulating Both Macrophage Recruitment and M1/M2 Status. *Diabetes*, *61*(7), 1680–1690. <https://doi.org/10.2337/db11-1506>
- Kivimäki, M., Strandberg, T., Pentti, J., Nyberg, S. T., Frank, P., Jokela, M., Ervasti, J., Suominen, S. B., Vahtera, J., Sipilä, P. N., Lindbohm, J. V., & Ferrie, J. E. (2022). Body-mass index and risk of obesity-related complex multimorbidity: an observational multicohort study. *The Lancet Diabetes & Endocrinology*, *10*(4), 253–263. [https://doi.org/10.1016/S2213-8587\(22\)00033-X](https://doi.org/10.1016/S2213-8587(22)00033-X)
- Klein-Wieringa, I. R., Andersen, S. N., Kwekkeboom, J. C., Giera, M., de Lange-Brokaar, B. J. E., van Osch, G. J. V. M., Zuurmond, A.-M., Stojanovic-Susulic, V., Nelissen, R. G. H. H., Pijl, H., Huizinga, T. W. J., Kloppenburg, M., Toes, R. E. M., & Ioan-Facsinay, A. (2013). Adipocytes Modulate the Phenotype of Human Macrophages through Secreted Lipids. *The Journal of Immunology*, *191*(3), 1356–1363. <https://doi.org/10.4049/jimmunol.1203074>
- Kobayashi, E. H., Suzuki, T., Funayama, R., Nagashima, T., Hayashi, M., Sekine, H., Tanaka, N., Moriguchi, T., Motohashi, H., Nakayama, K., & Yamamoto, M. (2016). Nrf2 suppresses macrophage inflammatory response by blocking proinflammatory cytokine transcription. *Nature Communications*, *7*(1), 11624. <https://doi.org/10.1038/ncomms11624>
- Kochumon, S., Al-Rashed, F., Abu-Farha, M., Devarajan, S., Tuomilehto, J., & Ahmad, R. (2019). Adipose tissue expression of CCL19 chemokine is positively associated with insulin resistance. *Diabetes/Metabolism Research and Reviews*, *35*(2), e3087. <https://doi.org/10.1002/dmrr.3087>
- Kovarik, P. (1998). Stat1 combines signals derived from IFN-gamma and LPS receptors during macrophage activation. *The EMBO Journal*, *17*(13), 3660–3668. <https://doi.org/10.1093/emboj/17.13.3660>
- Kratz, M., Coats, B. R., Hisert, K. B., Hagman, D., Mutskov, V., Peris, E., Schoenfelt, K.

- Q., Kuzma, J. N., Larson, I., Billing, P. S., Landerholm, R. W., Crouthamel, M., Gozal, D., Hwang, S., Singh, P. K., & Becker, L. (2014). Metabolic Dysfunction Drives a Mechanistically Distinct Proinflammatory Phenotype in Adipose Tissue Macrophages. *Cell Metabolism*, *20*(4), 614–625. <https://doi.org/10.1016/j.cmet.2014.08.010>
- Kraunsøe, R., Boushel, R., Hansen, C. N., Schjerling, P., Qvortrup, K., Støckel, M., Mikines, K. J., & Dela, F. (2010). Mitochondrial respiration in subcutaneous and visceral adipose tissue from patients with morbid obesity. *The Journal of Physiology*, *588*(12), 2023–2032. <https://doi.org/10.1113/jphysiol.2009.184754>
- Krausgruber, T., Blazek, K., Smallie, T., Alzabin, S., Lockstone, H., Sahgal, N., Hussell, T., Feldmann, M., & Udalova, I. A. (2011). IRF5 promotes inflammatory macrophage polarization and TH1-TH17 responses. *Nature Immunology*, *12*(3), 231–238. <https://doi.org/10.1038/ni.1990>
- Lagathu, C., Yvan-Charvet, L., Bastard, J.-P., Maachi, M., Quignard-Boulangé, A., Capeau, J., & Caron, M. (2006). Long-term treatment with interleukin-1 β induces insulin resistance in murine and human adipocytes. *Diabetologia*, *49*(9), 2162–2173. <https://doi.org/10.1007/s00125-006-0335-z>
- Lai, C.-Y., Tseng, P.-C., Chen, C.-L., Satria, R. D., Wang, Y.-T., & Lin, C.-F. (2021). Different Induction of PD-L1 (CD274) and PD-1 (CD279) Expression in THP-1-Differentiated Types 1 and 2 Macrophages. *Journal of Inflammation Research*, *14*, 5241–5249. <https://doi.org/10.2147/JIR.S329921>
- Lancaster, G. I., Langley, K. G., Berglund, N. A., Kammoun, H. L., Reibe, S., Estevez, E., Weir, J., Mellett, N. A., Pernes, G., Conway, J. R. W., Lee, M. K. S., Timpson, P., Murphy, A. J., Masters, S. L., Gerondakis, S., Bartonicek, N., Kaczorowski, D. C., Dinger, M. E., Meikle, P. J., ... Febbraio, M. A. (2018). Evidence that TLR4 Is Not a Receptor for Saturated Fatty Acids but Mediates Lipid-Induced Inflammation by Reprogramming Macrophage Metabolism. *Cell Metabolism*, *27*(5), 1096–1110.e5. <https://doi.org/10.1016/j.cmet.2018.03.014>
- Larsen, C. M., Faulenbach, M., Vaag, A., Vølund, A., Ehses, J. A., Seifert, B., Mandrup-Poulsen, T., & Donath, M. Y. (2007). Interleukin-1–Receptor Antagonist in Type 2 Diabetes Mellitus. *New England Journal of Medicine*, *356*(15), 1517–1526. <https://doi.org/10.1056/NEJMoa065213>
- Lee, B.-C., Kim, M.-S., Pae, M., Yamamoto, Y., Eberlé, D., Shimada, T., Kamei, N., Park, H.-S., Sasorith, S., Woo, J. R., You, J., Mosher, W., Brady, H. J. M., Shoelson, S. E., & Lee, J. (2016). Adipose Natural Killer Cells Regulate Adipose Tissue Macrophages to Promote Insulin Resistance in Obesity. *Cell Metabolism*, *23*(4), 685–698. <https://doi.org/10.1016/j.cmet.2016.03.002>
- Lee, E.-H., Itan, M., Jang, J., Gu, H.-J., Rozenberg, P., Mingler, M. K., Wen, T., Yoon, J., Park, S.-Y., Roh, J. Y., Choi, C. S., Park, W.-J., Munitz, A., & Jung, Y. (2018). Eosinophils support adipocyte maturation and promote glucose tolerance in obesity. *Scientific Reports*, *8*(1), 9894. <https://doi.org/10.1038/s41598-018-28371-4>
- Lee, M. K. S., Al-Sharea, A., Shihata, W. A., Bertuzzo Veiga, C., Cooney, O. D., Fleetwood, A. J., Flynn, M. C., Claeson, E., Palmer, C. S., Lancaster, G. I., Henstridge, D. C., Hamilton, J. A., & Murphy, A. J. (2019). Glycolysis Is Required for LPS-Induced Activation and Adhesion of Human CD14⁺CD16[–] Monocytes. *Frontiers in Immunology*, *10*, 2054. <https://doi.org/10.3389/fimmu.2019.02054>
- Lehrke, M., & Lazar, M. A. (2005). The Many Faces of PPAR γ . *Cell*, *123*(6), 993–999. <https://doi.org/10.1016/j.cell.2005.11.026>
- Lenz, M., Arts, I. C. W., Peeters, R. L. M., de Kok, T. M., & Ertaylan, G. (2020). Adipose tissue in health and disease through the lens of its building blocks. *Scientific Reports*,

- 10(1), 10433. <https://doi.org/10.1038/s41598-020-67177-1>
- Leopold Wager, C. M., Bonifacio, J. R., Simper, J., Naoun, A. A., Arnett, E., & Schlesinger, L. S. (2023). Activation of transcription factor CREB in human macrophages by *Mycobacterium tuberculosis* promotes bacterial survival, reduces NF- κ B nuclear transit and limits phagolysosome fusion by reduced necroptotic signaling. *PLOS Pathogens*, 19(3), e1011297. <https://doi.org/10.1371/journal.ppat.1011297>
- Li, H., Xiao, Y., Tang, L., Zhong, F., Huang, G., Xu, J.-M., Xu, A.-M., Dai, R.-P., & Zhou, Z.-G. (2018). Adipocyte Fatty Acid-Binding Protein Promotes Palmitate-Induced Mitochondrial Dysfunction and Apoptosis in Macrophages. *Frontiers in Immunology*, 9, 81. <https://doi.org/10.3389/fimmu.2018.00081>
- Li, S., Zhao, J. H., Luan, J., Ekelund, U., Luben, R. N., Khaw, K.-T., Wareham, N. J., & Loos, R. J. F. (2010). Physical Activity Attenuates the Genetic Predisposition to Obesity in 20,000 Men and Women from EPIC-Norfolk Prospective Population Study. *PLoS Medicine*, 7(8), e1000332. <https://doi.org/10.1371/journal.pmed.1000332>
- Li, X., Ren, Y., Chang, K., Wu, W., Griffiths, H. R., Lu, S., & Gao, D. (2023). Adipose tissue macrophages as potential targets for obesity and metabolic diseases. *Frontiers in Immunology*, 14, 1153915. <https://doi.org/10.3389/fimmu.2023.1153915>
- Lipson, K. L., Ghosh, R., & Urano, F. (2008). The Role of IRE1 α in the Degradation of Insulin mRNA in Pancreatic β -Cells. *PLoS ONE*, 3(2), e1648. <https://doi.org/10.1371/journal.pone.0001648>
- Liu, C., Wu, J., Zhu, J., Kuei, C., Yu, J., Shelton, J., Sutton, S. W., Li, X., Yun, S. J., Mirzadegan, T., Mazur, C., Kamme, F., & Lovenberg, T. W. (2009). Lactate inhibits lipolysis in fat cells through activation of an orphan G-protein-coupled receptor, GPR81. *The Journal of Biological Chemistry*, 284(5), 2811–2822. <https://doi.org/10.1074/jbc.M806409200>
- Liu, D., Morales, F. E., IglayReger, H. B., Treutelaar, M. K., Rothberg, A. E., Hubal, M. J., Nadler, E. P., Robidoux, J., Barakat, H., Horowitz, J. F., Hoffman, E. P., Burant, C. F., & Gordon, P. M. (2018). Expression of macrophage genes within skeletal muscle correlates inversely with adiposity and insulin resistance in humans. *Applied Physiology, Nutrition, and Metabolism*, 43(2), 187–193. <https://doi.org/10.1139/apnm-2017-0228>
- Liu, F.-T., & Stowell, S. R. (2023). The role of galectins in immunity and infection. *Nature Reviews Immunology*, 23(8), 479–494. <https://doi.org/10.1038/s41577-022-00829-7>
- Liu, J., Divoux, A., Sun, J., Zhang, J., Clément, K., Glickman, J. N., Sukhova, G. K., Wolters, P. J., Du, J., Gorgun, C. Z., Doria, A., Libby, P., Blumberg, R. S., Kahn, B. B., Hotamisligil, G. S., & Shi, G.-P. (2009). Genetic deficiency and pharmacological stabilization of mast cells reduce diet-induced obesity and diabetes in mice. *Nature Medicine*, 15(8), 940–945. <https://doi.org/10.1038/nm.1994>
- Liu, J., Ibi, D., Taniguchi, K., Lee, J., Herrema, H., Akosman, B., Mucka, P., Salazar Hernandez, M. A., Uyar, M. F., Park, S. W., Karin, M., & Ozcan, U. (2016). Inflammation Improves Glucose Homeostasis through IKK β -XBP1s Interaction. *Cell*, 167(4), 1052–1066.e18. <https://doi.org/10.1016/j.cell.2016.10.015>
- Livak, K. J., & Schmittgen, T. D. (2001). Analysis of relative gene expression data using real-time quantitative PCR and the 2⁻(Delta Delta C(T)) Method. *Methods (San Diego, Calif.)*, 25(4), 402–408. <https://doi.org/10.1006/meth.2001.1262>
- Loboda, A., Damulewicz, M., Pyza, E., Jozkowicz, A., & Dulak, J. (2016). Role of Nrf2/HO-1 system in development, oxidative stress response and diseases: an

- evolutionarily conserved mechanism. *Cellular and Molecular Life Sciences*, 73(17), 3221–3247. <https://doi.org/10.1007/s00018-016-2223-0>
- Lodhi, I. J., & Semenkovich, C. F. (2014). Peroxisomes: A Nexus for Lipid Metabolism and Cellular Signaling. *Cell Metabolism*, 19(3), 380–392. <https://doi.org/10.1016/j.cmet.2014.01.002>
- Lolmède, K., Durand de Saint Front, V., Galitzky, J., Lafontan, M., & Bouloumié, A. (2003). Effects of hypoxia on the expression of proangiogenic factors in differentiated 3T3-F442A adipocytes. *International Journal of Obesity*, 27(10), 1187–1195. <https://doi.org/10.1038/sj.ijo.0802407>
- Lumeng, C. N., Bodzin, J. L., & Saltiel, A. R. (2007). Obesity induces a phenotypic switch in adipose tissue macrophage polarization. *Journal of Clinical Investigation*, 117(1), 175–184. <https://doi.org/10.1172/JCI29881>
- Lumeng, C. N., DelProposto, J. B., Westcott, D. J., & Saltiel, A. R. (2008). Phenotypic Switching of Adipose Tissue Macrophages With Obesity Is Generated by Spatiotemporal Differences in Macrophage Subtypes. *Diabetes*, 57(12), 3239–3246. <https://doi.org/10.2337/db08-0872>
- Lumeng, C. N., DeYoung, S. M., Bodzin, J. L., & Saltiel, A. R. (2007). Increased Inflammatory Properties of Adipose Tissue Macrophages Recruited During Diet-Induced Obesity. *Diabetes*, 56(1), 16–23. <https://doi.org/10.2337/db06-1076>
- Lumeng, C. N., DeYoung, S. M., & Saltiel, A. R. (2007). Macrophages block insulin action in adipocytes by altering expression of signaling and glucose transport proteins. *American Journal of Physiology-Endocrinology and Metabolism*, 292(1), E166–E174. <https://doi.org/10.1152/ajpendo.00284.2006>
- Lumeng, C. N., & Saltiel, A. R. (2011). Inflammatory links between obesity and metabolic disease. *The Journal of Clinical Investigation*, 121(6), 2111–2117. <https://doi.org/10.1172/JCI57132>
- Luo, L., & Liu, M. (2016). Adipose tissue in control of metabolism. *Journal of Endocrinology*, 231(3), R77–R99. <https://doi.org/10.1530/JOE-16-0211>
- Ma, X., Wang, D., Zhao, W., & Xu, L. (2018). Deciphering the Roles of PPAR γ in Adipocytes via Dynamic Change of Transcription Complex. *Frontiers in Endocrinology*, 9, 473. <https://doi.org/10.3389/fendo.2018.00473>
- Madhavan, A., Kok, B. P., Rius, B., Grandjean, J. M. D., Alabi, A., Albert, V., Sukiasyan, A., Powers, E. T., Galmozzi, A., Saez, E., & Wiseman, R. L. (2022). Pharmacologic IRE1/XBP1s activation promotes systemic adaptive remodeling in obesity. *Nature Communications*, 13(1), 608. <https://doi.org/10.1038/s41467-022-28271-2>
- Maeda, K., Okubo, K., Shimomura, I., Funahashi, T., Matsuzawa, Y., & Matsubara, K. (1996). cDNA Cloning and Expression of a Novel Adipose Specific Collagen-like Factor, apM1 (Adipose Most Abundant Gene Transcript 1). *Biochemical and Biophysical Research Communications*, 221(2), 286–289. <https://doi.org/10.1006/bbrc.1996.0587>
- Maedler, K., Sergeev, P., Ris, F., Oberholzer, J., Joller-Jemelka, H. I., Spinas, G. A., Kaiser, N., Halban, P. A., & Donath, M. Y. (2002). Glucose-induced β cell production of IL-1 β contributes to glucotoxicity in human pancreatic islets. *Journal of Clinical Investigation*, 110(6), 851–860. <https://doi.org/10.1172/JCI15318>
- Maharjan, B. R., McLennan, S. V., Twigg, S. M., & Williams, P. F. (2022). The Effect of TGF β 1 in Adipocyte on Inflammatory and Fibrotic Markers at Different Stages of Adipocyte Differentiation. *Pathophysiology*, 29(4), 640–649. <https://doi.org/10.3390/pathophysiology29040050>
- Makita, N., Hizukuri, Y., Yamashiro, K., Murakawa, M., & Hayashi, Y. (2015). IL-10 enhances the phenotype of M2 macrophages induced by IL-4 and confers the ability

- to increase eosinophil migration. *International Immunology*, 27(3), 131–141. <https://doi.org/10.1093/intimm/dxu090>
- Mansuy-Aubert, V., Zhou, Q. L., Xie, X., Gong, Z., Huang, J.-Y., Khan, A. R., Aubert, G., Candelaria, K., Thomas, S., Shin, D.-J., Booth, S., Baig, S. M., Bilal, A., Hwang, D., Zhang, H., Lovell-Badge, R., Smith, S. R., Awan, F. R., & Jiang, Z. Y. (2013). Imbalance between Neutrophil Elastase and its Inhibitor α 1-Antitrypsin in Obesity Alters Insulin Sensitivity, Inflammation, and Energy Expenditure. *Cell Metabolism*, 17(4), 534–548. <https://doi.org/10.1016/j.cmet.2013.03.005>
- Mantovani, A., Sica, A., Sozzani, S., Allavena, P., Vecchi, A., & Locati, M. (2004). The chemokine system in diverse forms of macrophage activation and polarization. *Trends in Immunology*, 25(12), 677–686. <https://doi.org/10.1016/j.it.2004.09.015>
- Martin, S. S., Qasim, A., & Reilly, M. P. (2008). Leptin resistance: a possible interface of inflammation and metabolism in obesity-related cardiovascular disease. *Journal of the American College of Cardiology*, 52(15), 1201–1210. <https://doi.org/10.1016/j.jacc.2008.05.060>
- Micallef, M. A., Munro, I. A., & Garg, M. L. (2009). An inverse relationship between plasma n-3 fatty acids and C-reactive protein in healthy individuals. *European Journal of Clinical Nutrition*, 63(9), 1154–1156. <https://doi.org/10.1038/ejcn.2009.20>
- Michelet, X., Dyck, L., Hogan, A., Loftus, R. M., Duquette, D., Wei, K., Beyaz, S., Tavakkoli, A., Foley, C., Donnelly, R., O’Farrelly, C., Raverdeau, M., Vernon, A., Pettee, W., O’Shea, D., Nikolajczyk, B. S., Mills, K. H. G., Brenner, M. B., Finlay, D., & Lynch, L. (2018). Metabolic reprogramming of natural killer cells in obesity limits antitumor responses. *Nature Immunology*, 19(12), 1330–1340. <https://doi.org/10.1038/s41590-018-0251-7>
- Mills, E. L., Kelly, B., Logan, A., Costa, A. S. H., Varma, M., Bryant, C. E., Tourlomousis, P., Däbritz, J. H. M., Gottlieb, E., Latorre, I., Corr, S. C., McManus, G., Ryan, D., Jacobs, H. T., Szibor, M., Xavier, R. J., Braun, T., Frezza, C., Murphy, M. P., & O’Neill, L. A. (2016). Succinate Dehydrogenase Supports Metabolic Repurposing of Mitochondria to Drive Inflammatory Macrophages. *Cell*, 167(2), 457–470.e13. <https://doi.org/10.1016/j.cell.2016.08.064>
- Mitsunaga-Nakatsubo, K., Kusunoki, S., Kawakami, H., Akasaka, K., & Akimoto, Y. (2009). Cell-surface arylsulfatase A and B on sinusoidal endothelial cells, hepatocytes, and Kupffer cells in mammalian livers. *Medical Molecular Morphology*, 42(2), 63–69. <https://doi.org/10.1007/s00795-009-0447-x>
- Mohallem, R., & Aryal, U. K. (2020). Regulators of TNF α mediated insulin resistance elucidated by quantitative proteomics. *Scientific Reports*, 10(1), 20878. <https://doi.org/10.1038/s41598-020-77914-1>
- Mohamed-Ali, V., Goodrick, S., Rawesh, A., Katz, D. R., Miles, J. M., Yudkin, J. S., Klein, S., & Coppack, S. W. (1997). Subcutaneous adipose tissue releases interleukin-6, but not tumor necrosis factor-alpha, in vivo. *The Journal of Clinical Endocrinology and Metabolism*, 82(12), 4196–4200. <https://doi.org/10.1210/jcem.82.12.4450>
- Molofsky, A. B., Nussbaum, J. C., Liang, H.-E., Van Dyken, S. J., Cheng, L. E., Mohapatra, A., Chawla, A., & Locksley, R. M. (2013). Innate lymphoid type 2 cells sustain visceral adipose tissue eosinophils and alternatively activated macrophages. *The Journal of Experimental Medicine*, 210(3), 535–549. <https://doi.org/10.1084/jem.20121964>
- Moreno-Navarrete, J. M., Ortega, F., Rodríguez, A., Latorre, J., Becerril, S., Sabater-Masdeu, M., Ricart, W., Frühbeck, G., & Fernández-Real, J. M. (2017). HMOX1 as a marker of iron excess-induced adipose tissue dysfunction, affecting glucose uptake and respiratory capacity in human adipocytes. *Diabetologia*, 60(5), 915–926.

- <https://doi.org/10.1007/s00125-017-4228-0>
- Morinaga, H., Mayoral, R., Heinrichsdorff, J., Osborn, O., Franck, N., Hah, N., Walenta, E., Bandyopadhyay, G., Pessentheiner, A. R., Chi, T. J., Chung, H., Bogner-Strauss, J. G., Evans, R. M., Olefsky, J. M., & Oh, D. Y. (2015). Characterization of distinct subpopulations of hepatic macrophages in HFD/obese mice. *Diabetes*, *64*(4), 1120–1130. <https://doi.org/10.2337/db14-1238>
- Mosser, D. M., & Edwards, J. P. (2008). Exploring the full spectrum of macrophage activation. *Nature Reviews Immunology*, *8*(12), 958–969. <https://doi.org/10.1038/nri2448>
- Munadziroh, E., Putri, G. A., Ristiana, V., Agustantina, T. H., Nirwana, I., Razak, F. A., & Surboyo, M. D. C. (2022). The Role of Recombinant Secretory Leukocyte Protease Inhibitor to CD163, FGF-2, IL-1 and IL-6 Expression in Skin Wound Healing. *Clinical, Cosmetic and Investigational Dermatology*, *15*, 903–910. <https://doi.org/10.2147/CCID.S358897>
- Muñoz, S., Franckhauser, S., Elias, I., Ferré, T., Hidalgo, A., Monteys, A. M., Molas, M., Cerdán, S., Pujol, A., Ruberte, J., & Bosch, F. (2010). Chronically increased glucose uptake by adipose tissue leads to lactate production and improved insulin sensitivity rather than obesity in the mouse. *Diabetologia*, *53*(11), 2417–2430. <https://doi.org/10.1007/s00125-010-1840-7>
- Murugesan, G., Davidson, L., Jannetti, L., Crocker, P. R., & Weigle, B. (2022). Quantitative Proteomics of Polarised Macrophages Derived from Induced Pluripotent Stem Cells. *Biomedicines*, *10*(2), 239. <https://doi.org/10.3390/biomedicines10020239>
- Na, Y. R., Jung, D., Song, J., Park, J.-W., Hong, J. J., & Seok, S. H. (2020). Pyruvate dehydrogenase kinase is a negative regulator of interleukin-10 production in macrophages. *Journal of Molecular Cell Biology*, *12*(7), 543–555. <https://doi.org/10.1093/jmcb/mjz113>
- Nakamura, A., Mori, Y., Hagiwara, K., Suzuki, T., Sakakibara, T., Kikuchi, T., Igarashi, T., Ebina, M., Abe, T., Miyazaki, J., Takai, T., & Nukiwa, T. (2003). Increased Susceptibility to LPS-induced Endotoxin Shock in Secretory Leukoprotease Inhibitor (SLPI)-deficient Mice. *The Journal of Experimental Medicine*, *197*(5), 669–674. <https://doi.org/10.1084/jem.20021824>
- Nakano, Y., Tobe, T., Choi-Miura, N. H., Mazda, T., & Tomita, M. (1996). Isolation and characterization of GBP28, a novel gelatin-binding protein purified from human plasma. *Journal of Biochemistry*, *120*(4), 803–812. <https://doi.org/10.1093/oxfordjournals.jbchem.a021483>
- Namgaladze, D., & Brüne, B. (2014). Fatty acid oxidation is dispensable for human macrophage IL-4-induced polarization. *Biochimica et Biophysica Acta*, *1841*(9), 1329–1335. <https://doi.org/10.1016/j.bbali.2014.06.007>
- Namkoong, S., Cho, C.-S., Semple, I., & Lee, J. H. (2018). Autophagy Dysregulation and Obesity-Associated Pathologies. *Molecules and Cells*, *41*(1), 3–10. <https://doi.org/10.14348/molcells.2018.2213>
- Nasser, M. I., Zhu, S., Huang, H., Zhao, M., Wang, B., Ping, H., Geng, Q., & Zhu, P. (2020). Macrophages: First guards in the prevention of cardiovascular diseases. *Life Sciences*, *250*, 117559. <https://doi.org/10.1016/j.lfs.2020.117559>
- NCD Risk Factor Collaboration (NCD-RisC). (2024). Worldwide trends in underweight and obesity from 1990 to 2022: a pooled analysis of 3663 population-representative studies with 222 million children, adolescents, and adults. *Lancet (London, England)*, *403*(10431), 1027–1050. [https://doi.org/10.1016/S0140-6736\(23\)02750-2](https://doi.org/10.1016/S0140-6736(23)02750-2)
- NFHS-5. (2019). National family health survey (NFHS-5) India 2019–21 national family health survey. In *Ministry of Health and Family Welfare Directorate General of*

- Health Services*. https://main.mohfw.gov.in/sites/default/files/NFHS-5_Phase-II_0.pdf.
- Ng, M., Fleming, T., Robinson, M., Thomson, B., Graetz, N., Margono, C., Mullany, E. C., Biryukov, S., Abbafati, C., Abera, S. F., Abraham, J. P., Abu-Rmeileh, N. M. E., Achoki, T., AlBuhairan, F. S., Alemu, Z. A., Alfonso, R., Ali, M. K., Ali, R., Guzman, N. A., ... Gakidou, E. (2014). Global, regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: a systematic analysis for the Global Burden of Disease Study 2013. *Lancet (London, England)*, 384(9945), 766–781. [https://doi.org/10.1016/S0140-6736\(14\)60460-8](https://doi.org/10.1016/S0140-6736(14)60460-8)
- Nguyen, M. T. A., Favelyukis, S., Nguyen, A.-K., Reichart, D., Scott, P. A., Jenn, A., Liu-Bryan, R., Glass, C. K., Neels, J. G., & Olefsky, J. M. (2007). A Subpopulation of Macrophages Infiltrates Hypertrophic Adipose Tissue and Is Activated by Free Fatty Acids via Toll-like Receptors 2 and 4 and JNK-dependent Pathways. *Journal of Biological Chemistry*, 282(48), 35279–35292. <https://doi.org/10.1074/jbc.M706762200>
- Nieva-Vazquez, A., Pérez-Fuentes, R., Torres-Rasgado, E., López-López, J. G., & Romero, J. R. (2014). Serum resistin levels are associated with adiposity and insulin sensitivity in obese Hispanic subjects. *Metabolic Syndrome and Related Disorders*, 12(2), 143–148. <https://doi.org/10.1089/met.2013.0118>
- Nigro, E., Scudiero, O., Monaco, M. L., Palmieri, A., Mazzarella, G., Costagliola, C., Bianco, A., & Daniele, A. (2014). New Insight into Adiponectin Role in Obesity and Obesity-Related Diseases. *BioMed Research International*, 2014, 1–14. <https://doi.org/10.1155/2014/658913>
- Nishimura, S., Manabe, I., Nagasaki, M., Eto, K., Yamashita, H., Ohsugi, M., Otsu, M., Hara, K., Ueki, K., Sugiura, S., Yoshimura, K., Kadowaki, T., & Nagai, R. (2009). CD8+ effector T cells contribute to macrophage recruitment and adipose tissue inflammation in obesity. *Nature Medicine*, 15(8), 914–920. <https://doi.org/10.1038/nm.1964>
- Nishimura, S., Manabe, I., Takaki, S., Nagasaki, M., Otsu, M., Yamashita, H., Sugita, J., Yoshimura, K., Eto, K., Komuro, I., Kadowaki, T., & Nagai, R. (2013). Adipose Natural Regulatory B Cells Negatively Control Adipose Tissue Inflammation. *Cell Metabolism*, 18(5), 759–766. <https://doi.org/10.1016/j.cmet.2013.09.017>
- Nomura, M., Liu, J., Rovira, I. I., Gonzalez-Hurtado, E., Lee, J., Wolfgang, M. J., & Finkel, T. (2016). Fatty acid oxidation in macrophage polarization. *Nature Immunology*, 17(3), 216–217. <https://doi.org/10.1038/ni.3366>
- Nomura, M., Liu, J., Yu, Z.-X., Yamazaki, T., Yan, Y., Kawagishi, H., Rovira, I. I., Liu, C., Wolfgang, M. J., Mukoyama, Y.-S., & Finkel, T. (2019). Macrophage fatty acid oxidation inhibits atherosclerosis progression. *Journal of Molecular and Cellular Cardiology*, 127, 270–276. <https://doi.org/10.1016/j.yjmcc.2019.01.003>
- Novikoff, A. B., & Novikoff, P. M. (1982). Microperoxisomes and peroxisomes in relation to lipid metabolism. *Annals of the New York Academy of Sciences*, 386, 138–152. <https://doi.org/10.1111/j.1749-6632.1982.tb21412.x>
- Oates, T. C., Moura, P. L., Cross, S., Roberts, K., Baum, H. E., Haydn-Smith, K. L., Wilson, M. C., Heesom, K. J., Severn, C. E., & Toye, A. M. (2023). Defining the proteomic landscape of cultured macrophages and their polarization continuum. *Immunology and Cell Biology*, 101(10), 947–963. <https://doi.org/10.1111/imcb.12687>
- Odaka, C., Mizuochi, T., Yang, J., & Ding, A. (2003). Murine macrophages produce secretory leukocyte protease inhibitor during clearance of apoptotic cells: implications for resolution of the inflammatory response. *Journal of Immunology (Baltimore, Md. : 1950)*, 171(3), 1507–1514.

- <https://doi.org/10.4049/jimmunol.171.3.1507>
- Odegaard, J. I., Ricardo-Gonzalez, R. R., Red Eagle, A., Vats, D., Morel, C. R., Goforth, M. H., Subramanian, V., Mukundan, L., Ferrante, A. W., & Chawla, A. (2008). Alternative M2 activation of Kupffer cells by PPARdelta ameliorates obesity-induced insulin resistance. *Cell Metabolism*, 7(6), 496–507. <https://doi.org/10.1016/j.cmet.2008.04.003>
- Orr, J. S., Kennedy, A., Anderson-Baucum, E. K., Webb, C. D., Fordahl, S. C., Erikson, K. M., Zhang, Y., Etzerodt, A., Moestrup, S. K., & Hastay, A. H. (2014). Obesity alters adipose tissue macrophage iron content and tissue iron distribution. *Diabetes*, 63(2), 421–432. <https://doi.org/10.2337/db13-0213>
- Osborn, O., Brownell, S. E., Sanchez-Alavez, M., Salomon, D., Gram, H., & Bartfai, T. (2008). Treatment with an Interleukin 1 beta antibody improves glycemic control in diet-induced obesity. *Cytokine*, 44(1), 141–148. <https://doi.org/10.1016/j.cyto.2008.07.004>
- Ouchi, N., Kihara, S., Funahashi, T., Nakamura, T., Nishida, M., Kumada, M., Okamoto, Y., Ohashi, K., Nagaretani, H., Kishida, K., Nishizawa, H., Maeda, N., Kobayashi, H., Hiraoka, H., & Matsuzawa, Y. (2003). Reciprocal association of C-reactive protein with adiponectin in blood stream and adipose tissue. *Circulation*, 107(5), 671–674. <https://doi.org/10.1161/01.cir.0000055188.83694.b3>
- Oyadomari, S., Harding, H. P., Zhang, Y., Oyadomari, M., & Ron, D. (2008). Dephosphorylation of translation initiation factor 2alpha enhances glucose tolerance and attenuates hepatosteatosis in mice. *Cell Metabolism*, 7(6), 520–532. <https://doi.org/10.1016/j.cmet.2008.04.011>
- Ozcan, U., Cao, Q., Yilmaz, E., Lee, A.-H., Iwakoshi, N. N., Ozdelen, E., Tuncman, G., Görgün, C., Glimcher, L. H., & Hotamisligil, G. S. (2004). Endoplasmic reticulum stress links obesity, insulin action, and type 2 diabetes. *Science*, 306(5695), 457–461. <https://doi.org/10.1126/science.1103160>
- Ozcan, U., Yilmaz, E., Ozcan, L., Furuhashi, M., Vaillancourt, E., Smith, R. O., Görgün, C. Z., & Hotamisligil, G. S. (2006). Chemical chaperones reduce ER stress and restore glucose homeostasis in a mouse model of type 2 diabetes. *Science*, 313(5790), 1137–1140. <https://doi.org/10.1126/science.1128294>
- Palmieri, E. M., Spera, I., Menga, A., Infantino, V., Porcelli, V., Iacobazzi, V., Pierri, C. L., Hooper, D. C., Palmieri, F., & Castegna, A. (2015). Acetylation of human mitochondrial citrate carrier modulates mitochondrial citrate/malate exchange activity to sustain NADPH production during macrophage activation. *Biochimica et Biophysica Acta*, 1847(8), 729–738. <https://doi.org/10.1016/j.bbabbio.2015.04.009>
- Pan, Y., Hui, X., Hoo, R. L. C., Ye, D., Chan, C. Y. C., Feng, T., Wang, Y., Lam, K. S. L., & Xu, A. (2019). Adipocyte-secreted exosomal microRNA-34a inhibits M2 macrophage polarization to promote obesity-induced adipose inflammation. *The Journal of Clinical Investigation*, 129(2), 834–849. <https://doi.org/10.1172/JCI123069>
- Pandey, S., Anang, V., Singh, S., Seth, S., Bhatt, A. N., Kalra, N., Manda, K., Soni, R., Roy, B. G., Natarajan, K., & Dwarakanath, B. S. (2023). Dietary administration of the glycolytic inhibitor 2-deoxy-D-glucose reduces endotoxemia-induced inflammation and oxidative stress: Implications in PAMP-associated acute and chronic pathology. *Frontiers in Pharmacology*, 14, 940129. <https://doi.org/10.3389/fphar.2023.940129>
- Panuganti, K. K., Nguyen, M., & Kshirsagar, R. K. (2023). *Obesity*. StatPearls Publishing.
- Park, S.-M., Kang, T.-I., & So, J.-S. (2021). Roles of XBP1s in Transcriptional Regulation of Target Genes. *Biomedicines*, 9(7), 791. <https://doi.org/10.3390/biomedicines9070791>

- Pasarica, M., Rood, J., Ravussin, E., Schwarz, J.-M., Smith, S. R., & Redman, L. M. (2010). Reduced oxygenation in human obese adipose tissue is associated with impaired insulin suppression of lipolysis. *The Journal of Clinical Endocrinology and Metabolism*, *95*(8), 4052–4055. <https://doi.org/10.1210/jc.2009-2377>
- Pasarica, M., Sereda, O. R., Redman, L. M., Albarado, D. C., Hymel, D. T., Roan, L. E., Rood, J. C., Burk, D. H., & Smith, S. R. (2009). Reduced adipose tissue oxygenation in human obesity: evidence for rarefaction, macrophage chemotaxis, and inflammation without an angiogenic response. *Diabetes*, *58*(3), 718–725. <https://doi.org/10.2337/db08-1098>
- Patel, L., Buckels, A. C., Kinghorn, I. J., Murdock, P. R., Holbrook, J. D., Plumpton, C., Macphee, C. H., & Smith, S. A. (2003). Resistin is expressed in human macrophages and directly regulated by PPAR gamma activators. *Biochemical and Biophysical Research Communications*, *300*(2), 472–476. [https://doi.org/10.1016/s0006-291x\(02\)02841-3](https://doi.org/10.1016/s0006-291x(02)02841-3)
- Patel, R., Palit, S. P., Rathwa, N., Ramachandran, A. V., & Begum, R. (2019). Genetic variants of tumor necrosis factor- α and its levels: A correlation with dyslipidemia and type 2 diabetes susceptibility. *Clinical Nutrition (Edinburgh, Scotland)*, *38*(3), 1414–1422. <https://doi.org/10.1016/j.clnu.2018.06.962>
- Patel, S., & Werstuck, G. H. (2021). Macrophage Function and the Role of GSK3. *International Journal of Molecular Sciences*, *22*(4), 2206. <https://doi.org/10.3390/ijms22042206>
- Pelleymounter, M. A., Cullen, M. J., Baker, M. B., Hecht, R., Winters, D., Boone, T., & Collins, F. (1995). Effects of the obese gene product on body weight regulation in ob/ob mice. *Science*, *269*(5223), 540–543. <https://doi.org/10.1126/science.7624776>
- Pi-Sunyer, X. (2009). The medical risks of obesity. *Postgraduate Medicine*, *121*(6), 21–33. <https://doi.org/10.3810/pgm.2009.11.2074>
- Pisano, E., Pacifico, L., Perla, F. M., Liuzzo, G., Chiesa, C., Lavorato, M., Mingrone, G., Fabrizi, M., Fintini, D., Severino, A., & Manco, M. (2021). Upregulated monocyte expression of PLIN2 is associated with early arterial injury in children with overweight/obesity. *Atherosclerosis*, *327*, 68–75. <https://doi.org/10.1016/j.atherosclerosis.2021.04.016>
- Plata-Salamán, C. R., & Borkoski, J. P. (1994). Chemokines/intercrines and central regulation of feeding. *The American Journal of Physiology*, *266*(5 Pt 2), R1711–R1715. <https://doi.org/10.1152/ajpregu.1994.266.5.R1711>
- Polotsky, V. Y., Li, J., Punjabi, N. M., Rubin, A. E., Smith, P. L., Schwartz, A. R., & O'Donnell, C. P. (2003). Intermittent hypoxia increases insulin resistance in genetically obese mice. *The Journal of Physiology*, *552*(Pt 1), 253–264. <https://doi.org/10.1113/jphysiol.2003.048173>
- Potter, K. J., Westwell-Roper, C. Y., Klimek-Abercrombie, A. M., Warnock, G. L., & Verchere, C. B. (2014). Death and dysfunction of transplanted β -cells: lessons learned from type 2 diabetes? *Diabetes*, *63*(1), 12–19. <https://doi.org/10.2337/db12-0364>
- Puleston, D. J., Buck, M. D., Klein Geltink, R. I., Kyle, R. L., Caputa, G., O'Sullivan, D., Cameron, A. M., Castoldi, A., Musa, Y., Kabat, A. M., Zhang, Y., Flachsmann, L. J., Field, C. S., Patterson, A. E., Scherer, S., Alfei, F., Baixauli, F., Austin, S. K., Kelly, B., ... Pearce, E. L. (2019). Polyamines and eIF5A Hypusination Modulate Mitochondrial Respiration and Macrophage Activation. *Cell Metabolism*, *30*(2), 352–363.e8. <https://doi.org/10.1016/j.cmet.2019.05.003>
- Qatanani, M., Szwegold, N. R., Greaves, D. R., Ahima, R. S., & Lazar, M. A. (2009). Macrophage-derived human resistin exacerbates adipose tissue inflammation and insulin resistance in mice. *The Journal of Clinical Investigation*, *119*(3), 531–539.

<https://doi.org/10.1172/JCI37273>

- Raiman, L., Amarnani, R., Abdur-Rahman, M., Marshall, A., & Mani-Babu, S. (2023). The role of physical activity in obesity: let's actively manage obesity. *Clinical Medicine (London, England)*, 23(4), 311–317. <https://doi.org/10.7861/clinmed.2023-0152>
- Raina, P., Sikka, R., Gupta, H., Matharoo, K., Bali, S. K., Singh, V., & Bhanwer, A. (2021). Association of eNOS and MCP-1 Genetic Variants with Type 2 Diabetes and Diabetic Nephropathy Susceptibility: A Case-Control and Meta-Analysis Study. *Biochemical Genetics*, 59(4), 966–996. <https://doi.org/10.1007/s10528-021-10041-2>
- Randeria, S. N., Thomson, G. J. A., Nell, T. A., Roberts, T., & Pretorius, E. (2019). Inflammatory cytokines in type 2 diabetes mellitus as facilitators of hypercoagulation and abnormal clot formation. *Cardiovascular Diabetology*, 18(1), 72. <https://doi.org/10.1186/s12933-019-0870-9>
- Rausch, M. E., Weisberg, S., Vardhana, P., & Tortoriello, D. V. (2008). Obesity in C57BL/6J mice is characterized by adipose tissue hypoxia and cytotoxic T-cell infiltration. *International Journal of Obesity (2005)*, 32(3), 451–463. <https://doi.org/10.1038/sj.ijo.0803744>
- Reddy, J. K., & Mannaerts, G. P. (1994). Peroxisomal lipid metabolism. *Annual Review of Nutrition*, 14, 343–370. <https://doi.org/10.1146/annurev.nu.14.070194.002015>
- Rehman, K., & Akash, M. S. H. (2016). Mechanisms of inflammatory responses and development of insulin resistance: how are they interlinked? *Journal of Biomedical Science*, 23(1), 87. <https://doi.org/10.1186/s12929-016-0303-y>
- Relloso, M., Puig-Kröger, A., Pello, O. M., Rodríguez-Fernández, J. L., de la Rosa, G., Longo, N., Navarro, J., Muñoz-Fernández, M. A., Sánchez-Mateos, P., & Corbí, A. L. (2002). DC-SIGN (CD209) expression is IL-4 dependent and is negatively regulated by IFN, TGF-beta, and anti-inflammatory agents. *Journal of Immunology*, 168(6), 2634–2643. <https://doi.org/10.4049/jimmunol.168.6.2634>
- Ricardo-Gonzalez, R. R., Red Eagle, A., Odegaard, J. I., Jouihan, H., Morel, C. R., Heredia, J. E., Mukundan, L., Wu, D., Locksley, R. M., & Chawla, A. (2010). IL-4/STAT6 immune axis regulates peripheral nutrient metabolism and insulin sensitivity. *Proceedings of the National Academy of Sciences of the United States of America*, 107(52), 22617–22622. <https://doi.org/10.1073/pnas.1009152108>
- Riley, J. K., Takeda, K., Akira, S., & Schreiber, R. D. (1999). Interleukin-10 receptor signaling through the JAK-STAT pathway. Requirement for two distinct receptor-derived signals for anti-inflammatory action. *The Journal of Biological Chemistry*, 274(23), 16513–16521. <https://doi.org/10.1074/jbc.274.23.16513>
- Rosen, E. D., Hsu, C.-H., Wang, X., Sakai, S., Freeman, M. W., Gonzalez, F. J., & Spiegelman, B. M. (2002). C/EBP α induces adipogenesis through PPAR γ : a unified pathway. *Genes & Development*, 16(1), 22–26. <https://doi.org/10.1101/gad.948702>
- Rosen, E. D., Sarraf, P., Troy, A. E., Bradwin, G., Moore, K., Milstone, D. S., Spiegelman, B. M., & Mortensen, R. M. (1999). PPAR gamma is required for the differentiation of adipose tissue in vivo and in vitro. *Molecular Cell*, 4(4), 611–617. [https://doi.org/10.1016/s1097-2765\(00\)80211-7](https://doi.org/10.1016/s1097-2765(00)80211-7)
- Röszer, T. (2015). Understanding the Mysterious M2 Macrophage through Activation Markers and Effector Mechanisms. *Mediators of Inflammation*, 2015, 816460. <https://doi.org/10.1155/2015/816460>
- Ruffell, D., Mourkioti, F., Gambardella, A., Kirstetter, P., Lopez, R. G., Rosenthal, N., & Nerlov, C. (2009). A CREB-C/EBPbeta cascade induces M2 macrophage-specific gene expression and promotes muscle injury repair. *Proceedings of the National Academy of Sciences of the United States of America*, 106(41), 17475–17480.

- <https://doi.org/10.1073/pnas.0908641106>
- Rutkowski, D. T., & Kaufman, R. J. (2004). A trip to the ER: coping with stress. *Trends in Cell Biology*, *14*(1), 20–28. <https://doi.org/10.1016/j.tcb.2003.11.001>
- Salazar, M. R., Carbajal, H. A., Espeche, W. G., Aizpurúa, M., Maciel, P. M., & Reaven, G. M. (2014). Identification of cardiometabolic risk: visceral adiposity index versus triglyceride/HDL cholesterol ratio. *The American Journal of Medicine*, *127*(2), 152–157. <https://doi.org/10.1016/j.amjmed.2013.10.012>
- Samad, F., Yamamoto, K., Pandey, M., & Loskutoff, D. J. (1997). Elevated expression of transforming growth factor-beta in adipose tissue from obese mice. *Molecular Medicine (Cambridge, Mass.)*, *3*(1), 37–48.
- Sarutipai boon, I., Settasatian, N., Komanasin, N., Kukongwiri yapan, U., Sawanyawisuth, K., Intharaphet, P., Senthong, V., & Settasatian, C. (2020). Association of Genetic Variations in NRF2, NQO1, HMOX1, and MT with Severity of Coronary Artery Disease and Related Risk Factors. *Cardiovascular Toxicology*, *20*(2), 176–189. <https://doi.org/10.1007/s12012-019-09544-7>
- Sárvári, A. K., Doan-Xuan, Q.-M., Bacsó, Z., Csomós, I., Balajthy, Z., & Fésüs, L. (2015). Interaction of differentiated human adipocytes with macrophages leads to trogocytosis and selective IL-6 secretion. *Cell Death & Disease*, *6*(1), e1613. <https://doi.org/10.1038/cddis.2014.579>
- Schelemei, P., Wagner, E., Picard, F. S. R., & Winkels, H. (2024). Macrophage mediators and mechanisms in cardiovascular disease. *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology*, *38*(2), e23424. <https://doi.org/10.1096/fj.202302001R>
- Scherer, P. E., Williams, S., Fogliano, M., Baldini, G., & Lodish, H. F. (1995). A novel serum protein similar to C1q, produced exclusively in adipocytes. *The Journal of Biological Chemistry*, *270*(45), 26746–26749. <https://doi.org/10.1074/jbc.270.45.26746>
- Scheuner, D., Song, B., McEwen, E., Liu, C., Laybutt, R., Gillespie, P., Saunders, T., Bonner-Weir, S., & Kaufman, R. J. (2001). Translational control is required for the unfolded protein response and in vivo glucose homeostasis. *Molecular Cell*, *7*(6), 1165–1176. [https://doi.org/10.1016/s1097-2765\(01\)00265-9](https://doi.org/10.1016/s1097-2765(01)00265-9)
- Schiavone, D., Avalle, L., Dewilde, S., & Poli, V. (2011). The immediate early genes Fos and Egr1 become STAT1 transcriptional targets in the absence of STAT3. *FEBS Letters*, *585*(15), 2455–2460. <https://doi.org/10.1016/j.febslet.2011.06.020>
- Schrader, M., & Fahimi, H. D. (2008). The peroxisome: still a mysterious organelle. *Histochemistry and Cell Biology*, *129*(4), 421–440. <https://doi.org/10.1007/s00418-008-0396-9>
- Schubert, M., Becher, S., Wallert, M., Maeß, M. B., Abhari, M., Rennert, K., Mosig, A. S., Große, S., Heller, R., Grün, M., & Lorkowski, S. (2020). The Peroxisome Proliferator-Activated Receptor (PPAR)- γ Antagonist 2-Chloro-5-Nitro-N-Phenylbenzamide (GW9662) Triggers Perilipin 2 Expression via PPAR δ and Induces Lipogenesis and Triglyceride Accumulation in Human THP-1 Macrophages. *Molecular Pharmacology*, *97*(3), 212–225. <https://doi.org/10.1124/mol.119.117887>
- Seargent, J. M., Yates, E. A., & Gill, J. H. (2004). GW9662, a potent antagonist of PPAR γ , inhibits growth of breast tumour cells and promotes the anticancer effects of the PPAR γ agonist rosiglitazone, independently of PPAR γ activation. *British Journal of Pharmacology*, *143*(8), 933–937. <https://doi.org/10.1038/sj.bjp.0705973>
- Segal, K. R., Landt, M., & Klein, S. (1996). Relationship between insulin sensitivity and plasma leptin concentration in lean and obese men. *Diabetes*, *45*(7), 988–991.

- <https://doi.org/10.2337/diab.45.7.988>
- Sha, H., He, Y., Chen, H., Wang, C., Zenno, A., Shi, H., Yang, X., Zhang, X., & Qi, L. (2009). The IRE1 α -XBP1 pathway of the unfolded protein response is required for adipogenesis. *Cell Metabolism*, 9(6), 556–564. <https://doi.org/10.1016/j.cmet.2009.04.009>
- Shan, B., Wang, X., Wu, Y., Xu, C., Xia, Z., Dai, J., Shao, M., Zhao, F., He, S., Yang, L., Zhang, M., Nan, F., Li, J., Liu, J., Liu, J., Jia, W., Qiu, Y., Song, B., Han, J.-D. J., ... Liu, Y. (2017). The metabolic ER stress sensor IRE1 α suppresses alternative activation of macrophages and impairs energy expenditure in obesity. *Nature Immunology*, 18(5), 519–529. <https://doi.org/10.1038/ni.3709>
- Shapiro, H., Pecht, T., Shaco-Levy, R., Harman-Boehm, I., Kirshtein, B., Kuperman, Y., Chen, A., Blüher, M., Shai, I., & Rudich, A. (2013). Adipose tissue foam cells are present in human obesity. *The Journal of Clinical Endocrinology and Metabolism*, 98(3), 1173–1181. <https://doi.org/10.1210/jc.2012-2745>
- Sharma, N. K., Das, S. K., Mondal, A. K., Hackney, O. G., Chu, W. S., Kern, P. A., Rasouli, N., Spencer, H. J., Yao-Borengasser, A., & Elbein, S. C. (2008). Endoplasmic reticulum stress markers are associated with obesity in nondiabetic subjects. *The Journal of Clinical Endocrinology and Metabolism*, 93(11), 4532–4541. <https://doi.org/10.1210/jc.2008-1001>
- Shi, H., Kokoeva, M. V., Inouye, K., Tzameli, I., Yin, H., & Flier, J. S. (2006). TLR4 links innate immunity and fatty acid-induced insulin resistance. *The Journal of Clinical Investigation*, 116(11), 3015–3025. <https://doi.org/10.1172/JCI28898>
- Simmons, D. P., Nguyen, H. N., Gomez-Rivas, E., Jeong, Y., Jonsson, A. H., Chen, A. F., Lange, J. K., Dyer, G. S., Blazar, P., Earp, B. E., Coblyn, J. S., Massarotti, E. M., Sparks, J. A., Todd, D. J., Accelerating Medicines Partnership (AMP) RA/SLE Network, Rao, D. A., Kim, E. Y., & Brenner, M. B. (2022). SLAMF7 engagement superactivates macrophages in acute and chronic inflammation. *Science Immunology*, 7(68), eabf2846. <https://doi.org/10.1126/sciimmunol.abf2846>
- Simopoulos, A. P. (2016). An Increase in the Omega-6/Omega-3 Fatty Acid Ratio Increases the Risk for Obesity. *Nutrients*, 8(3), 128. <https://doi.org/10.3390/nu8030128>
- Singh, S., Awasthi, S., Kapoor, V., & Mishra, P. (2023). Childhood obesity in India: A two-decade meta-analysis of prevalence and socioeconomic correlates. *Clinical Epidemiology and Global Health*, 23, 101390. <https://doi.org/10.1016/j.cegh.2023.101390>
- Somm, E., Henrichot, E., Pernin, A., Juge-Aubry, C. E., Muzzin, P., Dayer, J.-M., Nicklin, M. J. H., & Meier, C. A. (2005). Decreased fat mass in interleukin-1 receptor antagonist-deficient mice: impact on adipogenesis, food intake, and energy expenditure. *Diabetes*, 54(12), 3503–3509. <https://doi.org/10.2337/diabetes.54.12.3503>
- Song, G., Wu, X., Zhang, P., Yu, Y., Yang, M., Jiao, P., Wang, N., Song, H., Wu, Y., Zhang, X., Liu, H., & Qin, S. (2016). High-density lipoprotein inhibits ox-LDL-induced adipokine secretion by upregulating SR-BI expression and suppressing ER Stress pathway. *Scientific Reports*, 6, 30889. <https://doi.org/10.1038/srep30889>
- Soto-Herederó, G., Gómez de Las Heras, M. M., Gabandé-Rodríguez, E., Oller, J., & Mittelbrunn, M. (2020). Glycolysis - a key player in the inflammatory response. *The FEBS Journal*, 287(16), 3350–3369. <https://doi.org/10.1111/febs.15327>
- Spalding, K. L., Arner, E., Westermark, P. O., Bernard, S., Buchholz, B. A., Bergmann, O., Blomqvist, L., Hoffstedt, J., Näslund, E., Britton, T., Concha, H., Hassan, M., Rydén, M., Frisén, J., & Arner, P. (2008). Dynamics of fat cell turnover in humans.

- Nature*, 453(7196), 783–787. <https://doi.org/10.1038/nature06902>
- Stanya, K. J., Jacobi, D., Liu, S., Bhargava, P., Dai, L., Gangl, M. R., Inouye, K., Barlow, J. L., Ji, Y., Mizgerd, J. P., Qi, L., Shi, H., McKenzie, A. N. J., & Lee, C.-H. (2013). Direct control of hepatic glucose production by interleukin-13 in mice. *The Journal of Clinical Investigation*, 123(1), 261–271. <https://doi.org/10.1172/JCI64941>
- Stefanovic-Racic, M., Yang, X., Turner, M. S., Mantell, B. S., Stolz, D. B., Sumpter, T. L., Sipula, I. J., Dedousis, N., Scott, D. K., Morel, P. A., Thomson, A. W., & O'Doherty, R. M. (2012). Dendritic cells promote macrophage infiltration and comprise a substantial proportion of obesity-associated increases in CD11c+ cells in adipose tissue and liver. *Diabetes*, 61(9), 2330–2339. <https://doi.org/10.2337/db11-1523>
- Stephens, J. M., & Pekala, P. H. (1991). Transcriptional repression of the GLUT4 and C/EBP genes in 3T3-L1 adipocytes by tumor necrosis factor-alpha. *The Journal of Biological Chemistry*, 266(32), 21839–21845.
- Steppan, C. M., Bailey, S. T., Bhat, S., Brown, E. J., Banerjee, R. R., Wright, C. M., Patel, H. R., Ahima, R. S., & Lazar, M. A. (2001). The hormone resistin links obesity to diabetes. *Nature*, 409(6818), 307–312. <https://doi.org/10.1038/35053000>
- Stienstra, R., Joosten, L. A. B., Koenen, T., van Tits, B., van Diepen, J. A., van den Berg, S. A. A., Rensen, P. C. N., Voshol, P. J., Fantuzzi, G., Hijmans, A., Kersten, S., Müller, M., van den Berg, W. B., van Rooijen, N., Wabitsch, M., Kullberg, B.-J., van der Meer, J. W. M., Kanneganti, T., Tack, C. J., & Netea, M. G. (2010). The inflammasome-mediated caspase-1 activation controls adipocyte differentiation and insulin sensitivity. *Cell Metabolism*, 12(6), 593–605. <https://doi.org/10.1016/j.cmet.2010.11.011>
- Strissel, K. J., DeFuria, J., Shaul, M. E., Bennett, G., Greenberg, A. S., & Obin, M. S. (2010). T-cell recruitment and Th1 polarization in adipose tissue during diet-induced obesity in C57BL/6 mice. *Obesity (Silver Spring, Md.)*, 18(10), 1918–1925. <https://doi.org/10.1038/oby.2010.1>
- Strissel, K. J., Stancheva, Z., Miyoshi, H., Perfield, J. W., DeFuria, J., Jick, Z., Greenberg, A. S., & Obin, M. S. (2007). Adipocyte death, adipose tissue remodeling, and obesity complications. *Diabetes*, 56(12), 2910–2918. <https://doi.org/10.2337/db07-0767>
- Suganami, T., Nishida, J., & Ogawa, Y. (2005). A paracrine loop between adipocytes and macrophages aggravates inflammatory changes: role of free fatty acids and tumor necrosis factor alpha. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 25(10), 2062–2068. <https://doi.org/10.1161/01.ATV.0000183883.72263.13>
- Suzuki, T., Gao, J., Ishigaki, Y., Kondo, K., Sawada, S., Izumi, T., Uno, K., Kaneko, K., Tsukita, S., Takahashi, K., Asao, A., Ishii, N., Imai, J., Yamada, T., Oyadomari, S., & Katagiri, H. (2017). ER Stress Protein CHOP Mediates Insulin Resistance by Modulating Adipose Tissue Macrophage Polarity. *Cell Reports*, 18(8), 2045–2057. <https://doi.org/10.1016/j.celrep.2017.01.076>
- Sweeney, G., Keen, J., Somwar, R., Konrad, D., Garg, R., & Klip, A. (2001). High leptin levels acutely inhibit insulin-stimulated glucose uptake without affecting glucose transporter 4 translocation in l6 rat skeletal muscle cells. *Endocrinology*, 142(11), 4806–4812. <https://doi.org/10.1210/endo.142.11.8496>
- Takahashi, K., Mizuarai, S., Araki, H., Mashiko, S., Ishihara, A., Kanatani, A., Itadani, H., & Kotani, H. (2003). Adiposity elevates plasma MCP-1 levels leading to the increased CD11b-positive monocytes in mice. *The Journal of Biological Chemistry*, 278(47), 46654–46660. <https://doi.org/10.1074/jbc.M309895200>
- Talukdar, S., Oh, D. Y., Bandyopadhyay, G., Li, D., Xu, J., McNelis, J., Lu, M., Li, P., Yan, Q., Zhu, Y., Ofrecio, J., Lin, M., Brenner, M. B., & Olefsky, J. M. (2012). Neutrophils mediate insulin resistance in mice fed a high-fat diet through secreted

- elastase. *Nature Medicine*, 18(9), 1407–1412. <https://doi.org/10.1038/nm.2885>
- Tan, Z., Xie, N., Cui, H., Moellering, D. R., Abraham, E., Thannickal, V. J., & Liu, G. (2015). Pyruvate dehydrogenase kinase 1 participates in macrophage polarization via regulating glucose metabolism. *Journal of Immunology (Baltimore, Md. : 1950)*, 194(12), 6082–6089. <https://doi.org/10.4049/jimmunol.1402469>
- Tanaka, A., Nomura, Y., Matsuda, A., Ohmori, K., & Matsuda, H. (2011). Mast cells function as an alternative modulator of adipogenesis through 15-deoxy-delta-12, 14-prostaglandin J2. *American Journal of Physiology. Cell Physiology*, 301(6), C1360–C1367. <https://doi.org/10.1152/ajpcell.00514.2010>
- Tannahill, G. M., Curtis, A. M., Adamik, J., Palsson-McDermott, E. M., McGettrick, A. F., Goel, G., Frezza, C., Bernard, N. J., Kelly, B., Foley, N. H., Zheng, L., Gardet, A., Tong, Z., Jany, S. S., Corr, S. C., Haneklaus, M., Caffrey, B. E., Pierce, K., Walmsley, S., ... O'Neill, L. A. J. (2013). Succinate is an inflammatory signal that induces IL-1 β through HIF-1 α . *Nature*, 496(7444), 238–242. <https://doi.org/10.1038/nature11986>
- Tarantini, S., Valcarcel-Ares, M. N., Yabluchanskiy, A., Tucsek, Z., Hertelendy, P., Kiss, T., Gautam, T., Zhang, X. A., Sonntag, W. E., de Cabo, R., Farkas, E., Elliott, M. H., Kinter, M. T., Deak, F., Ungvari, Z., & Csiszar, A. (2018). Nrf2 Deficiency Exacerbates Obesity-Induced Oxidative Stress, Neurovascular Dysfunction, Blood-Brain Barrier Disruption, Neuroinflammation, Amyloidogenic Gene Expression, and Cognitive Decline in Mice, Mimicking the Aging Phenotype. *The Journals of Gerontology. Series A, Biological Sciences and Medical Sciences*, 73(7), 853–863. <https://doi.org/10.1093/gerona/glx177>
- Tran, S., Baba, I., Poupel, L., Dussaud, S., Moreau, M., Gélinau, A., Marcelin, G., Magréau-Davy, E., Ouhachi, M., Lesnik, P., Boissonnas, A., Le Goff, W., Clausen, B. E., Yvan-Charvet, L., Sennlaub, F., Huby, T., & Gautier, E. L. (2020). Impaired Kupffer Cell Self-Renewal Alters the Liver Response to Lipid Overload during Non-alcoholic Steatohepatitis. *Immunity*, 53(3), 627-640.e5. <https://doi.org/10.1016/j.immuni.2020.06.003>
- Tsao, C.-H., Shiau, M.-Y., Chuang, P.-H., Chang, Y.-H., & Hwang, J. (2014). Interleukin-4 regulates lipid metabolism by inhibiting adipogenesis and promoting lipolysis. *Journal of Lipid Research*, 55(3), 385–397. <https://doi.org/10.1194/jlr.M041392>
- Tugal, D., Liao, X., & Jain, M. K. (2013). Transcriptional Control of Macrophage Polarization. *Arteriosclerosis, Thrombosis, and Vascular Biology*, 33(6), 1135–1144. <https://doi.org/10.1161/ATVBAHA.113.301453>
- Tzavlaki, K., & Moustakas, A. (2020). TGF- β Signaling. *Biomolecules*, 10(3), 487. <https://doi.org/10.3390/biom10030487>
- van der Zalm, I. J. B., van der Valk, E. S., Wester, V. L., Nagtzaam, N. M. A., van Rossum, E. F. C., Leenen, P. J. M., & Dik, W. A. (2020). Obesity-associated T-cell and macrophage activation improve partly after a lifestyle intervention. *International Journal of Obesity (2005)*, 44(9), 1838–1850. <https://doi.org/10.1038/s41366-020-0615-6>
- van Hall, G., Steensberg, A., Sacchetti, M., Fischer, C., Keller, C., Schjerling, P., Hiscock, N., Møller, K., Saltin, B., Febbraio, M. A., & Pedersen, B. K. (2003). Interleukin-6 stimulates lipolysis and fat oxidation in humans. *The Journal of Clinical Endocrinology and Metabolism*, 88(7), 3005–3010. <https://doi.org/10.1210/jc.2002-021687>
- Varma, V., Yao-Borengasser, A., Rasouli, N., Nolen, G. T., Phanavanh, B., Starks, T., Gurley, C., Simpson, P., McGehee, R. E., Kern, P. A., & Peterson, C. A. (2009). Muscle inflammatory response and insulin resistance: synergistic interaction between

- macrophages and fatty acids leads to impaired insulin action. *American Journal of Physiology-Endocrinology and Metabolism*, 296(6), E1300–E1310.
<https://doi.org/10.1152/ajpendo.90885.2008>
- Vats, D., Mukundan, L., Odegaard, J. I., Zhang, L., Smith, K. L., Morel, C. R., Wagner, R. A., Greaves, D. R., Murray, P. J., & Chawla, A. (2006). Oxidative metabolism and PGC-1beta attenuate macrophage-mediated inflammation. *Cell Metabolism*, 4(1), 13–24. <https://doi.org/10.1016/j.cmet.2006.05.011>
- Vijay, J., Gauthier, M.-F., Biswell, R. L., Louiselle, D. A., Johnston, J. J., Cheung, W. A., Belden, B., Pramatarova, A., Biertho, L., Gibson, M., Simon, M.-M., Djambazian, H., Staffa, A., Bourque, G., Laitinen, A., Nystedt, J., Vohl, M.-C., Fraser, J. D., Pastinen, T., ... Grundberg, E. (2020). Single-cell analysis of human adipose tissue identifies depot and disease specific cell types. *Nature Metabolism*, 2(1), 97–109.
<https://doi.org/10.1038/s42255-019-0152-6>
- Wang, B., Wood, I. S., & Trayhurn, P. (2007). Dysregulation of the expression and secretion of inflammation-related adipokines by hypoxia in human adipocytes. *Pflugers Archiv : European Journal of Physiology*, 455(3), 479–492.
<https://doi.org/10.1007/s00424-007-0301-8>
- Wang, C., Huang, Z., Du, Y., Cheng, Y., Chen, S., & Guo, F. (2010). ATF4 regulates lipid metabolism and thermogenesis. *Cell Research*, 20(2), 174–184.
<https://doi.org/10.1038/cr.2010.4>
- Wang, F., Zhang, S., Jeon, R., Vuckovic, I., Jiang, X., Lerman, A., Folmes, C. D., Dzeja, P. D., & Herrmann, J. (2018). Interferon Gamma Induces Reversible Metabolic Reprogramming of M1 Macrophages to Sustain Cell Viability and Pro-Inflammatory Activity. *EBioMedicine*, 30, 303–316. <https://doi.org/10.1016/j.ebiom.2018.02.009>
- Wang, L., Hu, J., & Zhou, H. (2021). Macrophage and Adipocyte Mitochondrial Dysfunction in Obesity-Induced Metabolic Diseases. *The World Journal of Men's Health*, 39(4), 606–614. <https://doi.org/10.5534/wjmh.200163>
- Wang, Q., Xie, Z., Zhang, W., Zhou, J., Wu, Y., Zhang, M., Zhu, H., & Zou, M.-H. (2014). Myeloperoxidase Deletion Prevents High-Fat Diet-Induced Obesity and Insulin Resistance. *Diabetes*, 63(12), 4172–4185. <https://doi.org/10.2337/db14-0026>
- Weisberg, S. P., Hunter, D., Huber, R., Lemieux, J., Slaymaker, S., Vaddi, K., Charo, I., Leibel, R. L., & Ferrante, A. W. (2006). CCR2 modulates inflammatory and metabolic effects of high-fat feeding. *The Journal of Clinical Investigation*, 116(1), 115–124. <https://doi.org/10.1172/JCI24335>
- Weisberg, S. P., McCann, D., Desai, M., Rosenbaum, M., Leibel, R. L., & Ferrante, A. W. (2003). Obesity is associated with macrophage accumulation in adipose tissue. *Journal of Clinical Investigation*, 112(12), 1796–1808.
<https://doi.org/10.1172/JCI19246>
- Wensveen, F. M., Valentić, S., Šestan, M., Turk Wensveen, T., & Polić, B. (2015). The “Big Bang” in obese fat: Events initiating obesity-induced adipose tissue inflammation. *European Journal of Immunology*, 45(9), 2446–2456.
<https://doi.org/10.1002/eji.201545502>
- WHO. (2000). Obesity: preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organization Technical Report Series*, 894, i–xii, 1–253.
- Williams, N. C., & O'Neill, L. A. J. (2018). A Role for the Krebs Cycle Intermediate Citrate in Metabolic Reprogramming in Innate Immunity and Inflammation. *Frontiers in Immunology*, 9, 141. <https://doi.org/10.3389/fimmu.2018.00141>
- Winer, D. A., Winer, S., Shen, L., Wadia, P. P., Yantha, J., Paltser, G., Tsui, H., Wu, P., Davidson, M. G., Alonso, M. N., Leong, H. X., Glassford, A., Caimol, M., Kenkel, J. A., Tedder, T. F., McLaughlin, T., Miklos, D. B., Dosch, H.-M., & Engleman, E. G.

- (2011). B cells promote insulin resistance through modulation of T cells and production of pathogenic IgG antibodies. *Nature Medicine*, *17*(5), 610–617. <https://doi.org/10.1038/nm.2353>
- Winer, S., Chan, Y., Paltser, G., Truong, D., Tsui, H., Bahrami, J., Dorfman, R., Wang, Y., Zielenski, J., Mastronardi, F., Maezawa, Y., Drucker, D. J., Engleman, E., Winer, D., & Dosch, H.-M. (2009). Normalization of obesity-associated insulin resistance through immunotherapy. *Nature Medicine*, *15*(8), 921–929. <https://doi.org/10.1038/nm.2001>
- Wondmkun, Y. T. (2020). Obesity, Insulin Resistance, and Type 2 Diabetes: Associations and Therapeutic Implications. *Diabetes, Metabolic Syndrome and Obesity : Targets and Therapy*, *13*, 3611–3616. <https://doi.org/10.2147/DMSO.S275898>
- Wood, I. S., Wang, B., Lorente-Cebrián, S., & Trayhurn, P. (2007). Hypoxia increases expression of selective facilitative glucose transporters (GLUT) and 2-deoxy-D-glucose uptake in human adipocytes. *Biochemical and Biophysical Research Communications*, *361*(2), 468–473. <https://doi.org/10.1016/j.bbrc.2007.07.032>
- Wouters, K., Kusters, Y. H. A. M., Bijnen, M., Wetzels, S., Zhang, X., Linszen, P. B. C., Gaens, K., Houben, A. J. H. M., Joris, P. J., Plat, J., Kooi, M. E., van der Kallen, C. J. H., Mensink, R. P., Verboven, K., Jocken, J., Hansen, D., Blaak, E. E., Ehlers, F. A. I., Wieten, L., ... Schalkwijk, C. G. (2020). NK cells in human visceral adipose tissue contribute to obesity-associated insulin resistance through low-grade inflammation. *Clinical and Translational Medicine*, *10*(6), e192. <https://doi.org/10.1002/ctm2.192>
- Wu, H., Wang, Y., Li, W., Chen, H., Du, L., Liu, D., Wang, X., Xu, T., Liu, L., & Chen, Q. (2019). Deficiency of mitophagy receptor FUNDC1 impairs mitochondrial quality and aggravates dietary-induced obesity and metabolic syndrome. *Autophagy*, *15*(11), 1882–1898. <https://doi.org/10.1080/15548627.2019.1596482>
- Wu, Q., Orregon, A. M., Tsang, B., Doege, H., Feingold, K. R., & Stahl, A. (2006). FATP1 is an insulin-sensitive fatty acid transporter involved in diet-induced obesity. *Molecular and Cellular Biology*, *26*(9), 3455–3467. <https://doi.org/10.1128/MCB.26.9.3455-3467.2006>
- Xia, C., Xu, W., Ai, X., Zhu, Y., Geng, P., Niu, Y., Zhu, H., Zhou, W., Huang, H., & Shi, X. (2022). Autophagy and Exosome Coordinately Enhance Macrophage M1 Polarization and Recruitment in Influenza A Virus Infection. *Frontiers in Immunology*, *13*, 722053. <https://doi.org/10.3389/fimmu.2022.722053>
- Xie, L., Ortega, M. T., Mora, S., & Chapes, S. K. (2010). Interactive changes between macrophages and adipocytes. *Clinical and Vaccine Immunology : CVI*, *17*(4), 651–659. <https://doi.org/10.1128/CVI.00494-09>
- Xu, L., Spinass, G. A., & Niessen, M. (2010). ER stress in adipocytes inhibits insulin signaling, represses lipolysis, and alters the secretion of adipokines without inhibiting glucose transport. *Hormone and Metabolic Research = Hormon- Und Stoffwechselforschung = Hormones et Metabolisme*, *42*(9), 643–651. <https://doi.org/10.1055/s-0030-1255034>
- Xu, W.-D., Lai, S.-Z., Zhao, J., Wei, S.-J., Fang, X.-Y., Liu, Y.-Y., Rong, X.-L., & Guo, J. (2024). The blockade of the TGF- β pathway alleviates abnormal glucose and lipid metabolism of lipodystrophy not obesity. *Pharmacology Research & Perspectives*, *12*(1), e1160. <https://doi.org/10.1002/prp2.1160>
- Xu, X., Grijalva, A., Skowronski, A., van Eijk, M., Serlie, M. J., & Ferrante, A. W. (2013). Obesity activates a program of lysosomal-dependent lipid metabolism in adipose tissue macrophages independently of classic activation. *Cell Metabolism*, *18*(6), 816–830. <https://doi.org/10.1016/j.cmet.2013.11.001>
- Xue, Q., Yan, Y., Zhang, R., & Xiong, H. (2018). Regulation of iNOS on Immune Cells

- and Its Role in Diseases. *International Journal of Molecular Sciences*, 19(12), 3805. <https://doi.org/10.3390/ijms19123805>
- Yadav, H. M., & Jawahar, A. (2023). *Environmental Factors and Obesity*. StatPearls.
- Yadav, H., Quijano, C., Kamaraju, A. K., Gavrilova, O., Malek, R., Chen, W., Zervas, P., Zhigang, D., Wright, E. C., Stuelten, C., Sun, P., Lonning, S., Skarulis, M., Sumner, A. E., Finkel, T., & Rane, S. G. (2011). Protection from obesity and diabetes by blockade of TGF- β /Smad3 signaling. *Cell Metabolism*, 14(1), 67–79. <https://doi.org/10.1016/j.cmet.2011.04.013>
- Yamazaki, H., Hiramatsu, N., Hayakawa, K., Tagawa, Y., Okamura, M., Ogata, R., Huang, T., Nakajima, S., Yao, J., Paton, A. W., Paton, J. C., & Kitamura, M. (2009). Activation of the Akt-NF-kappaB pathway by subtilase cytotoxin through the ATF6 branch of the unfolded protein response. *Journal of Immunology (Baltimore, Md. : 1950)*, 183(2), 1480–1487. <https://doi.org/10.4049/jimmunol.0900017>
- Yang, J., Liu, S., Li, Y., Fan, Z., Meng, Y., Zhou, B., Zhang, G., & Zhan, H. (2023). FABP4 in macrophages facilitates obesity-associated pancreatic cancer progression via the NLRP3/IL-1 β axis. *Cancer Letters*, 575, 216403. <https://doi.org/10.1016/j.canlet.2023.216403>
- Yang, L., Li, P., Fu, S., Calay, E. S., & Hotamisligil, G. S. (2010). Defective hepatic autophagy in obesity promotes ER stress and causes insulin resistance. *Cell Metabolism*, 11(6), 467–478. <https://doi.org/10.1016/j.cmet.2010.04.005>
- Yin, J., Gao, Z., He, Q., Zhou, D., Guo, Z., & Ye, J. (2009). Role of hypoxia in obesity-induced disorders of glucose and lipid metabolism in adipose tissue. *American Journal of Physiology. Endocrinology and Metabolism*, 296(2), E333-42. <https://doi.org/10.1152/ajpendo.90760.2008>
- Yoshii, S. R., & Mizushima, N. (2017). Monitoring and Measuring Autophagy. *International Journal of Molecular Sciences*, 18(9), 1865. <https://doi.org/10.3390/ijms18091865>
- Yu, L., Gao, Y., Aaron, N., & Qiang, L. (2023). A glimpse of the connection between PPAR γ and macrophage. *Frontiers in Pharmacology*, 14, 1254317. <https://doi.org/10.3389/fphar.2023.1254317>
- Zafar, U., Khaliq, S., Ahmad, H. U., & Lone, K. P. (2019). Serum profile of cytokines and their genetic variants in metabolic syndrome and healthy subjects: a comparative study. *Bioscience Reports*, 39(2), BSR20181202. <https://doi.org/10.1042/BSR20181202>
- Żelechowska, P., Wiktorska, M., Różalska, S., Stasikowska-Kanicka, O., Wągrowaska-Danilewicz, M., Agier, J., & Brzezińska-Błaszczak, E. (2018). Leptin receptor is expressed by tissue mast cells. *Immunologic Research*, 66(5), 557–566. <https://doi.org/10.1007/s12026-018-9029-0>
- Zeyda, M., Farmer, D., Todoric, J., Aszmann, O., Speiser, M., Györi, G., Zlabinger, G. J., & Stulnig, T. M. (2007). Human adipose tissue macrophages are of an anti-inflammatory phenotype but capable of excessive pro-inflammatory mediator production. *International Journal of Obesity (2005)*, 31(9), 1420–1428. <https://doi.org/10.1038/sj.ijo.0803632>
- Zezina, E., Snodgrass, R. G., Schreiber, Y., Zukunft, S., Schürmann, C., Heringdorf, D. M. Z., Geisslinger, G., Fleming, I., Brandes, R. P., Brüne, B., & Namgaladze, D. (2018). Mitochondrial fragmentation in human macrophages attenuates palmitate-induced inflammatory responses. *Biochimica et Biophysica Acta. Molecular and Cell Biology of Lipids*, 1863(4), 433–446. <https://doi.org/10.1016/j.bbali.2018.01.009>
- Zhang, K., & Kaufman, R. J. (2008). From endoplasmic-reticulum stress to the inflammatory response. *Nature*, 454(7203), 455–462.

- <https://doi.org/10.1038/nature07203>
- Zhang, Y., Proenca, R., Maffei, M., Barone, M., Leopold, L., & Friedman, J. M. (1994). Positional cloning of the mouse obese gene and its human homologue. *Nature*, 372(6505), 425–432. <https://doi.org/10.1038/372425a0>
- Zhou, Y., Ye, Z., Wei, W., Zhang, M., Huang, F., Li, J., & Cai, C. (2023). Macrophages maintain mammary stem cell activity and mammary homeostasis via TNF- α -PI3K-Cdk1/Cyclin B1 axis. *NPJ Regenerative Medicine*, 8(1), 23. <https://doi.org/10.1038/s41536-023-00296-1>
- Zhou, Y., Yu, X., Chen, H., Sjöberg, S., Roux, J., Zhang, L., Ivoulsou, A.-H., Bensaid, F., Liu, C.-L., Liu, J., Tordjman, J., Clement, K., Lee, C.-H., Hotamisligil, G. S., Libby, P., & Shi, G.-P. (2015). Leptin Deficiency Shifts Mast Cells toward Anti-Inflammatory Actions and Protects Mice from Obesity and Diabetes by Polarizing M2 Macrophages. *Cell Metabolism*, 22(6), 1045–1058. <https://doi.org/10.1016/j.cmet.2015.09.013>
- Zhu, J., Nathan, C., Jin, W., Sim, D., Ashcroft, G. S., Wahl, S. M., Lacomis, L., Erdjument-Bromage, H., Tempst, P., Wright, C. D., & Ding, A. (2002). Conversion of proepithelin to epithelins: roles of SLPI and elastase in host defense and wound repair. *Cell*, 111(6), 867–878. [https://doi.org/10.1016/s0092-8674\(02\)01141-8](https://doi.org/10.1016/s0092-8674(02)01141-8)
- Zizzo, G., & Cohen, P. L. (2015). The PPAR- γ antagonist GW9662 elicits differentiation of M2c-like cells and upregulation of the MerTK/Gas6 axis: a key role for PPAR- γ in human macrophage polarization. *Journal of Inflammation (London, England)*, 12, 36. <https://doi.org/10.1186/s12950-015-0081-4>