

TABLE OF CONTENTS

Sr. No.	Title	Page No.
-	Abstract	I-III
-	List of abbreviations/symbols	IV-V
-	List of Figures/Tables	VI-XVII
Chapter 1: Introduction		01-24
1.1	Introduction	02
1.2	Importance of binary liquids mixtures	04
1.3	Literature Survey	04
1.4	Binary Liquid System Under Investigated	11
1.4.1	Binary System	11
1.5	Main objectives of the present investigation are as follows	13
Chapter 2: Theoretical Backgrounds		25-70
2.1	Introduction	26
2.1.1	Polar and Nonpolar	26
2.1.2	Dipole moment molecule or Electric moment	27
2.2	Polarization	28
2.2.1	Dielectric Polarization of material	30
2.2.2	Electronic Polarization	30
2.2.3	Atomic Polarization	31
2.2.4	Orientation polarization	31
2.2.5	Interfacial or Space-charge Polarization	32
2.3	Frequency Response of Dielectric Mechanism	33
2.3.1	Resonant Frequency	35
2.4	Theories of Dielectric Relaxation	35
2.4.1	Relaxation Time	35
2.5	Theories of Static Permittivity	37
2.5.1	Clausius-Mossotti Equation	38
2.5.2	Debye Theory of Static Permittivity	41
2.5.3	Onsager Theory of Static Permittivity	42

2.5.4	Kirkwood Theory of Static Permittivity	44
2.5.5	Frohlich's Theory of Static Permittivity	45
2.6	Theories of Dynamic Permittivity	45
2.6.1	Theory of Debye Relaxation Model	48
2.6.2	Theory of Cole-Cole Relaxation Model	50
2.6.3	Theory of Davidson-Cole Relaxation Model	51
2.6.4	Theory of Havriliak-Nigami Relaxation Model	52
2.7	Dielectric Parameters Related to Molecular Behavior	53
2.7.1	Kirkwood Correlation Factor	53
2.8	Bruggeman Factor	54
2.9	Thermodynamic Parameters	55
2.10	Modelling Electrode Polarization in Dielectric Spectroscopy	55
2.10.1	Electrode Polarization is Fitted within $\tan \delta$ Spectra	58
2.10.2	Electrochemical Impedance Spectroscopy	59
2.10.3	Nyquist and Bode Plots Represent Complex Impedance Data for Ideal Electrical Circuits	59
2.10.4	Different Circuit Models & Elements	61
2.11	Physico-Chemical Properties	63
2.11.1	Density	63
2.11.2	Ultrasonic velocity	63
2.11.3	Viscosity	64
2.11.4	FTIR	65
Chapter 3: Experimental Procedures and Evaluation of Different Parameters		71-104
3.1	Introduction	72
3.2	Materials and Sample Preparation	72
3.2.1	Material	72
3.2.2	Sample preparation	72
3.3	Methods	73
3.3.1	Measurement of complex permittivity $\epsilon^*(f)$ in the frequency range of 20 Hz to 2 MHz using Precision LCR meter	73

3.3.2	Measurement of complex permittivity $\epsilon^*(f)$ in the frequency range of 200 MHz to 20 GHz using VNA (Vector Network Analyzer)	75
3.3.3	Measurement of Refractive Index (n)	81
3.3.4	Measurement of Density (ρ)	84
3.3.5	Measurement of Ultrasonic Velocity (U)	86
3.3.6	Measurement of Viscosity (η)	89
3.4	Evaluation of Different Parameters	90
3.4.1	Evaluation of different dielectric/electric parameters	90
3.4.2	Evaluation of Thickness of ion build up, Ion Mobility, Mobile Ion Concentrations and Ion Diffusivity	91
3.4.3	Evaluation of Kirkwood Correlation Parameters and Bruggeman Parameter	92
3.4.4	Evaluation of Microwave Dielectric Relaxation Parameters	93
3.4.5	Excess Dielectric Parameters	93
3.4.6	Evaluation of Thermodynamic Parameters of Microwave Dielectric Relaxation	94
3.4.7	Evaluation of Microwave heating parameters	94
3.4.8	Evaluation of Refractometric parameters	95
3.4.9	Evaluation of Acoustic parameters	96
Chapter 4: Dielectric Relaxation Study of Binary Mixtures (n-Hexanol+ N, N Dimethylformamide)		105-171
4.1	Introduction	106
4.2	Materials, Experimental Details	108
4.3	Results and Discussion	110
4.3.1	Dielectric spectroscopy in the lower Frequency Range 20 Hz to 2 MHz	110
4.3.1.1	Complex Dielectric Spectra	110
4.3.1.2	Complex Electric Modulus Spectra	121
4.3.1.3	Electrical ac Conductivity Spectra	130
4.3.1.4	Complex Impedance Spectra	135
4.3.2	Dielectric relaxation spectroscopy in the Higher Frequency Range 200 MHz to 20 GHz	145
4.3.2.1	Complex dielectric permittivity spectra	145

4.3.2.2	Static dielectric constant and relaxation time	150
4.3.2.3	Kirkwood correlation factor and Bruggeman factor	154
4.3.2.4	Thermodynamical parameters	158
4.3.2.5	Microwave heating parameters	160
4.4	Conclusion	161
Chapter 5: Dielectric Relaxation Study and Electrochemical Impedance Spectroscopy (EIS) of Binary Mixtures (n-Octanol+ N, N-Dimethylformamide)		172-234
5.1	Introduction	173
5.2	Materials and Experimental methods	174
5.3	Results and Discussion	175
5.3.1	Dielectric spectroscopy in the lower Frequency Range 20 Hz to 2 MHz.	175
5.3.1.1	Complex Dielectric Spectra	175
5.3.1.2	Electrical Modulus Spectra	187
5.3.1.3	Electric Conductivity Spectra	195
5.3.1.4	Complex Impedance Spectra	198
5.3.1.5	Electrochemical Impedance Spectroscopy (Nyquist plots)	205
5.3.2	Dielectric relaxation spectroscopy in the Higher Frequency Range 200 MHz to 20 GHz	216
5.3.2.1	Complex dielectric permittivity spectra	216
5.3.2.2	dielectric relaxation strength and relaxation time	220
5.3.2.3	Kirkwood correlation factor	224
5.4	Conclusion	227
Chapter 6: Acoustic, Volumetric and IR spectra study of Binary Mixtures of n-Hexanol and N, N-Dimethylformamide		235-263
6.1	Introduction	236
6.2	Material and Experimental Details	238
6.3	Results and Discussion	239
6.3.1	Experimental and evaluated acoustic and volumetric study	239
6.3.2	Excess parameters study	246
6.3.3	FTIR study	253

6.4	Conclusion	255
Chapter 7: Acoustic, Volumetric and Thermodynamics study of Binary Mixtures of n-Octanol and N, N-Dimethylformamide		264-288
7.1	Introduction	265
7.2	Material and Experimental Details	267
7.3	Results and Discussion	268
7.3.1	Experimental and evaluated parameters	268
7.3.2	Excess parameters for binary mixtures	274
7.3.3	Thermodynamic parameters	279
7.4	Conclusion	281
Chapter 8: Study of Refractometric and various mixing relations of Binary Mixtures (n-Hexanol +N, N-Dimethylformamide, n-Octanol + N, N-Dimethylformamide)		289-323
8.1	Introduction	290
8.2	Material and Experimental Details	292
8.3	Results and Discussion	
8.3.1	Temperature-Dependent Refractive Index Analysis of the (DMF + n-Hexanol) System	293
8.3.1.1	Experimentally and Evaluated Parameters of Binary Liquid Mixtures	293
8.3.1.2	Excess Parameters of Binary Liquid Mixtures	297
8.3.2	Validation of various mixing Models for n , ϵ_0 , U and η in (DMF + n-Hexanol) and (DMF + n-Octanol) Systems	302
8.3.2.1	Validation of different mixing models for refractive index (n)	302
8.3.2.2	Validation of different mixing models for static dielectric constant (ϵ_0)	305
8.3.2.3	Validation of different mixing models for ultrasonic velocity (U)	309
8.3.2.4	Validation of different mixing models for viscosity (η)	312
8.4	Conclusions	314
Chapter 9: Summary of the investigation and future scope		324-329
9.1	Summary	325

9.2	Future scopes	329
-	List of publications & list of conference/symposia	331-335
-	Published research articles	-