

9. BIBLIOGRAPHY

Abbas, Z., Manoharan, A. L., Jagadeesan, G., Nataraj, G., Muniyandi, K., Sathyanarayanan, S., et al. (2021). Evaluation of an edible polyherbal formulation against urinary tract infection pathogens, its antioxidant and anti-inflammatory potential. *Biocatalysis and Agricultural Biotechnology*, 35(April), 102104.

Adebajo, A. (2010). *ABC of rheumatology* (4th ed.). Blackwell Publishing Ltd. 59-61.

Adhikari, B., Marasini, B. P., Rayamajhee, B., Bhattarai, B. R., Lamichhane, G., Khadayat, K., ... & Parajuli, N. (2021). Potential roles of medicinal plants for the treatment of viral diseases focusing on COVID-19: A review. *Phytotherapy Research*, 35(3), 1298-1312.

Adhikari, P. P., & Paul, S. B. (2018). History of Indian traditional medicine: a medical inheritance. *History*, 11(1), 421.

Afaq, S. H., Tajuddin, Ahmad, S., Abdullah, Rahman, A. (2012). Standardization of Unani ointments, Marham Kafoor. *Hippocratic Journal of Unani Medicine*, 12-25.

Afolabi, S. O., Akindele, A. J., Awodele, O., Anunobi, C. C., & Adeyemi, O. O. (2012). A 90-day chronic toxicity study of Nigerian herbal preparation DAS-77 in rats. *BMC Complementary and Alternative Medicine*, 12:79.

Afrin, Z. E., Siddiqui, A., Jafri, M. A., Vohora, D., & Asif, M. (2019). Preliminary screening of a classical Unani formulation Majoon Najah for anticonvulsant activity. *International Journal of Pharmaceutical Research*, 11(4), 142-153.

Afrin, Z., Siddiqui, A., Jafri, M. A., Asif, M., & Jahan, H. (2017). Majoon Najah: A potent Unani formulation for neurological disorders. *European Journal of Biomedical and Pharmaceutical Sciences*, 4(7), 198-206.

Afzal, M., Khan, N. A., Ghufuran, A., Iqbal, A., & Inamuddin, M. (2004). Diuretic and nephroprotective effect of Jawarish Zarooni Sada: A polyherbal Unani formulation. *Journal of Ethnopharmacology*, 91, 219-223.

Agidew, M. G. (2022). Phytochemical analysis of some selected traditional medicinal plants in Ethiopia. *Bulletin of the National Research Centre*, 46(1), 87.

- Ahemad, A. I. A. T., Aejaazuddin, Q. M. A., Khan, G. J., Alsayari, A., Wahab, S., Khan, S. L., ... & Islam, F. (2022). [Retracted] Unani Formulation Habb-e-Suranjan: A Treasure of Biological Activities. *BioMed Research International*, 1, 1640193.
- Ahmad, S. (2007). Unani medicine: Introduction and present status in India. *The Internet Journal of Alternative Medicine*, 6(1), 1-4.
- Ahmad, S., Zahiruddin, S., Parveen, B., Basist, P., Parveen, A., Gaurav, F., ... & Ahmad, M. (2021). Indian medicinal plants and formulations and their potential against COVID-19—preclinical and clinical research. *Frontiers in pharmacology*, 11, 578970.
- Ahmad, T., Zakir, M., Fatma, S. H., Kazmi, M. H., Javed, G., & Ali, S. (2020). Kushta Jast, a conventional herbo-mineral immunity booster tonic: potential use in COVID-19. *Cell Medicine*, 10, 24-1.
- Ahmad, W., Parveen, R., Mujeeb, M., & Zaidi, S. A. (2020). Comparative fingerprint profiling of Unani polyherbomineral (Safoof-e-Pathar phori) formulation by HPTLC, HPLC, and GC-MS. *Journal of AOAC International*, 103(3), 659-668.
- Ahmed, D., Sharma, M., Mukerjee, A., Kant, R. K., & Kumar, V. (2012). Antidiabetic, Anti-hyperlipidemic & Hepatoprotective effect of a Polyherbal Unani formulation “Qurs Tabasheer” in STZ-diabetic wistar rats. *Nature Precedings*, 1-1.
- Ain, Q., Nawab, M., Ahmad, T., Kazmi, M. H., & Naikodi, M. A. R. (2022). Evaluating the safety and efficacy of a polyherbal Unani formulation in dyslipidaemia—a prospective randomized controlled trial. *Journal of Ethnopharmacology*, 289, 115036.
- Ajay, K., Suja, K. P., Reshmi, N., Aakanksha, A., Nripendra, N. M., & Satish, K. G. (2017). Anti-HSV-2 activity of *Terminalia chebula Retz* extract and its constituents, chebulagic and chebulinic acids. *BMC Complementary and Alternative Medicine*, 17(110), 1-11.
- Ajazuddin, S. S. (2010). Evaluation of physicochemical and phytochemical properties of Safoof-E-Sana: A Unani polyherbal formulation. *Pharmacognosy Research*, 2(5), 318-322.
- AK, S., & VK, L. (2020). Determination of Bioactive Contents and *In vitro* Antioxidant Activity of Poly Herbal Formulations. *Indian Drugs*, 57(5), 74.

- Akbar, S., Hanif, U., Ali, J., & Ishtiaq, S. (2014). Pharmacognostic studies of stem, roots and leaves of *Malva parviflora* L. *Asian Pacific journal of tropical biomedicine*, 4(5), 410-415.
- Aladejana, E. B. (2023). Biological Properties of Polyherbal Formulations: A Review of their Antimicrobial, Anti-Inflammatory, Antioxidant, and Toxicological Activities. *Pharmacognosy Journal*, 15(5), 933-963.
- Alam, A., Siddiqui, J. I., Naikodi, M. A. R., & Kazmi, M. H. (2020). Development of HPTLC Fingerprinting and Phytochemical Study of a Polyherbal Unani Formulation. *Cell Medicine*, 10(1), 7-1.
- Alam, F., Saqib, Q.N.U. (2015). Pharmacognostic study and development of quality control parameters for fruit, bark and leaf of *Zanthoxylum armatum* (Rutaceae). *Ancient science of life*, 34(3), 147-155.
- Alavijeh, P. K., & Sharma, D. (2012). A study of antimicrobial activity of few medicinal herbs. *Asian Journal of Plant Science and Research*, 2(4), 496-502.
- AlBraik, F. A., Rutter, P. M., & Brown, D. (2008). A cross-sectional survey of herbal remedy taking by United Arab Emirate (UAE) citizens in Abu Dhabi. *Pharmacoepidemiology and Drug Safety*, 17(7), 725-732.
- Ali, M., Khan, S. A., Chang, P. S., Haque, R., Bhatia, K., & Ahmad, S. (2014). Habb-e-Asgand, a polyherbal Unani formulation, protects liver and antioxidative enzymes against paracetamol-induced hepatotoxicity. *Pharmaceutical Biology*, 52(4), 506-515.
- Ali, L., Khan, S., Nazir, M., Raiz, N., Naz, S., Zengin, G., ... & Tareen, R. B. (2021). Chemical profiling, *In vitro* biological activities and Pearson correlation between phenolic contents and antioxidant activities of *Caragana brachyantha* Rech. f. *South African Journal of Botany*, 140, 189-193.
- Alok, S., Jain, S. K., Verma, A., Kumar, M., Mahor, A., & Sabharwal, M. (2013). Plant profile, phytochemistry, and pharmacology of *Asparagus racemosus* (Shatavari): A review. *Asian Pacific Journal of Tropical Disease*, 3(3), 242-251.

- Alok, S., Jain, S. K., Verma, A., Kumar, M., Mahor, A., & Sabharwal, M. (2014). Herbal antioxidant in clinical practice: A review. *Asian Pacific journal of tropical biomedicine*, 4(1), 78-84.
- Al-Taei, A. H. O., Saleh, R. H., Kadhum, S. A., Omran, A. M., Ewadh, R. M. J., & Owadh, H. H. (2024). Phytochemical screening and antimicrobial activity of some medicinal plants. *Revista Clínica de Farmacología y Farmacocinética Internacional*, 38, 93-96.
- Amaro, C. A. B., González-Cortazar, M., Herrera-Ruiz, M., Román-Ramos, R., Aguilar-Santamaría, L., Tortoriello, J., & Jiménez-Ferrer, E. (2014). Hypoglycemic and hypotensive activity of a root extract of *Smilax aristolochiifolia*, standardized on N-trans-feruloyl-tyramine. *Molecules*, 19(8), 11366-11384.
- Ambrož, M., Matoušková, P., Skarka, A., Zajdlová, M., Žáková, K., & Skálová, L. (2017). The effects of selected sesquiterpenes from *Myrica rubra* essential oil on the efficacy of doxorubicin in sensitive and resistant cancer cell lines. *Molecules*, 22, 1021.
- Amir, M., Khan, A., Mujeeb, M., Ahmad, M. A., & Siddiqui, N. A. (2011). Phytochemical screening and *In vitro* antioxidant activity of Jawarish Amla-A poly herbal formulation. *Pharmacognosy Journal*, 3(26), 54-60.
- Anbuselvam, C., Vijayavel, K., & Balsubramaniyan, M. P. (2007). Protective effect of *Operculina turpethum* against 7,12-dimethylbenz(a)anthracene-induced oxidative stress with reference to breast cancer in experimental rats. *Chemico-Biological Interactions*, 168, 229-236.
- Anju, V. J., & Radhamany, P. M. (2014). Pharmacognostic studies on leaf of *Operculina turpethum* (L.) Silva Manso. *International Journal of Advanced Research*, 2(12), 585-590.
- Anonymous. (1993). *National Formulary of Unani Medicine, Part-1, Urdu Edition*. Government of India, Ministry of Health & Family Welfare, Department of Health, New Delhi.

Anonymous. (2009). *The Unani Pharmacopeia of India (Part II, Volume I)*. Government of India, Ministry of Health and Family Welfare, Department of AYUSH, New Delhi. 123.

Anonymous. (2011). *National Formulary of Unani Medicine (Part VI)*. Government of India, Ministry of Health and Family Welfare, Department of AYUSH, New Delhi. 105.

Anonymous. (2016). *The Unani Pharmacopeia of India (Part II, Volume III)*. Government of India, Ministry of AYUSH, New Delhi. 79.

Anonymous. (2007). *The Unani Pharmacopeia, Part I, Volume III*. New Delhi: CCRUM, Department of AYUSH, Ministry of Health and Family Welfare, Government of India.1-2.

Anonymous. (2016). *The Unani Pharmacopeia of India (Part III, Volume I)*. Department of AYUSH, Ministry of Health & Family Welfare, Government of India, New Delhi, 3(1): 124,136,148.

Anonymous (2007). *The Unani Pharmacopeia of India, Part I, Vol. I, II, III Vol. V*. New Delhi; Department of AYUSH, Ministry of Health & Family Welfare, Government of India, 2007; 6, 18, 29, 32,33,106.

Ansari, M. S. (2020). Role of Traditional Knowledge Digital Library (TKDL) in Preservation and Protection of Indigenous Medicinal Knowledge of India. *Herbal Medicine in India: Indigenous Knowledge, Practice, Innovation and its Value*, 609-620.

Singh, A., & Handa, S. S. (1995). Hepatoprotective activity of *Apium graveolens* and *Hygrophila auriculata* against paracetamol and thioacetamide intoxication in rats. *Journal of Ethnopharmacology*, 49(3), 119–126.

Argueta, A., & Vázquez, M. C. G. (1994). *Atlas de las plantas de la medicina tradicional mexicana*. Instituto Nacional Indigenista.

Arsul, V. A., Wagh, S. R., & Mayee, R. V. (2011). Hepatoprotective activity of livergen, a polyherbal formulation against carbon tetrachloride-induced hepatotoxicity

in rats. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(3), 228–231.

Aruna, K., Syamala, D., Rao, J. P., Suneetha, J., & Venkaiah, M. (2015). Ethnomedicinal plants used by Jatapu women in Eastern Ghats of Andhra Pradesh, India. *The Journal of Ethnobiology and Traditional Medicine*, 124, 958–969.

Asia-Pacific Cultural Centre for UNESCO. (n.d.). *Asia-Pacific Database on Intangible Cultural Heritage (ICH)*.

Asilbekova, D. T., Bobakulov, K. M., Sasmakov, S. A., Abdurakhmanov, J. M., Azimova, S. S., Abdullaev, N. D., & Sagdullaev, S. (2017). Composition and antimicrobial activity of essential oils from *Daucus carota* L. subsp. *carota*, growing in Uzbekistan. *American Journal of Essential Oils and Natural Products*, 5, 9–13.

Aslam, M. S., Ahmad, M. S., Mamat, A. S., Ahmad, M. Z., & Salam, F. (2016). An update review on polyherbal formulation: A global perspective. *Systematic Reviews in Pharmacy*, 7(1), 35-41.

Awodele, O., Akindele, A. J., Aniete, J., & Adeyemi, O. O. (2013). Preliminary antimicrobial evaluation of DAS-77® - A polyherbal medicine. *Journal of Herbal Medicine*, 3(2), 52–56.

Ayurvedic Formulary of India (AFI). (2000). *Part II*. Government of India, Ministry of Health and Family Welfare, Department of Indian Systems of Medicine and Homoeopathy, New Delhi, India.

Ayurvedic Pharmacopoeia of India (API). (2000). *Part II*. Government of India, Ministry of Health and Family Welfare, Department of Indian Systems of Medicine and Homoeopathy, New Delhi, India.

Ayurvedic Pharmacopoeia of India (API). (2001). *Part I, Volume I*. Government of India, Ministry of Health and Family Welfare, Department of Indian Systems of Medicine and Homoeopathy, New Delhi, India.

Ayurvedic Pharmacopoeia of India (API). (2001a). *Part I, Volume II*. Government of India, Ministry of Health and Family Welfare, Department of Indian Systems of Medicine and Homoeopathy, New Delhi, India.

Ayurvedic Pharmacopoeia of India (API). (2001b). *Part I, Volume III*. Government of India, Ministry of Health and Family Welfare, Department of Indian Systems of Medicine and Homoeopathy, New Delhi, India.

AYUSH. (2010). *Unani Pharmacopoeia of India*. Government of India, Ministry of AYUSH.

Azam, H. M., & Muheet-e-Azam. (2002). *Central Council for Research in Unani Medicine, Part I*. Central Council for Research in Unani Medicine. 263.

Azami, A. A. (1995). *Basic concept of Unani Medicine - A critical study*. Department of History of Medicine, Hamdard University, New Delhi.

Azami A. A. (1998). Research methods for the history of Unani medicine In: Proceedings of the National Seminar on Research Methodology In Unani Medicine. Department of History of Medicine and Science Jamia Hamdard (Hamdard University) New Delhi.

Aziz, A., Khaliq, T., Khan, J. A., Jamil, A., Majeed, W., Faisal, M. N., et al. (2017). Ameliorative effects of Qurs-e-Afsanteen on gentamicin-induced hepatotoxicity and oxidative stress in rabbits. *Pakistan Journal of Agricultural Sciences*, 54(1), 181–188.

Aziz, N., Wal, A., Wal, P., & Pal, R. S. (2019). Preparation and evaluation of the polyherbal powder: The nature's pharmacy for the treatment of diabetes mellitus and its complications. *Pharmacophores*, 10, 60–70.

B. Rubini, B., Shanthi, G., Soundhari, C., & Rajarajan, S. (2013). Antifungal activity of *Terminalia chebula* and *Terminalia catappa* on two dermatophytes. *Journal of Medicinal and Aromatic Plants*, 4(2), 15–19.

Badri, S., Basu, V. R., Chandra, K., & Anasuya, D. (2019). A review on pharmacological activities of alkaloids. *World Journal of Current Medical and Pharmaceutical Research*, 230-234.

Bahekar, S. D., Mujariya, R. Z., & Singh, M. (2024). Formulation and evaluation of antifungal herbal gel using Aloe Vera and Betel leaves extract for the treatment of candidiasis. *World Journal of Biology Pharmacy and Health Sciences*, 18(2), 309-317.

- Balamithra, S., Vishnupriya, V., Ponnulakshmi, R., Gayathri, R., Madhan, K., & Shyamaladevi, B., et al. (2019). An *In vitro* antioxidant and antibacterial activity of Siddha polyherbal preparations on selected human pathogenic microorganisms. *Drug Invent Today*, 12(6), 1173–1175.
- Barkat, M., & Laib, I. (2012). Antioxidant activity of the essential oil from the flowers of *Lavandula stoechas*. *Journal of Pharmacognosy and Phytotherapy*, 4(7), 96–101.
- Battaglia, S. (2007). *The complete guide to aromatherapy*. Brisbane: The International Centre of Holistic Aromatherapy. Brisbane, 2007; 263. 33.
- Bauer A W, Kirby W M, Sherris J C and Turck M (1966): Antibiotic susceptibility testing by a standardized single disc method. *American Journal of Clinical Pathology*, 45(4), 493-496.
- Beg, M. B., Viqar, U., Naikodi, M. A. R., Suhail, H., & Kazmi, M. H. (2021). Standardization and HPTLC Fingerprinting of a Polyherbal Unani Formulation. *Cell Medicine*, 11(1), 4-1.
- Behera, S., Babu, S. M., Ramani, Y. R., & Choudhury, P. K. (2012). A Comparative Study on Phytochemical Investigation and Antioxidant Activity of Poly Herbal Mixture of *Ocimum canum* and *Pongamia pinnata* hydro-alcoholic leaf Extracts. *Research Journal of Pharmacognosy and Phytochemistry*, 4(5), 250-261.
- Belščak-Cvitanović, A., & Komes, D. (2017). Extraction and formulation of bioactive compounds. In *Handbook of coffee processing by-products*. Academic Press. 93-140.
- Benzie, I. F. F., & Wachtel-Galor, S. (2011). *Herbal medicine: Biomolecular and clinical aspects* (2nd ed.). CRC Press/Taylor & Francis.
- Bhargava, N. (1983). Ethnobotanical studies of the tribes of Andaman and Nicobar Islands, India. I. Onge. *Economic Botany*, 37(1), 110–119.
- Bhatt, R. P., & Sabnis, S. D. (1987). Contribution to the ethnobotany of Khedbrahma region of North Gujarat. *Journal of Economic and Taxonomic Botany*, 9(1), 139–145.
- Bhatt, D. C., Mehta, S. K., & Mitaliya, K. D. (1999). Ethnomedicinal plants of Shetrunjaya Hill of Palitana, Gujarat. *Ethnobotany*.

- Bhattacharjee, S. K. (2004). Handbook of medicinal plants. Jaipur. *India: Pointer*.
- Bhattacharya, I., Bismillakhan, P. F., & Vora, S. (2020). The Scinerio of BARLERIA PRIONITIS Used as Herbal Medicine for Treatment of Many Diseases.
- Bhingre, S. D., Bhutkar, M. A., Randive, D. S., Wadkar, G. H., Todkar, S. S., Kakade, P. M., & Kadam, P. M. (2017, September). Formulation development and evaluation of antimicrobial polyherbal gel. In *Annales pharmaceutiques francaises*, 75 (5), 349-358. Elsevier Masson.
- Bhope, S. G., Nagore, D. H., Kuber, V. V., Gupta, P. K., & Patil, M. J. (2011). Design and development of a stable polyherbal formulation based on the results of compatibility studies. *Pharmacognosy Research*, 3(2), 122–129.
- Bibhabasu, H., Rhitajit, S., Santanu, B., & Nripendranath, M. (2010). Comparative study of the antioxidant and reactive oxygen species scavenging properties in the extracts of the fruits of *T. chebula*, *T. bellerica*, and *E. officinalis*. *BMC Complementary and Alternative Medicine*, 10, 1–15.
- Bibi, C., & Nigar, Z. (2024). Clinical Evaluation of a Topical Unani Polyherbal Formulation in the Management of Photodamaged Facial skin: An open-label Standard Controlled Trial. *Alternative Therapies in Health & Medicine*, 30(3).
- Bladt, S. (2009). *Plant Drug Analysis: A thin layer chromatography atlas*. Springer Science & Business Media. 156.
- Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181(4617), 1199-1200.
- Bommakanti, V., Puthenparambil Ajikumar, A., Sivi, C. M., Prakash, G., Mundanat, A. S., Ahmad, F., et al. (2023). An overview of herbal nutraceuticals, their extraction, formulation, therapeutic effects, and potential toxicity. *Separations*, 10(3), 177.
- Borins, M. (1987). Traditional medicine in India. *Canadian Family Physician*, 33, 1061–1064.

- Bose, A., Dey Ray, S., & Sahoo, M. (2013). Central depressant activity of ethanol extract of *Nymphaea alba* rhizome in mice. *Oriental Pharmacy and Experimental Medicine*, *13*, 159–164.
- Boskabady, M. H., Shafei, M. N., Saberi, Z., & Amini, S. (2011). Pharmacological effects of *Rosa damascena*. *Iranian Journal of Basic Medical Sciences*, *14*(4), 295–307.
- Cao, G., Sofic, E., & Prior, R. L. (1997). Antioxidant and prooxidant behavior of flavonoids: structure-activity relationships. *Free radical biology and medicine*, *22*(5), 749-760.
- Carballeira, N. M. (2008). New advances in fatty acids as antimalarial, antimycobacterial and antifungal agents. *Progress in lipid research*, *47*(1), 50-61.
- Chamara, A. M. R., Kuganesan, A., Dolawatta, D. K., Amarathunga, I. M., Wickramasinghe, W. Y. H., Madushani, Y. M. P. K., et al. (2018). Evaluation of bioactivities of two polyherbal formulations found in Sri Lankan Ayurvedic treatments. *International Journal of Pharmaceutical Sciences and Research*, *9*(5), 2073–2079.
- Chandel, S. R., Kumar, V., Guleria, S., Sharma, N., Sourirajan, A., Khosla, P. K., ... & Dev, K. (2019). Sequential fractionation by organic solvents enhances the antioxidant and antibacterial activity of ethanolic extracts of fruits and leaves of *Terminalia bellerica* from North Western Himalayas, India. *Pharmacognosy Journal*, *11*(1), 94-101.
- Chander, M. P., & Vijayachari, P. (2018). Ethnomedicinal knowledge among the tribes of the Little Andaman Island, Andaman and Nicobar Islands, India. *Pharmacognosy Magazine*, *14*(57), 488–493.
- Chandra, S. R., Manohar, V. R., & Rao, S. N. (2012). Antidepressant activity of aqueous extract of fruits of *Terminalia chebula* in rats. *International Journal of Pharmacy and Pharmaceutical Sciences*, *4*(4), 449–451.
- Charola, S., Tadvi, B., Albert, S., Suresh, B., & Nair, S. (2022). Analysis of a polyherbal galactagogue *Batrisu vasanu*, an indigenous Indian ethnomedicine. *Indian*

Journal of Natural Products and Resources (IJNPR) [Formerly Natural Product Radiance (NPR)], 12(4), 610-616.

Chaturvedi, A., Tiwari, A.K., Mani, R.J. (2017). Traditional practices of using various medicinal plants during postnatal care in Chitrakoot district. *Indian Journal of Traditional Knowledge*, 16, 605– 613.

Chaudhari *et.al.*, (2019). A Study on Medicinal plants of the Aravalli District, North Gujarat. *International Journal of Research in Engineering, Science and Management*, 2(120), 576-580.

Chaudhari RD. (1996). Standardization and Quality Control of Medicinal Plants and their Products. *Journal of Chemical Technology and Biotechnology*, 1(67), 21- 26.

Che, C.-T., George, V., Ijinu, T. P., Pushpangadan, P., & Andrae-Marobela, K. (2017). *Traditional Medicine. Pharmacognosy*, 15–30.

Chetan, C., Suraj, M., Maheshwari, C., Rahul, A., & Priyanka, P. (2011). Screening of antioxidant activity and phenolic content of the whole plant of *Barleria prionitis* Linn. *International Journal of Research in Ayurveda and Pharmacy*, 2, 1313–1319.

Choi, C. W., Kim, S. C., Hwang, S. S., Choi, B. K., Ahn, H. J., Lee, M. Y., et al. (2002). Antioxidant activity and free radical scavenging capacity between Korean medicinal plants and flavonoids by assay-guided comparison. *Plant Science*, 163(6), 1161–1168.

Chopra, D., & Simon, D. (2004). *The seven spiritual laws of yoga: A practical guide to healing body, mind, and spirit*. Hoboken, NJ: John Wiley & Sons.

Chorgade, M. S. (2007). *Drug discovery and development: Drug development* (Vol. 2). Hoboken, NJ: John Wiley & Sons.

Choudhary, N., & Sekhon, B. H. (2011). An overview of advances in the standardization of herbal drugs. *Journal of Pharmaceutical Education and Research*, 2(2), 55–70.

Choudhary P, Dei L and Sharma S. (2014). Pharmacognostical and Phytochemical Standardization of Nimbadi Yoni Varti: An Ayurvedic Formulation. *American Journal of Pharmacy & Health Research*, 2(7), 267-275.

- Choudhary, A., Kumar, A., Kandpal, R., Gupta, A. K., Jha, A. K., Naik, B., ... & Khan, J. M. (2024). Evaluation of secondary metabolites, nutraceutical potential, and amino acid profile of fresh dates (*Phoenix dactylifera*) alcoholic beverage. *Discover Food*, 4(1), 53.
- Choudhury, K., Singh, M., & Pillai, U. (2008). Ethnobotanical survey of Rajasthan – An update. *American-Eurasian Journal of Botany*, 1(2), 38–45.
- Chusri, S., Tongrod, S., Saising, J., Limsuwan, S., Sanpinit, S., & Piyawan, S. (2017). Antibacterial and anti-biofilm effects of a polyherbal formula and its constituents against coagulase-negative and positive staphylococci isolated from bovine mastitis. *Journal of Applied Animal Research*, 45(1), 364–372.
- Cooke, T. (1908). The flora of the presidency of Bombay: *Compositae to Graminae* (Vol. 2). Taylor & Francis.
- Cooke, T. (1958). Flora of the Presidency of Bombay (Vols. 1–2). Botanical Survey of India. (Reprint).
- Cos, P., Vlietinck, A. J., Vanden Berghe, D., & Maes, L. (2006). Anti-infective potential of natural products: How to develop a stronger *In vitro* “proof-of-concept.” *Journal of Ethnopharmacology*, 106(3), 290–302.
- Cox-Georgian, D., Ramadoss, N., Dona, C., & Basu, C. (2019). Therapeutic and medicinal uses of terpenes. In *Medicinal plants: From farm to pharmacy*, 333–359. Springer.
- Dahare, D. K., & Jain, A. (2010). Ethnobotanical studies on plant resources of Tahsil Multai, District Betul, Madhya Pradesh, India. *Ethnobotanical Leaflets*, 14, 694–705.
- Dai, J., & Mumper, R. J. (2010). Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules*, 15(10), 7313–7352.
- Dam, D. P., & Hajra, P. K. (1997). Observation on ethnobotany of Mompas of Kameng District, Arunachal Pradesh. In S. K. Jain (Ed.), *Contribution to Indian Ethnobotany* (3rd ed.), 153–160, Scientific Publishers.
- Dar, S. A., Akbar, S., Ghazanfar, K., Hamdani, M., Nazir, T., Mir, M. S., ... & Ganie, S. A. (2016). Sub-chronic oral toxicity study of Kushta Hajrul-Yahood (a herbo-mineral

- Unani formulation) in Wistar rats. *Journal of Applied Pharmaceutical Science*, 6(11), 105–113.
- Deattu, N., Suseela, L., & Narayanan, N. (2012). Evaluation of antibacterial and antifungal activities of ethanolic polyherbal extract. *Journal of Drug Delivery and Therapeutics*, 2(6).
- De-Lucca, A. J. (2007). Harmful fungi in both agriculture and medicine. *Revista Iberoamericana de Micología*, 24(1), 3–13.
- Demla, M., & Verma, H. (2012). *In vitro* antioxidant activity, total phenolic and total flavonoid content of different extracts of Solanum xanthocarpum berries. *International Journal of Pharmacy and Pharmaceutical Sciences*, 4(4), 154–157.
- Dev, S. K., Choudhury, P. K., Srivastava, R., & Sharma, M. (2019). Antimicrobial, anti-inflammatory and wound healing activity of polyherbal formulation. *Biomedicine & Pharmacotherapy*, 111, 555–567.
- Devanna, N., Chakraborty, R., Sen, S., & De, B. (2014). Tribal medicinal plants of Tripura, India: A scientific search. Serial Publications.
- Devesh Kumar, D. K., & Mishra, P. K. (2011). Plant-based contraceptive popular among tribals of Jharkhand. *Ethnobotanical Leaflets*, 11-14.
- Devi, U., Khan, A. S., Ansari, S. A., Ahmed, R., & Meena, R. P. (2024). Pharmacognostic evaluation and HPTLC fingerprinting of Itrifal Mulayyan—a Unani polyherbal formulation. *World Journal of Pharmaceutical Research*, 3(6), 544–562.
- Dheer, R., & Bhatnagar, P. (2010). A study of the antidiabetic activity of Barleria prionitis Linn. *Indian Journal of Pharmacology*, 42(2), 70–73.
- Dhyani, S., & Wani, N. (2015). Ethnobotanical study of the plants used by the local people of Gulmarg and its allied areas, Jammu & Kashmir, India. *Ethnobotanical Leaflets*, 2, 16–23.
- Dias, D. A., Urban, S., & Roessner, U. (2012). A historical overview of natural products in drug discovery. *Metabolites*, 2(2), 303–336.
- Dubey, N. K., Kumar, R., & Tripathi, P. (2004). Global promotion of herbal medicine: India's opportunity. *Current Science*, 86(1), 37–41.

- Dwivedi, S., Singh, S., & Singh, J. (2023). Effect of extraction solvent and plant part on the yield of phenolic compounds, plumbagin, and biological activity of *Plumbago zeylanica*. *Journal of Pharmacognosy and Phytochemistry*, 12(6), 5–10.
- Emaleku, S. A. (2018). Depletion of hepatic antioxidant enzymes in experimental albino rats due to polyherbal medicines administration. *Journal of Stem Cell Research and Therapy*, 8(3).
- Ericson-Neilsen, W., & Kaye, A. D. (2014). Steroids: Pharmacology, complications, and practice delivery issues. *Ochsner Journal*, 14(2), 203–207.
- Fabricant, D. S., & Farnsworth, N. R. (2001). The value of plants used in traditional medicine for drug discovery. *Environmental Health Perspectives*, 109, 69–75.
- Famewo, E. B., Clarke, A. M., & Afolayan, A. J. (2018). Evaluation of important mineral nutrients and vitamins in polyherbal medicines used for the treatment of tuberculosis in the Eastern Cape Province, South Africa. *International Journal of Phytomedicine*, 10(1), 16.
- Famewo, E. B., Clarke, A. M., & Afolayan, A. J. (2017). The effect of polyherbal medicines used for the treatment of tuberculosis on other opportunistic organisms of humans infected with tuberculosis. *Pharmacognosy Magazine*, 13(Suppl 3), S539.
- Farnsworth, N. R., Akerele, O., Bingel, A. S., Soejarto, D. D., & Guo, Z. (1985). Medicinal plants in therapy. *Bulletin of the World Health Organization*, 63, 965–981.
- Farooqui, N. A., Dey, A., Singh, G. N., Easwari, T. S., & Pandey, M. K. (2014). Analytical techniques in quality evaluation of herbal drugs. *Asian Journal of Pharmaceutical Research*, 4(3), 112–117.
- Farzana, M., Shiffa, M., & Fahamiya, M. (2016). Herbs used as Mudir e Laban (Galactagogue) in Unani Medicine. *International Journal of Advance Pharmacological, Medical and Biological Science*, 1–8.
- Foo, L. W., Salleh, E., & Mamat, S. N. H. (2015). Extraction and qualitative analysis of Piper betel leaves for antimicrobial activities. *International Journal of Engineering Technology Science Research*, 2(1), 1–8.

- Gaamoune, S., Nouioua, W., & Djaout, O. (2015). Antioxidant, antimicrobial, and anti-inflammatory activities of flavonoids and tannins extracted from *Polypodium vulgare* L. *Asian Journal of Biochemical and Pharmaceutical Research*, 5(4), 114–122.
- Gadhvi, K. J., & Modi, N. R. (2019). Traditional ethno-medicinal plants used by tribal communities in Godhra forest, Gujarat, India. *Tropical Plant Research*, 6(3), 506–513.
- Gahukar, R. T. (2012). Evaluation of plant-derived products against pests and diseases of medicinal plants: A review. *Crop Protection*, 42, 202–209.
- Gao, L., Zhong, L., Zhang, J., Zhang, M., Zeng, Y., Li, L., & Zang, H. (2021). Water as a probe to understand the traditional Chinese medicine extraction process with near-infrared spectroscopy: A case of Danshen (*Salvia miltiorrhiza* Bge) extraction process. *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, 244, 118854.
- Ghali, S. K., Rafeeqi, T. A., Husain, G. M., Javed, G., Waheed, M. A., Kazmi, M. H., & Chakraborty, A. (2022). The effect of polyherbal Unani formulation on melanogenesis mechanism in the treatment of hypopigmentation disorder. *Phytomedicine Plus*, 2(4), 100333.
- Ghani, N., Al-Adwiya, N. (2010). Central Council for Research in Unani Medicine, Department of Ayush, Ministry of Health and Family Welfare, Government of India.
- Giri, X. S., Dey, G., Sahu, R., Paul, P., Nandi, G., & Dua, T. K. (2023). Traditional uses, phytochemistry, and pharmacological activities of *Woodfordia fruticosa* (L.) Kurz: A comprehensive review. *Pharmaceutical Sciences*, 85(1), 1–12.
- Girish, H. V., & Satish, S. (2008). Antibacterial activity of important medicinal plants on human pathogenic bacteria: A comparative analysis. *World Applied Sciences Journal*, 5, 267–271.
- Gogte, V. M. (2000). Ayurvedic Pharmacology & Therapeutic Uses of Medicinal Plants (Dravyagunavignyan). *Swami Prakashananda Ayurveda Research Centre*, Kalapati Munshi Marg, Mumbai.656-657.
- Gordon, M. C., & David, J. N. (2001). Natural product drug discovery in the next millennium. *Journal of Pharmaceutical Biology*, 39, 8–17.

- Gould, I., & Lode, H. M. (2008). Rational antibiotic therapy and the position of ampicillin/sulbactam: Antibiotic resistance the perfect storm. *International Journal of Antimicrobial*, 34(3), 2–5.
- Government of India Planning Commission. (2000). Report of the Task Force on Conservation and Sustainable Use of Medicinal Plants. New Delhi: Government of India Planning Commission. Retrieved January 9, 2015, from http://planningcommission.gov.in/aboutus/taskforce/tsk_medi.pdf.
- Government of India, Ministry of AYUSH. (2016). *Unani Pharmacopoeia of India*, Part II, Volume 3. New Delhi: Ministry of AYUSH.
- Goyal, M. (2017). Use of ethnomedicinal plants for prophylaxis and management of postpartum complications among the Marwari community of Jodhpur District of Rajasthan. *Food Quality and Safety*, 1(3), 203–210.
- Gupta, D., Saini, S. L., & Sharma, T. (2018). Antimicrobial potential of polyherbal formulation Vranahitkara Ghritam: A review. *World Journal of Pharmacy and Pharmaceutical Sciences*, 7(12), 616–623.
- Gupta, M., Kapoor, A. C., & Khetarpaul, N. (2003). Development, acceptability, and nutrient composition of traditional supplementary foods consumed by lactating women in India. *Nutrition and Health*, 17(2), 147–155.
- Gupta, M., Karmakar, N., & Sasmal, S. (2017). *In vitro* antioxidant activity of aqueous and alcoholic extracts of polyherbal formulation consisting of *Ficus glomerata* Roxb. and *Symplocos racemosa* Roxb. stem bark assessed in free radical scavenging assays. *International Journal of Pharmacognosy and Phytochemical Research*, 9(2), 181–189.
- Gupta, M., Sumaiya, S., Ali, S., Naved, T., Sharma, A., Ahmad, A., ... & Sarwat, M. (2023). Pharmacognostical and phytochemical evaluation of a Unani polyherbal formulation: Dawa ul Kurkum by HPTLC. *Separations*, 10(2), 89.
- Gupta, U. (2014). Ethnomedicinal study of several villages in Dhanpur Taluka, Dahod, Gujarat.
- Hakim, M. A. (2005). *Bustanul Mufradat*. New Delhi: Idara Kitabus Shifa, 70–71.
- Hakim, M. A. (1991). *Bustan-ul-Mufradat*. Tarraqui Urdu Publication, Lucknow, India.

- Halliwell, B., & Gutteridge, J. (2007). *Free radicals in biology and medicine* (4th ed.). Oxford: Oxford University Press.
- Hidayat, L. H., & Fitriani, R. D. (2023). The antifungal effectivity test of ethanolic extract of kidney bean (*Phaseolus vulgaris* L.) against *Candida albicans* using *In vitro* method. *E-Prodenta Journal of Dentistry*, 7(2), 847–858.
- Hongal, S., Torwane, N. A., Pankaj, G., Chandrashekhar, B. R., & Gouraha, A. (2014). Role of Unani system of medicine in management of orofacial diseases: A review. *Journal of Clinical and Diagnostic Research: JCDR*, 8(10), ZE12.
- Hua-Yew, C., Ta-Chen, L., Kuo-Hua, Y., Chien-Min, Y., & Chun-Ching, L. (2003). Antioxidant and free radical scavenging activities of *Terminalia chebula*. *Biological and Pharmaceutical Bulletin*, 26(9), 1331–1335.
- Husain, A., Sofi, G., Tajuddin, Dang, R., & Kumar, N. (2010). Unani system of medicine: Introduction and challenges. *Medical Journal Islamic World Academy of Sciences*, 18, 27–30.
- Husain, G. M., Urooj, M., Rafeeqi, T. A., Chakraborty, A., Kazmi, M. H., & Javed, G. (2022). Safety and anti-inflammatory activity of a coded Unani polyherbal formulation in experimental animals. *Neuro Quantology*, 20(16), 2355.
- Hussain, M. S., Nazeer Ahamed, K. F. H., & Ansari, M. Z. H. (2009). Preliminary studies on diuretic effect of *Hygrophila auriculata* (Schum.) Heine in rats. *International Journal of Health Research*, 2(1), 59–64.
- Ibn Baitar. (2003). *Al-Jame le Mufradat al Advia wal Aghzia* (Vol. IV, Urdu translation). *Central Council for Research in Unani Medicine*, New Delhi, 416–419.
- Ibn Rushd. (1980). *Kitabul Kulliyat* (1st ed.). *Central Council for Research in Unani Medicine*, New Delhi, 1, 105–110.
- Ibn Sina. (2007). *Al Qanoon fil Tib* (Urdu Translation by Kantoori, G. H.) (Vols. 1, Part 2, Part 3). New Delhi: *Idara Kitabus Shifa*, 39–40, 57, 61, 83–84, 212, 82–92.
- Ikram, M., Rather, G. J., & Zaigham, M. (2019). Quality standard of Safoof Razyanj: A Unani polyherbal powder formulation. *Journal of Young Pharmacists*, 11(4), 361.

- Ilomuanya, M. O., Akhimien, T., Aghaizu, C., Adeyinka, O., & Ajayi, T. (2018). Polyherbal antioxidant topical preparation comprising ethanol extract of *Tetracarpidium conophorum* and *Ocimum gratissimum*: Formulation and evaluation. *Dhaka University Journal of Pharmaceutical Sciences*, 17(2), 213–219.
- Imran, S., Ahmad, W., & Saltanat, S. (2024). Therapeutic evaluation of Unani medicine, including single drugs and polyherbal formulations with special reference to neurodegenerative disorders. *Alternative Therapies in Health & Medicine*, 30, 54–64.
- Inavally, A. T., D'Souza, D., & Sadananda, M. (2024). Phytochemical characterization, antioxidant, and antimicrobial activities of the Ayurvedic polyherbal formulation Mentone. *International Journal of Ayurveda Research*, 5(2), 85–93.
- Irkin, R., & Korukluoglu, M. (2007). Control of *Aspergillus niger* with garlic, onion, and leek extracts. *African Journal of Biotechnology*, 6(4), 384–387.
- Islam, R., Deb, A., Ghosh, A. J., Dutta, D., Ray, A., Dutta, A., ... & Saha, T. (2024). Toxicological profiling of methanolic seed extract of *Abutilon indicum* (L.) Sweet: In-vitro and in-vivo analysis. *Journal of Ethnopharmacology*, 335, 118655.
- Indian Systems of Medicine, Government of Kerala. (2011). About Siddha. Retrieved from <http://www.ism.kerala.gov.in/index.php/about-sidha.html>.
- Itrat, M., & Khan, S. (2016). Evidence-based Unani medicine: Need for appropriate research methods. *Journal of Traditional Medicine of Clinotherapeutic Natur*, 5(3), 197.
- Jacob, S., Senthilkumaran, J., Somasundaram, G., Venugopala, R. K., & Madhavi, E. (2013). Antiinflammatory activity of ethanolic extract of *Nymphaea alba* flower in Swiss albino mice. *International Journal of Medical Research & Health Sciences*, 2(3), 474–478.
- Jain, N., Goyal, S., & Ramawat, K. G. (2011). Evaluation of antioxidant properties and total phenolic content of medicinal plants used in diet therapy during postpartum healthcare in Rajasthan. *International Journal of Pharmacy and Pharmaceutical Sciences*, 3(3), 248–253.

- Jain, S. K. (1991). Dictionary of Indian Folk Medicine and Ethnobotany. Deep Publication, Delhi.
- Jangid, K., Jayakumar, N. D., & Varghese, S. S. (2014). Achievable therapeutic effects of *Myristica fragrans* (nutmeg) on periodontitis: A short review. *International Journal of Pharmacy and Pharmaceutical Sciences*, 6(5), 591–594.
- Jha, A. K., & Sit, N. (2022). Extraction of bioactive compounds from plant materials using combination of various novel methods: A review. *Trends in Food Science & Technology*, 119, 579–591.
- Jitubhai, P. P., Patel, N. M., & Patel, P. M. (2011). WHO guidelines on quality control of herbal medicines. *International Journal of Research in Ayurveda and Pharmacy*, 2(4), 1148–1154.
- Joshi, V. K., Joshi, A., & Dhiman, K. S. (2017). The Ayurvedic Pharmacopoeia of India, development and perspectives. *Journal of Ethnopharmacology*, 197, 32–38.
- Joy, P. P., Thomas, J., Mathew, S., & Skaria, P. B. (1998). Medicinal plants, kerala agricultural university. *Aromatic and Medicinal Plants Research Station*, 4-6.
- Kabir, H. (2003). *Morakkabat (Unani Formulations)* (1st ed.). Shamsheer Publisher and Distributors, Aligarh, India.
- Kabiruddin, M. (2007). *Ilmul Adwiyah Nafisi*. New Delhi: Aijaz Publishing House, 296.
- Kajaria, D. K., Gangwar, M., Kumar, D., Sharma, A. K., Tilak, R., Nath, G., et al. (2012). Evaluation of antimicrobial activity and bronchodilator effect of a polyherbal drug-Shrishadi. *Asian Pacific Journal of Tropical Biomedicine*, 2(11), 905–909.
- Kala, C. P. (2009). Aboriginal uses and management of ethnobotanical species in deciduous forests of Chhattisgarh state in India. *Journal of Ethnobiology and Ethnomedicine*, 5(1), 20.
- Kalasariya, H. S., Pereira, L., & Patel, N. B. (2023). Comprehensive phytochemical analysis and bioactivity evaluation of *Padina boergesenii*: Unveiling its prospects as a promising cosmetic component. *Marine Drugs*, 21(7), 385.

- Kalim, M. D., Bhattacharyya, D., Banerjee, A., & Chattopadhyay, S. (2010). Oxidative DNA damage preventive activity and antioxidant potential of plants used in Unani system of medicine. *BMC Complementary and Alternative Medicine*, 10, 77.
- Kamtekar, S., Keer, V., & Patil, V. (2014). Estimation of phenolic content, flavonoid content, antioxidant, and alpha-amylase inhibitory activity of marketed polyherbal formulation. *Journal of Applied Pharmaceutical Science*, 4(9), 061–065.
- Kanchibhotla, D., Subramanian, S., Kumar, R. M. R., Hari, K. V., & Pathania, M. (2022). An In-vitro evaluation of a polyherbal formulation against SARS-CoV-2. *Journal of Ayurveda and Integrative Medicine*, 13(3), 100581.
- Kandasamy, C. S., Nath, S., Arulraj, P., Gopal, V., Muthusamy, P., & Venkatanarayanan, R. (2011). Antimicrobial activity of the crude drugs and the polyherbal formulation by standardized cup and plate method. *International Journal of Pharma Sciences and Research*, 2(10), 189–195.
- Kankara, S. S., Ibrahim, M. H., Mustafa, M., & Go, R. (2015). Ethnobotanical survey of medicinal plants used for traditional maternal healthcare in Katsina state, Nigeria. *South African Journal of Botany*, 97, 165–175.
- Kannaiyan, S. (2014). Diversity, sustainable use, and conservation of medicinal plants. Inaugural address to the International Seminar on Medicinal Plants and Herbal Products, Tirupati, India, March 7–9.
- Kanta, C., & Sharma, I. P. (2018). Ethnobotanical studies on medicinal plants of Langate area, Kupwara, Jammu and Kashmir, India. *Journal of Medicinal Plants Studies*, 6(2), 94–97.
- Kanthimathi, M., & Soranam, R. (2013). Antibacterial effects of *Emblica officinalis* and *Phyllanthus niruri* crude extracts against bacterial pathogens. *International Journal of Pharmaceutical and Clinical Science*, 3(3), 20–23.
- Kaper, J. B., Nataro, J. P., & Mobley, H. L. (2004). Pathogenic *Escherichia coli*. *Nature Reviews Microbiology*, 2(2), 123–140.

- Karemore, M. N., & Avari, J. G. (2017). Herbal medicines used during pregnancy, childbirth, and postpartum care. *International Journal of Pharmaceutical Sciences and Research*, 8(12), 5326–5335.
- Karole, S., Shrivastava, S., Thomas, S., Soni, B., Khan, S., Dubey, J., ... & Jain, D. K. (2019). Polyherbal formulation concept for synergic action: A review. *Journal of Drug Delivery and Therapeutics*, 9(1-s), 453–466.
- Kashif, A. R., Batool, K., Rabbani, S. M., Javed, N., Asadullah, M., Yaseen, S., & Bibi, H. (2024). Comparative analysis of phenolic and flavonoid content in mango varieties: Evaluating antioxidant and antimicrobial activity. *J. Adv. Nutri. Sci. Technol*, 4(3-4), 52-65.
- Kasture, S., Pontis, S., Pinna, A., Schintu, N., Spina, L., Longoni, R., Simola, N., Ballero, M., & Morelli, M. (2009). Assessment of symptomatic and neuroprotective efficacy of *Mucuna pruriens* extract in a rodent model of Parkinson's disease. *Neurotoxicity Research*, 15, 111–122.
- Katzenschlager, R., Evans, A., Manson, A., Patsalos, P. N., Ratnaraj, N., Watt, H., Timmerman, L., Van der Giessen, R., & Lees, A. J. (2004). *Mucuna pruriens* in Parkinson's disease: A double-blind clinical and pharmacological study. *Journal of Neurology, Neurosurgery & Psychiatry*, 75, 1672–1677.
- Kaur, J., Savita Rani, Singh, G., & Sood, N. (2015). Ethnomedicinal knowledge reserves amongst rural women in Jind district of Haryana, India. *Journal of Medicinal Plants Studies*, 3(4), 111–114.
- Kaushik, S., Sharma, P., Jain, A., & Sikarwar, M. S. (2010). Preliminary phytochemical screening and HPTLC fingerprinting of *Nicotiana tabacum* leaf. *Journal of Pharmacy Research*, 3(5), 1144–1145.
- Kavitha, A. N., Deepthi, V., & Nayeem, N. (2013). Design, formulation, and evaluation of a polyherbal ointment for its wound healing activity. *Pharmacophore*, 4(5), 175–180.
- Kedare, S. B., & Singh, R. P. (2011). Genesis and development of DPPH method of antioxidant assay. *Journal of Food Science and Technology*, 48, 412–422.

- Khan, A. (2014). *Muheet-i-Azam* (Vol. 3). New Delhi: Central Council for Research in Unani Medicine, Department of Ayush, Ministry of Health and Family Welfare, Government of India.
- Khan, P., Bano, H., Verma, R. S., Rehman, S., Ayub, S., Devi, M. K., et al. (2021). Efficacy and safety of Unani drugs to combat chronic gout: A preliminary study. *International Journal of Recent Scientific Research*, 12, 41723–41728.
- Khan, A. S., Ansari, S. A., Devi, U., Ahmed, M. W., Kashyap, S., & Ahmed, A. (2023). Pharmacognostical evaluation and HPTLC fingerprinting of classical Unani formulation: Itrifal-Kishneezi. *Methods*, 10, 11.
- Khan, A., Siddiqui, A., & Jamal, A. (2019). Gule Nilofer (*Nymphaea alba*): An influential drug in Unani medicine: A review with immense therapeutic potential and phyto-pharmacological perspective. *Advances and Innovative Research*, 62.
- Khanam, S., Zakir, M., Husain, G. M., Husain, M. K., Kazmi, M. H., & Urooj, M. (2024). Antipyretic and analgesic activity of polyherbal Unani formulation in experimental animals. *Research Journal of Pharmacy and Technology*, 17(7), 3189–3196.
- Khare, C. P. (2007). *Indian Medicinal Plants: An Illustrated Dictionary* (1st ed.). New Delhi: Springer Pvt. Ltd.
- Kirtikar, K. R., & Basu, B. D. (2012). *Indian Medicinal Plants* (2nd ed., Vol. 1). Delhi: Periodical Expert Book Agency.
- Kohli, K. R., Nipanikar, S. U., & Kadbhane, K. P. (2010). A comprehensive review on Trivrit (*Operculina turpethum* Syn. *Ipomoea turpethum*). *International Journal of Pharma and Bio Sciences*, 1(4), 443–452.
- Koll, K., Reich, E., Blatter, A., & Veit, M. (2003). Validation of standardized high-performance thin-layer chromatographic methods for quality control and stability testing of herbals. *Journal of AOAC International*, 86(5), 909–915.
- Kulkarni, S. K., & Dhir, A. (2008). *Withania somnifera*: An Indian ginseng. *Progress in Neuro-Psychopharmacology and Biological Psychiatry*, 32(5), 1093–1105.

- Kumar, B., & Madhusudanan, K. P. (2020). Role of mass spectrometry in modern herbal drug research. *In Biophysical and computational tools in drug discovery*, 33–64. Springer International Publishing.
- Kumar, K. A., Choudhary, R. K., Joshi, B., Ramya, V., Sahithi, V., & Veena, P. (2011). Determination of antibacterial, antifungal activity and chemical composition of essential oil portion of Unani formulation Kulzam. *International Journal of Green Pharmacy*, 5(1).
- Kumaravel, S., & Alagusundaram, K. (2014). Antimicrobial activity and phytochemical analysis of selected Indian spices. *Journal of Pure and Applied Microbiology*, 8(5), 4131–4136.
- Kuna, L., Ghali, S. K., Rafeeqi, T. A., Husain, G. M., Waheed, M. A., Javed, G., ... & Chakraborty, A. (2022). Effect of anti-inflammatory activity of aqueous, hydro-ethanol, and methanol extracts of two Unani formulations. *Research Journal of Pharmacy and Technology*, 15(4), 1560–1566.
- Kuncha, J., Thirugnanasambantham, P., Shanmugam, K., & Narayanan, N. (2019). *In vitro* antibacterial and antifungal activity of hydro-alcoholic extract of polyherbal formulation. *Journal of Pharmaceutical Sciences and Research*, 11(3), 721–725.
- Kunle, O. F., Egharevba, H. O., & Ahmadu, P. O. (2012). Standardization of herbal medicines: A review. *International Journal of Biodiversity and Conservation*, 4(3), 101–112.
- Kurella, S., & Addepally, U. (2023). Screening of selected cultivars of sweet sorghum for phytochemicals and *In vitro* evaluation of their antihyperglycemic and cytotoxic activity. *Current Bioactive Compounds*, 19(10), 68–78.
- Kwan, S. H., & Abdul-Rahman, P. S. (2021). Clinical study on plant galactagogue worldwide in promoting women's lactation: A scoping review. *Plant Foods for Human Nutrition*, 76(3), 257–269.
- Lad, V. S. (2002). *Fundamental principles of Ayurveda*. Albuquerque, New Mexico: The Ayurvedic Press, 25-9.

- Lalhriatpuii, T. (2020). HPTLC fingerprint in herbal drug formulations. *In Herbal medicine in India: Indigenous knowledge, practice, innovation and its value*, 337–362.
- Li, X., Meenu, M., & Xu, B. (2023). Recent development in bioactive compounds and health benefits of kumquat fruits. *Food Reviews International*, 39(7), 4312–4332.
- Lieu, C. A., Venkiteswaran, K., Gilmour, T. P., Rao, A. N., Petticoffer, A. C., Gilbert, E. V., Deogaonkar, M., Manyam, B. V., & Subramanian, T. (2012). The antiparkinsonian and antidyskinetic mechanisms of *Mucuna pruriens* in the MPTP-treated nonhuman primate. *Evidence-Based Complementary and Alternative Medicine*, 1–10.
- Manna, A., & Abalaka, M. E. (2000). Preliminary screening of the various extracts of *Physalis angulata* (L.) for antimicrobial activities. *Spectrum Journal*, 7, 119–125.
- Mannan, M. N., Kazmi, M. H., Zakir, M., Naikodi, M. A. R., Zahid, U., & Siddiqui, J. I. (2020). Standardization and development of pharmacopoeial standard operating procedures (SOPs) of classical Unani formulation. *Cell Medicine*, 10(2), 16-1.
- Manyam, B. V., Dhanasekaran, M., & Hare, T. A. (2004). Neuroprotective effects of the antiparkinson drug *Mucuna pruriens*. *Phytotherapy Research*, 9, 706–712.
- Marahatha, R., Gyawali, K., Sharma, K., Gyawali, N., Tandan, P., Adhikari, A., ... & Parajuli, N. (2021). Pharmacologic activities of phytosteroids in inflammatory diseases: Mechanism of action and therapeutic potentials. *Phytotherapy Research*, 35(9), 5103–5124.
- Marcel, A. G., Sitapha, O., Elisée, K. K., Joel, A. A. M., Marcellin, T. K., Mathieu, K. A. K., & Joseph, D. A. (2023). Anticandidosis activity of aqueous and ethanolic extracts of *Harungana madagascariensis*, *Zanthoxylum leprieurii*, and *Xylopiya aethiopica*. *Scholarly Academic Journal of Biosciences*, 10, 323–330.
- Maru, R. N., & Patel, R. S. (2012). Ethnomedicinal plants used to cure different diseases by tribals of Jhalod Taluka of Dahod district, Gujarat, India. *International Journal of Scientific and Research Publications*, 2(9).

- Maruthamuthu, R., & Kumaresan, R. (2016). Ethnomedical survey of plants used by Malayali community to treat coronary heart diseases in Pachamalai Hills. *National Journal of Physiology, Pharmacy and Pharmacology*, 6(4), 336–339.
- Mary, S. D., & Gayathri, D. (2015). *In vitro* cytotoxicity and glucose uptake activity of fruits of Terminalia bellirica in Vero, L-6, and 3T3 cell lines. *Journal of Applied Pharmaceutical Science*, 5(12), 92–95.
- Mary, S. R., & Christudhas Williams, B. (2015). Antibacterial and antioxidation assay of Thalipathiri Choornam prescribed to cure cough by the Cheruthikonam traditional Siddha medicinal practitioner of Kanyakumari district, India. *Asian Journal of Pharmaceutical and Clinical Research*, 8(4), 274–277.
- Mashelkar, R. A. (2001). Intellectual property rights and the Third World. *Current Science*, 81, 955–965.
- Maurya, N., Vishwakarma, R., Bhanap, K., Shah, S., & Patil, S. (2020). Preparation and quality evaluation of Hingwashtak Churna: A polyherbal formulation. *Journal of Pharmacognosy and Phytochemistry*, 9, 1923–1927.
- Meda, A., Lamien, C. E., Romito, M., Millogo, J., & Nacoulma, O. G. (2005). Determination of the total phenolic, flavonoid, and proline contents in Burkina Faso honey, as well as their radical scavenging activity. *Food Chemistry*, 91(3), 571–577.
- Meena, A. K., Rao, V., Kaur, K., & Panda, V. (2010). Comparative evaluation of standardization parameters between Wedelia genus species. *International Journal of Pharmaceutical Sciences and Research*, 1(3), 207–210.
- Meena, K. L., & Yadav, B. L. (2010). Studies on ethnomedicinal plants conserved by Garasia tribes of Sirohi district, Rajasthan, India. *Indian Journal of Natural Products and Resources*, 1(4), 500–506.
- Ministry of Ayurveda, Yoga and Naturopathy, Unani, Siddha and Homoeopathy (AYUSH). (2010, September 1). About the systems. Ministry of AYUSH. <http://indianmedicine.nic.in//index1.asp?lang=1&linkid=17&lid=40>. Accessed August 20, 2014.

- Ministry of AYUSH, Government of India. (2016). Unani system of medicine: The science of health and healing (pp. 47–49). Ministry of AYUSH. Miraj, Sepideh. Lavandula stoechas L: A systematic review of medicinal and molecular perspectives. *Der Pharmacia Letter*, 2016; 8(13): 56-58.
- Mishra, A. K., Sharma, M. P., Khan, M. A., & Singh, H. (2016). Diversity and status of Unani medicinal plant species of Delhi flora. *International Journal of Botany Studies*, 1(1), 10–16.
- Misra, B., & Dey, S. (2013). Quantitative and qualitative evaluation of sesquiterpenoids from essential oil and *In vitro* somatic embryos of East Indian sandalwood (*Santalum album*) tree by HPTLC and GC. *Journal of Medicinal and Aromatic Plants*, 4(1), 1–9.
- Mohapatra, S., Prusty, G., & Sahoo, H. (2008). Ethnomedicinal observations among forest dwellers of the Daitari Range of Hills of Orissa, India. *Ethnobotanical Leaflets*, 12, 1116–1123.
- Mohd, M., Sifi, G., Jahan, N., Baig, Z. (2017). Unani approaches to the method of formulating a Murakkab (compound drug formulation): A review article. *Journal of Ayurveda and Integrative Medicine*, 1–6.
- Mukharjee, P. K. (2002). Quality control of herbal drugs: An approach to evaluation of botanicals (31st ed.). New Delhi: Business Horizons Pharmaceuticals Publications.
- Mukherjee, P. K., & Wahile, A. (2006). Integrated approaches towards drug development from Ayurveda and other Indian systems of medicine. *Journal of Ethnopharmacology*, 103, 25–35.
- Mukherjee, P. K. (2001). Evaluation of Indian traditional medicine. *Drug Information Journal*, 35, 623–632.
- Mukherjee, P. K. (2019). Quality control and evaluation of herbal drugs: Evaluating natural products and traditional medicine. Elsevier.

- Mukherjee, P. K., Bahadur, S., Chaudhary, S. K., Kar, A., & Mukherjee, K. (2015). Quality-related safety issues—evidence-based validation of herbal medicine: From farm to pharma. *In Evidence-based validation of herbal medicine*, 1–28. Elsevier.
- Mukherjee, P. K., Harwansh, R. K., Bahadur, S., Banerjee, S., & Kar, A. (2016). Evidence-based validation of Indian traditional medicine: Way forward. *World Journal of Traditional Chinese Medicine*, 2(1), 48–61.
- Mussarat, S., Adnan, M., Begum, S., Ur Rehman, S., Hashem, A., & Abd_Allah, E. F. (2021). Antimicrobial screening of polyherbal formulations traditionally used against gastrointestinal diseases. *Saudi Journal of Biological Sciences*, 28(12), 6829–6843.
- Muthubalaji, R., Ramesh, S., & Vinoth Kumar, V. (2013). Phytochemical, antibacterial, and *In vitro* alpha-amylase inhibitory assay of polyherbal formulation. *Der Pharmacia Letter*, 5(4), 241–246.
- Naaz, A., Viqar, U., Naikodi, M. A. R., Siddiqui, J. I., Zakir, M., Kazmi, M. H., & Minhajuddin, A. (2021). Development of standard operating procedures (SOPs), standardization, TLC and HPTLC fingerprinting of a polyherbal Unani formulation. *Cell Medicine*, 11(4), 21-1.
- Nachimuthu, S., Kandasamy, R., Ponnusamy, R., Dhanasekaran, M., & Thilagar, S. (2021). Neurotoxicity of polyherbal formulations: Challenges and potential solutions. *Medicinal Herbs and Fungi*, 187, 187–201.
- Nadkarni, A. K. (2007). Dr. K. M. Nadkarni's Indian materia medica: With Ayurvedic, Unani-tibbi, Siddha, allopathic, homeopathic, naturopathic & home remedies, appendices & indexes (Vol. 1). Popular Prakashan.
- Naikoo, M. A. (2007). Clinical evaluation of menopausal syndrome (Mutalazma Baad AZ Inqtae Tams) and its management with Majoon Najah (Doctoral dissertation, Rajiv Gandhi University of Health Sciences, India).
- Najmul-Ghani. (2011). *Khazainuladvia* (3rd ed.). Idara Kitab al Shifa. New Delhi, 741-742.

Narayanaswamy, V. (1975). In S. S. Pandit (Ed.), Introduction to the Siddha system of medicine. Anandam Research Institute of Siddha Medicine.

Naseem, S., Nawab, M., Fatima, S. H., Minhajuddin, A., & Khan, A. A. (2023). Assessing the efficacy and safety of Unani pharmacopoeial formulations in dermatophytosis (quba)—a randomized controlled trial. *Drug Metabolism and Personalized Therapy*, 38(2), 169–177.

National Center for Complementary and Integrative Health. (2005). Ayurvedic medicine: An introduction (NCCAM Pub No D287). National Center for Complementary and Integrative Health. Available from <http://nccam.nih.gov/health/ayurveda/introduction.htm>. Accessed January 12, 2015.

Naveenkumar, C., Swathi, S., Jayalakshmi, G., Chidambaram, R., & Srikumar, R. (2018). Screening of antifungal activity of Ganoderma lucidum extract against medically important fungi. *Indian Journal of Public Health Research & Development*, 9(1).

Nazar, S., Hussain, M. A., Khan, A., Muhammad, G., & Nawaz, M. (2020). Capparis decidua Edgew (Forssk.): A comprehensive review of its traditional uses, phytochemistry, pharmacology, and nutraceutical potential. *Arab Journal of Chemistry*, 13(1), 1901–1916.

Nicoletti, M., Toniolo, C., Gallo, F. R., Multari, G., & Palazzino, G. (2013). Traceability in multi-ingredient botanicals by HPTLC fingerprint approach. *JPC—Journal of Planar Chromatography—Modern TLC*, 26, 243–247.

Nimmi, O. S., & George, P. (2012). Evaluation of the antioxidant potential of a newly developed polyherbal formulation for antiobesity. *International Journal of Pharmaceutics and Pharm. Sci*, 4(3), 505–510.

Odia, A., & Esezobor, O. Z. (2017). Therapeutic uses of amino acids. In Amino acids: New insights and roles in plant and animal (pp. 4–14).

Padmanabhan, P., & Jangle, S. N. (2014). Hepatoprotective activity of herbal preparation (HP-4) against carbon tetrachloride-induced hepatotoxicity in mice. *Journal of Chemical and Pharmaceutical Research*, 6(2), 336–346.

- Pande, J., Padalia, H., Donga, S., & Chanda, S. (2018). Pharmacognostic, physicochemical, and phytochemical studies of *Andrographis echioides* Nees and *Tridax procumbens* L. leaf and stem. *The Pharma Innovation Journal*, 7(6), 303–315.
- Pandey, M. M., Rastogi, S., & Rawat, A. K. S. (2013). Indian traditional Ayurvedic system of medicine and nutritional supplementation. *Evidence-Based Complementary and Alternative Medicine*, 376327.
- Pandya, K., Solanki, B., Shah, B., Parekh, D., Soni, H., Maniar, K., et al. (2011). Phytochemical screening and evaluation of antibacterial activity of polyherbal formulation. *Indo-Global Journal of Pharmaceutical Sciences*, 1(3), 206–218.
- Parasuraman, S., Thing, G. S., & Dhanaraj, S. A. (2014). Polyherbal formulation: Concept of Ayurveda. *Pharmacognosy Reviews*, 8(16), 73–80.
- Parekh, J., & Chanda, S. (2008). *In vitro* antifungal activity of methanol extracts of some Indian medicinal plants against pathogenic yeast and moulds. *African Journal of Biotechnology*, 7(23), 4349-4353.
- Park, J., Choi, J., Kim, D. D., Lee, S., Lee, B., Lee, Y., ... & Oh, Y. K. (2021). Bioactive lipids and their derivatives in biomedical applications. *Biomolecules & Therapeutics*, 29(5), 465.
- Parveen, A., Parveen, R., Akhtar, A., Parveen, B., Siddiqui, K. M., & Iqbal, M. (2020). Concepts and quality considerations in Unani system of medicine. *Journal of AOAC International*, 103(3), 609–633.
- Patel, H. & Patel, R.S. (2013). Ethno botanical plants used by the Tribes of R.D.F. Poshina forest range of Sabarkantha District, North Gujarat, India. *International Journal of Scientific and Research Publications*, 3(2), 1-8.
- Patel, N. B., & Patel, K. B. (2015). Ethnomedicinal plants used by the tribals of District Sabarkantha, Gujarat, India. *Journal of Medicinal Plants Studies*, 4(3), 179–181.
- Patel, S. K., Pandey, V. B., & Desai, P. R. (2014). Fruit and seed drugs used as ethnomedicines in the north-eastern part of Sabarkantha District of North Gujarat. 78-82.

- Patil, D., Patil, A., Vadera, K., & Ansari, A. (2015). Standardization and quality control parameters of aerial parts (leaves and stem) of *Trigonella foenum-graecum* L., an important medicinal plant. *Journal of Chemical and Pharmaceutical Research*, 7(3), 163–170.
- Patil, A., Patil, D., Ansari, A., & Koli, S. (2013). Standardization of Unani polyherbal formulation Sufoof-e-Mohazzil. 265-271.
- Patwardhan, B., Warude, D., Pushpangadan, P., & Bhatt, N. (2005). Ayurveda and traditional Chinese medicine: A comparative overview. *Evidence Based Complementary and Alternative Medicine*, 2(4), 465–473.
- Patwardhan, B., Vaidya, A. D., & Chorghade, M. (2004). Ayurveda and natural products drug discovery. *Current Science*, 789–799.
- Patwekar, M., Patwekar, F., Mezni, A., Sanallah, S., Fatema, S. R., Almas, U., ... & Mallick, J. (2022). Assessment of Antioxidative and Alpha-Amylase Potential of Polyherbal Extract. *Evidence-Based Complementary and Alternative Medicine*, 2022(1), 7153526.
- Pavan, B. U., Suggala, V. S., & Chandrashekhar, D. U. (2012). Preliminary screening of *Cuscuta reflexa* stems for anti-inflammatory and cytotoxic activity. *Asian Pacific Journal of Tropical Biomedicine*, 1303–1307.
- Piet, J. H. (1952). A logical presentation of the Śaiva Siddhānta philosophy (Doctoral dissertation, Christian Literature Society for India).
- Pillai, N. K. (1998). History of Siddha medicine. Department of Indian Medicine and Homeopathy.
- Pin, K. Y., Luqman Chuah, A., Abdull Rashih, A., Mazura, M. P., Fadzureena, J., Vimala, S., & Rasadah, M. A. (2010). Antioxidant and anti-inflammatory activities of extracts of betel leaves (*Piper betle*) from solvents with different polarities. *Journal of Tropical Forest Science*, 22, 448–455.
- Pizzi, A. (2021). Tannins medical/pharmacological and related applications: A critical review. *Sustainable Chemistry and Pharmacy*, 22, 100481.

- Prasad, L. V. (2002). Indian system of medicine and homeopathy. In R. R. Chaudhury & U. M. Rafei (Eds.), *Traditional medicine in Asia, WHO Regional Office for South-East Asia*, 283–286.
- Prior, R. L., Wu, X., & Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolic content in foods and dietary supplements. *Journal of Science Food and Agriculture*, 85(13), 2074–2081.
- Pullaiah, T., Krishnamurthy, K. V., & Bahadur, B. (2017). *Ethnobotany of India, Volume 3: North-East India and the Andaman and Nicobar Islands*. Apple Academic Press. 207-248.
- Punjani, B. L., & Kumar, V. (2003). Ethnomedicinal plants specially used for liver disorders in the Aravalli ranges of Gujarat, India. *Indian Journal of Traditional Knowledge*, 3(2), 195–198.
- Punjani, B. L., & Pandey, V. (2014). Ethnoveterinary herbal practices used by the tribes in Bhiloda (West) forest rang, Aravalli district of Gujarat, India. *Indian Journal of Traditional Knowledge*, 14(2), 313–318.
- Punjani, B. L. (1997). An ethnobotanical study of tribal areas of District Sabarkantha, Gujarat.
- Punjani, B. L. (2002). Ethnobotanical aspects of some plants of Aravalli hills in north Gujarat. *Ancient Science of Life*, 21(4), 268–280.
- Punjani, B. L. (2006). Ethno-medico botanical study of Kathodi tribe of Sabarkantha in Gujarat. *Ethnobotany*, 18, 135–138.
- Punjani, B. L. (2010). Herbal folk medicines used for urinary complaints in tribal pockets of Northeast Gujarat. *Indian Journal of Traditional Knowledge*, 9(1), 126–130.
- Qayoom, I., Ansari, A. P., Huzaifa, A., Habibi, A., Reshi, B. M., & Ahmed, N. Z. (2022). San' (*Cassia angustifolia* Vahl.): A potent detoxifying drug in Unani system of medicine—An appraisal/insight. *Journal of Advanced Research in Pharmaceutical Sciences & Pharmacological Interventions*, 6, 1–11.

- Qazi, G. N. (2006). Drug discovery and development from Ayurveda. Available from: <http://herbalnet.healthrepository.org/bitstream/123456789/2075/3/2.%20Ayur40-52.pdf>. Accessed August 25, 2014.
- Qing-Feng, Z., Zhong-Rong, Z., & Hon-Yeung, C. (2009). Antioxidant activity of *Rhizoma smilacis Glabrae* extracts and its key constituent-astilbin. *Food Chemistry*, 115, 297–303.
- Rahim, N. F. A., Muhammad, N., Abdullah, N., Talip, B. A., & Dusuki, N. J. S. (2018). Synergistic effect of polyherbal formulations on DPPH radical scavenging activity. *Journal of Science and Technology*, 10(2).
- Rai, N., Joshi, S. K., & Sharma, R. K. (2020). Regulatory requirements for quality control of Unani medicines. *Journal of AOAC International*, 103(3), 634–648.
- Rajani, M., & Kanaki, N. S. (2008). Phytochemical standardization of herbal drugs and polyherbal formulations. In *Bioactive molecules and medicinal plants*, 349–369. Springer Berlin Heidelberg.
- Ram, M., Abdin, M. Z., Khan, M. A., & Jha, P. (2011). HPTLC fingerprint analysis: A quality control for authentication of herbal phytochemicals. In *High-performance thin-layer chromatography (HPTLC)*, 105–116.
- Ramaiah, M., Chakravathi, G., & Yaraswini, K. (2013). *In vitro* biological standardization, formulation, and evaluation of directly compressed polyherbal anthelmintic tablets. *Pharmacognosy Journal*, 5(3), 130–134.
- Ramakrishnappa, K. (2003). Impact of cultivation and gathering of medicinal plants on biodiversity: Case studies from India. 168-195.
- Raman, S., Srinivasan, B. P., & Kiran, D. (2015). Cardioprotective effect of *Terminalia chebula* in type II diabetes-induced cardiomyopathy in rat. *World Journal of Pharmacy & Pharmaceutical Sciences*, 4(10), 2151–2163.
- Ramasamy, S., & Charles, M. A. (2004). Antibacterial effect of volatile components of selected medicinal plants against human pathogens. *Asian Journal of Microbiology, Biotechnology and Environmental Sciences*, 6(2), 209–210.

- Rana, K. K., & Rana, S. (2014). Review on present status and future of herbal medicine. *Beats of Natural Sciences*, 1(2), 1–8.
- Rani, S., & Manju, S. L. (2020). Formulation and standardization of polyherbal antihyperlipidemic formulation. *Journal of Natural Remedies*, 228–239.
- Ranjha, M. M. A., Irfan, S., Lorenzo, J. M., Shafique, B., Kanwal, R., Pateiro, M., ... & Aadil, R. M. (2021). Sonication, a potential technique for extraction of phytoconstituents: A systematic review. *Processes*, 9(8), 1406.
- Rao, T. M., & Chandira, M. (2020). A study on antioxidant activity of three ethanolic extract polyherbal formulation. *International Journal of Pharma Research & Health Sciences*, 8(3), 3155–3160.
- Raslin, A., & Rajkumar, J. (2017). Antimicrobial activity of a polyherbal formulation Ambrex. *International Journal of Materials Production Technology*, 55(1–3), 286–295.
- Rastogi, S., Chiappelli, F., Ramchandani, M. H., & Singh, R. H. (Eds.). (2012). *Evidence-based practice in complementary and alternative medicine: Perspective, protocols, problems, and potential in Ayurveda*. New York City: Springer.192.
- Ravishankar, B., & Shukla, V. J. (2007). Indian system of medicine: A brief profile. *African Journal of Traditional, Complementary and Alternative Medicines*, 4(3), 319–337.
- Reddy, A. S. (1987). Flora of Dharampur Forest, Part 1 & 2 (Ph.D. Thesis). Department of Biosciences, S.P. University, Vallabh Vidhyanagar, Gujarat, India.
- Rivera, J. O., Loya, A. M., & Ceballos, R. (2013). Use of herbal medicines and implications for conventional drug therapy. *Alternatives and Integrative Medicine*, 2, 1–6.
- Roqaiya, M., Begum, W., & Khan, A. A. (2015). A review on galactogogue herbs of Unani medicine. *Journal of Pharmacognosy and Phytochemistry*, 4(2), 112–115.
- Saba, A., Jabeen, A., & Rehan, N. (2023). Phytochemical analysis of Unani herbal formulation “Niswani tea”. *Modern Phytomorphology*, 17(1), 23.

- Sagar, P. K., Khan, A. S., Sajwan, S., Kashyap, S., & Ahmad, R. (2024). A concise overview on standardization research of ASU-TAM herbal formulated and single drugs, products. *Beats of Natural Sciences*, 6(1), 86–95.
- Sagar, P. K., Sajwan, S., & Ahmed, N. Z. (2024). Scientific standardization, quality control, antimicrobial potential, and toxicology studies with effective therapeutic uses of *Woodfordia fruticosa* (Linn.) Kurz flowers. *World Journal Of Pharmacy And Pharmaceutical Sciences*, 13(6), 1301-1323.
- Saha, D., Pahari, S. K., Maity, T., & Sur, D. (2010). Pharmacognostic studies of the bark of *Parkinsonia aculeata*. *International Journal of Pharma Sciences and Research*, 1(11), 473-475.
- Saha, N., Sarkar, B., & Sen, K. (2022). Aqueous biphasic systems: A robust platform for green extraction of biomolecules. *Journal of Molecular Liquids*, 363, 119882.
- Sahoo, N., & Manchikanti, P. (2013). Herbal drug regulation and commercialization: An Indian industry perspective. *Journal of Alternative and Complementary Medicine*, 19(12), 957–963.
- Said, H. M. (Ed.). (1970). *Hamdard pharmacopoeia of eastern medicine* (No. 55). South Asia Books.
- Saini, R., Mishra, A., Mishra, S., Nath Tiwari, K., Kavindra, N., & Tiwari, K. (2019). Evaluation of polyphenolic content and antioxidant potential of polyherbal formulation. *International Journal of Emerging Technologies*, 10(2), 243–248.
- Saiyed, A., Jahan, N., Majeedi, S. F., & Roqaiya, M. (2016). Medicinal properties, phytochemistry, and pharmacology of *Withania somnifera*: An important drug of Unani Medicine. *Journal of Scientific & Innovative Research*, 5(4), 156–160.
- Sandhya, S. M., Kumar, P. S., & Meena, S. (2015). Application of HPTLC-densitometry by derivatization and stability indicating LC for simultaneous determination of mefloquine hydrochloride and artesunate in combined dosage form. *American Chemical Science Journal*, 7(1), 26–37.
- Sarwar, M., Attitalla, I. H., & Abdollahi, M. (2011). A review on the recent advances in pharmacological studies on medicinal plants: Animal studies are done, but clinical

studies need completion. *Asian Journal of Animal and Veterinary Advances*, 6(8), 867–883.

Sathasivampillai, S. V., Rajamanoharan, P. R., Munday, M., & Heinrich, M. (2017). Plants used to treat diabetes in Sri Lankan Siddha medicine: An ethnopharmacological review of historical and modern sources. *Journal of Ethnopharmacology*, 198, 531–599.

Sawant, A. S., & Rodrigues, B. F. (2015). Documentation of some medicinal plant species from Goa. In S. Krishnan & B. Rodrigues (Eds.), *Advances in Plant Sciences and Biotechnology*, Goa University Press. 10–16.

Saxton, W. T., & Sedgwick, L. J. (1918). Plants of Northern Gujarat. *Records of the Botanical Survey of India*, 6(7), 209–323.

Seema, A. K., & Jon, C. (2014). The current state of diabetes mellitus in India. *Australian Medical Journal*, 7(1), 45–48.

Selvakumari, E., Shantha, A., Sreenath Kumar, C., & Purushoth Prabhu, T. (2016). Phytochemistry and pharmacology of the genus *Nymphaea*. *Journal of Academia and Industrial Research*, 5(7).

Sembiring, E. N., Elya, B., & Sauriasari, R. (2018). Phytochemical screening, total flavonoid and total phenolic content, and antioxidant activity of different parts of *Caesalpinia bonduc* (L.) Roxb. *Pharmacognosy Journal*, 10(1).

Sen, S., Chakraborty, R., & De, B. (2011). Challenges and opportunities in the advancement of herbal medicine: India's position and role in a global context. *Journal of Herbal Medicine*, 1(3–4), 67–75.

Sen, S., Chakraborty, R., Thangavel, G., & Logaiyan, S. (2015). Hepatoprotective and antioxidant activity of Karisalai Karpam, a polyherbal Siddha formulation, against acetaminophen-induced hepatic damage in rats. *Ancient Science of Life*, 34(4), 198–202.

Sen, S., & Chakraborty, R. (2014). Traditional Knowledge Digital Library: A distinctive approach to protect and promote Indian indigenous medicinal treasures. *Current Science*, 106(10), 1340–1343.

- Sen, S., & Chakraborty, R. (2017). Revival, modernization, and integration of Indian traditional herbal medicine in clinical practice: Importance, challenges, and future. *Journal of Traditional and Complementary Medicine*, 7(2), 234–244.
- Shah, G. L., & Gopal, G. V. (1982). An ethnobotanical profile of the Dangies. *Journal of Economic and Taxonomic Botany*, 3(2), 355–364.
- Shah, M., Abdullah, S., Khan, M., Nasar, G., & Saba, I. (2014). Antibacterial activity of chemical constituents isolated from *Asparagus racemosus*. *Bangladesh Journal of Pharmacology*, 9(1), 1–3.
- Shah, V. N., Shah, M. B., & Bhatt, P. A. (2011). Hepatoprotective activity of Punarnavashtak Kwath, an Ayurvedic formulation, against CCl₄-induced hepatotoxicity in rats and on the HepG2 cell line. *Pharmacology & Biology*, 49(4), 408–415.
- Shah, G. L. (1978). Flora of Gujarat State (Vol. I & II). Sardar Patel University Press, Vallabh Vidyanagar.
- Shah, G. L., & Gopal, G. V. (1982). An ethnobotanical profile from the Dangies. *Journal of Economic and Taxonomic Botany*, 3, 355–364.
- Shah, G. L., Menon, A. R., & Gopal, G. V. (1981). An account of the ethnobotany of Saurashtra, Gujarat state (India). *Journal of Economic and Taxonomic Botany*, 2, 173–182.
- Shaikh, M., Urooj, M., Viqar, U., Javed, G., Kazmi, M. H., & Husain, G. M. (2024). Effect of Majoon-e-Nisyan (a traditional polyherbal Unani formulation) in animal models of learning and memory. *Traditional & Kampo Medicine*, 11(1), 22–29.
- Shakeri, S., & Alireza, S. (2016). Antimicrobial activity of the essential oils of *Lavandula stoechas* flowers extracted by microwave. *Journal of Medicinal Plants Studies*, 4(3), 224–228.
- Shanmugasundaram, P., & Venkatraman, S. (2005). Anti-nociceptive activity of *Hygrophila auriculata* (Schum.) Heine. *African Journal of Traditional, Complementary and Alternative Medicines*, 2(1), 62–69.
- Sharief, M. U. (2007). Plants folk medicine of Negrito tribes of Bay Islands, India.

- Sharma, A., Chandraker, S., Patel, V. K., & Ramteke, P. (2009). Antibacterial activity of medicinal plants against pathogens causing complicated urinary tract infections. *Indian journal of pharmaceutical sciences*, 71(2), 136.
- Sharma, K., & Bhatnagar, M. (2011). Asparagus racemosus (Shatavari): A versatile female tonic. *International Journal of Pharmaceutical & Biological Archives*, 2(3), 855–863.
- Sharma, P. P., & Singh, N. P. (2001). Ethnobotany of tribal people of Dadra, Nagar Haveli and Daman (Union Territories). B.S.I., Ministry of Environment and Forests, Govt. of India.
- Sharma, A., Shanker, C., Tyagi, L. K., Singh, M., & Rao, C. V. (2008). Herbal medicine for market potential in India: An overview. *Academia Journal of Plant Science*, 1(2), 26–36.
- Sharma, K., Kumar, V., Kaur, J., Tanwar, B., Goyal, A., Sharma, R., ... & Kumar, A. (2021). Health effects, sources, utilization, and safety of tannins: A critical review. *Toxin Reviews*, 40(4), 432–444.
- Sharma, S., Hullatti, K. K., Kumar, S., & Tiwari, K. B. (2012). Comparative antioxidant activity of *Cuscuta reflexa* and *Cassythia filiformis*. *Journal of Pharmacy Research*, 5(1), 441–443.
- Shebaby, W. N., El-Sibai, M., Smith, K. B., Karam, M. C., Mroueh, M., & Daher, C. F. (2013). The antioxidant and anticancer effects of wild carrot oil extract. *Phytotherapy Research*, 27, 737–744.
- Shi, Q. I. U., Hui, S. U. N., Zhang, A. H., Hong-Ying, X. U., Guang-Li, Y. A. N., Ying, H. A. N., & Xi-Jun, W. A. N. G. (2014). Natural alkaloids: Basic aspects, biological roles, and future perspectives. *Chinese Journal of Natural Medicines*, 12(6), 401–406.
- Shukla, P., Singh, A., Gawri, S., Alexander, A., & Sonwane, S. (2011). *In vitro* propagation of *Barleria prionitis* Linn and its antibacterial activity. *International Journal of Pharma Professional's Research*, 2(1), 170–172.

- Siddique, Y. H. (2023). Role of Unani polyherbal formulations in the treatment of diseases with special reference to neurodegenerative disorders. *CNS & Neurological Disorders-Drug Targets*, 22(3), 321–328.
- Siddiqui, H. M. A. (1995). Format for the pharmacopoeial analytical standards of compound formulation, workshop on standardization of Unani drugs (Appendix), 24–25 January, *Central Council for Research in Unani Medicine (CCRUM)*, New Delhi.
- Siddiqui, N. A., Rahman, R., & Shamsi, Y. (2024). Efficacy and safety of a Unani polyherbal formulation with Telmisartan in Stage-2 essential hypertension: An open-label, randomized, standard controlled clinical study. *Pharmacological Research-Natural Products*, 4, 100083.
- Sierpina, V. S., Sierpina, M., Loera, J. A., & Grumbles, L. (2005). Complementary and integrative approaches to dementia. *Southern Medical Journal*, 98(6), 636–645.
- Sies, H. (1997). Oxidative stress: Oxidants and antioxidants. *Experimental Physiology: Translation and Integration*, 82(2), 291–295.
- Simon, S. M., Jebaraj, N. T. S., Suresh, K., & Ramachandran, V. (2011). Ethnobotanical knowledge on single drug remedies from Idukki district, Kerala for the treatment of some chronic diseases. *International Journal of Research in Ayurveda and Pharmacy*, 2(2), 531–534.
- Sindhu, R. K., Upma, Kumar, A., & Arora, S. (2010). Santalum album Linn: A review on morphology, phytochemistry, and pharmacological aspects. *International Journal of PharmTech Research*, 2, 914–919.
- Singh, L. K. (2008). Indian cultural heritage perspective for tourism. Gyan Publishing House. 260.
- Singh, M. P., Jagadeesh, S. S. D., & Rajesh, R. (2015). The efficacy of polyherbal formulation of *Moringa oleifera*, *Viola odorata*, *Allium sativum* against microbes—synergistic effect. *Indian Journal of Pharmaceutical and Biological Research*, 3(4), 6–10.
- Singh, V., & Pandey, R. P. (1980). Medicinal plantlore of tribals of Eastern Rajasthan.

- Singh, A., Sharma, H., Srivastava, B., & Singh, R. (2020). Markers assessment in Triphala (Batch-I, II & III) and its ingredients from different geographical locations of India through TPC, TFC, HPLC & HPTLC. *Current Traditional Medicine*, 6(2), 106–120.
- Singh, N., Gupta, P., Bharti, C., & Shanmugam, S. K. (2023). Evaluation of hepatoprotective efficacy of a polyherbal Unani formulation Majoon-Najah against cadmium chloride-induced liver damage. *Current Drug Research Reviews*, 15(2), 188–198.
- Singla, R. K., Yadav, V., & Jayalakshmi, S. (2012). Traditional systems of medicine—now and forever. *Webmedcentral*, 3(4), WMC003299.
- Singleton, V. L., Orthofer, R., & Lamuela-Raventós, R. M. (1999). Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *In Methods in Enzymology*, Academic Press. Vol. 299, 152–178.
- Sonitha, S., & Kumar, S. P. (2021). Traditional practices of postnatal care using medicinal plants in Tirunelveli district, Tamil Nadu, India. *Journal of Medicinal Plants*, 9(5), 59–62.
- Spinella, M. (2002). The importance of pharmacological synergy in psychoactive herbal medicines. *Alternative Medicine Review*, 7, 130–137.
- Sreekumar, K., & Abraham, A. (2020). Phytochemical, antimicrobial, and antioxidant evaluation of Gulgulupanchapala choornam. *International Conference on Science, Technology, and Advanced Materials*, 2263(September), 030002.
- Sridhar, A., Ponnuchamy, M., Kumar, P. S., Kapoor, A., Vo, D. V. N., & Prabhakar, S. (2021). Techniques and modeling of polyphenol extraction from food: A review. *Environmental Chemistry Letters*, 19, 3409–3443.
- Srikanth, N., Manujula, T., Tewari, D., Haripriya, N., & Mangal, A. (2015). Plant-based galactagogues in Ayurveda: A promising move towards drug development. *World Journal of Pharmacological Research*, 4(11), 687–705.
- Srinivasan, P. (1995). National health policy for traditional medicine in India. *World Health Forum*, 16(2), 190–193.

- Stahl E. (2007). *Thin Layer Chromatography, a Laboratory Handbook*. New York: Springer publications.
- Stephen, E. S. (2005). Complementary and alternative medicine. *In Harrison's Principles of Internal Medicine (16th ed.)*. McGraw-Hill Medical.
- Subbarayappa, B. V. (2001). The roots of ancient medicine: An historical outline. *Journal of Biosciences*, 26(2), 135–144.
- Sudberg, S., Sudberg, E. M., Terrazas, J., Sudberg, S., Patel, K., Pineda, J., & Fine, B. (2010). Fingerprint analysis and the application of HPTLC to the determination of identity and quality of botanicals, from an industry perspective. *Journal of AOAC International*, 93(5), 1367–1375.
- Sujith, T., Sapna, S., Velmurugan, C., & Ashok, B. S. (2015). Evaluation of anxiolytic activity of whole plant of *Cuscuta reflexa*. *World Journal of Pharmacy and Pharmaceutical Sciences*, 4(8), 1245–1253.
- Sumathi, A., & Senthamarai, R. (2015). Design and development of phytosomes containing methanolic extracts of *Nymphaea nouchali* and *Trichosanthes dioica*. 4(4), 1211–1221.
- Suresh, V., Sruthi, V., Padmaja, B., & Asha, V. V. (2011). *In vitro* anti-inflammatory and anti-cancer activities of *Cuscuta reflexa* Roxb. *Journal of Ethnopharmacology*, 134(3), 872–877.
- Taleghani, R. A., Sabokbar, A., Momeni, Z., & Maghsoudi, G. (2024). A comparative study of the effects of sumac aqueous and ethanol extracts on *Candida albicans* in laboratory conditions. *International Journal of New Findings in Health and Educational Sciences (IJHES)*, 2(1), 32–37.
- Tenaillon, O., Skurnik, D., Picard, B., & Denamur, E. (2010). The population genetics of commensal *Escherichia coli*. *Nature Reviews Microbiology*, 8(3), 207–217.
- Teoh, E. S. (2016). Indian traditional medicine and other Asian traditions. *In Medicinal Orchids of Asia*, 33–49.
- Thaker, J. I. (1910). *Vanaspatishastra (Flora of Bardahill)*; Reprint, Pravin Pustak, Bhandar, Rajkot.

- Thas, J. J. (2008). Siddha medicine - Background and principles and the application for skin diseases. *Clinical Dermatology*, 26, 62–78.
- Thomas, S., Shrikumar, S., Velmurugan, C., & Kumar, B. A. (2015). Evaluation of anxiolytic effect of whole plant of *Cuscuta reflexa*. *World Journal of Pharmaceutical Sciences*, 4, 1245–1253.
- Thombre, D., Shelar, A., Nakhale, S., Khairnar, B., Karale, N., Sangshetti, J., ... & Patil, R. (2024). Green synthesis of biogenic selenium nanoparticles functionalized with ginger dietary extract targeting virulence factor and biofilm formation in *Candida albicans*. *Microbial Pathogenesis*, 186, 106462.
- Tripathi, S., & Srivastava, M. (2010). Ethnomedicinal flora of Euphorbiaceae used in dermatological problems. *Indian Journal of Traditional Knowledge*, 9(2), 318–320.
- Uma Devi, (1988). Identification and status survey of medicinal plants of Gujarat (Ph.D. thesis). Department of Biosciences, South Gujarat University, Surat, India.
- Umadevi, A. J., Parabia, M. H., & Reddy, M. N. (1989). Medicinal plants of Gujarat: A survey. In Proceedings of All India Symposium on the Biology and Utility of Wild Plants: Prof. G.L. Shah Commemoration (Department of Biosciences, South Gujarat University, Surat), India.
- Umadevi, M., Rajeswari, R., Rahale, C. S., Selvavenkadesh, S., Pushpa, R., Kumar, K. S., & Bhowmik, D. (2012). Traditional and medicinal uses of *Withania somnifera*. *The Pharma Innovation*, 1(9), 102–110.
- Urooj, M., Husain, G. M., Nadeem, M., Naikodi, M. A. R., Alam, M., & Kazmi, M. H. (2020). Antiepileptic and antidepressant activity of Majoon Najah (A traditional Unani formulation) in experimental animals. *International Journal of Pharmaceutical Investigation*, 10(3), 396-401.
- Urooj, M., Khan, M. A., Thejaswini, G., Kazmi, M. H., & Mohammed, G. (2018). Toxicity evaluation of a traditional polyherbal Unani formulation Jawarish Shahi in rats. *Journal of Phytopharmacology*, 7, 412–418.
- Vaidya, A. D., & Devasagayam, T. P. (2007). Current status of herbal drugs in India: An overview. *Journal of Clinical Biochemistry and Nutrition*, 41(1), 1-11.

- Varma, S. K., Pandey, A. K., & Sriwastawa, D. K. (1999). *Ethnobotany of Santhal Pargana*. Narendra Publication House.
- Vartak, V. D., & Ghate, V. (1990). Ethnobotany of neem. *Biology of India*, 1(1), 55-59.
- Vaseem, A. A., Siddiqui, H. H., & Satya, P. S. (2012). Antithrombotic and thrombolytic activity of Terminalia belerica fruit extracts. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 3(2), 471-478.
- Vashi, B. G. (1985). Floristic, phytosociology and ethnobotanical study of Umarpada forest in South Gujarat (PhD thesis). Veer Narmad South Gujarat University, Surat, Gujarat.
- Veeraswamy, S. D., Raju, I., & Mohan, S. (2022). An approach to antifungal efficacy through well diffusion analysis and molecular interaction profile of polyherbal formulation. *Biomedical and Pharmacology Journal*, 15(4), 2069-2084.
- Venil, N. S., Asavari, K., Rucha, C., Abhay, H., Bhushan, P., Arvind, C., & Ulhas, V. W. (2008). Chondroprotective potential of fruit extracts of Phyllanthus emblica in osteoarthritis. *eCAM*, 5(3), 329-335.
- Venkateswaran, M. R., Jayabal, S., Murugesan, S., & Periyasamy, S. (2021). Identification of polyphenolic contents, *In vitro* evaluation of antioxidant and antidiabetic potentials of a polyherbal formulation-Mehani. *Natural Product Research*, 35(16), 2753-2757.
- Verpoorte, R. (2000). Pharmacognosy in the New Millennium: Lead finding and biotechnology. *Journal of Pharma Pharmacology*, 52, 253-262.
- Vidhi, T., Manjusha, K., Lumi, B., Prasanna, M., & Janki, P. (2024). An *In vitro* study for evaluating the antimicrobial efficacy of polyherbal combination against Escherichia coli in the management of Mutrakrichra (Urinary Tract Infection). *Journal of Natural Remedies*, 193-197.
- Vijay, D., Ganesh, K. S., & Sundaramoorthy, P. (2009). Ethnobotanical survey of plants used for respiratory diseases. *Recent Research in Science and Technology*, 1(1), 23-25.

- Vijayakumar, M., Govindarajan, R., Rao, G. M. M., Rao, C. V., Shirwaikar, A., Mehrotra, S., Pushpangadan, P. (2006). Action of *Hygrophila auriculata* against streptozotocin-induced oxidative stress. *Journal of Ethnopharmacology*, 104(3), 356-361.
- Wagner, H., & Bladt, S. (2004). *Plant Drug Analysis: A Thin Layer Chromatography Atlas*. Springer. 250.
- Wakdikar, S. (2004). Global health care challenge: Indian experiences and new prescriptions. *Electronic Journal of Biotechnology*, 7(3), 214-220.
- Wakkumbura, H. P., Wickramaarachchi, W. M. D., Arawwawala, L. D. A. M., Liyanage, J. A., & Rajapakse, R. P. V. J. (2020). Assessment of the quality and evaluation of the antioxidant potential of a novel Sri Lankan ayurvedic polyherbal formulation. *Evidence-Based Complementary and Alternative Medicine*, 2020, 2319315.
- Wallis, T. E. (2004). *Textbook of Pharmacognosy* (5th ed.). CBS Publishers & Distributors.
- Wehbe, K., Mroueh, M., & Daher, C. F. (2009). The potential role of *Daucus carota* aqueous and methanolic extracts on inflammation and gastric ulcers in rats. *Journal of Complementary & Integrative Medicine*, 6.
- World Health Organization. (1998). *Regulatory situation of herbal medicines: A worldwide review*. Geneva, Switzerland.
- Wilson, V., Shetye, S. S., Kaur, K., & Shetty, S. (2016). Study of synergistic effects on antioxidant activity and antimicrobial activity of polyherbal formulations containing *Ficus* species. 8(4).
- Wolfender, J. L., Marti, G., Thomas, A., & Bertrand, S. (2015). Current approaches and challenges for the metabolite profiling of complex natural extracts. *Journal of Chromatography A*, 1382, 136-164.
- World Health Organization (WHO). (2005). *National policy on traditional medicine and regulation of herbal medicines: Report of a WHO global survey*. WHO Essential Medicines and Health Products Information Portal.

- World Health Organization. (2006). Glion consultation on strengthening the linkages between reproductive health and HIV/AIDS: Family planning and HIV/AIDS in women and children (No. WHO/HIV/2006.02).
- World Health Organization. (2022). WHO benchmarks for the practice of unani medicine. World Health Organization.
- World Health Organization. (1999). Quality control methods for medicinal plant materials. Geneva: WHO.
- World Health Organization. (2002). Traditional medicine strategy 2002-2005. Geneva: WHO.
- Yadav, S. K., Jain, G. K., Mazumder, A., & Khar, R. K. (2020). Antimicrobial activity of a novel polyherbal combination for the treatment of vaginal infection. *Journal of Advanced Pharmaceutical Technology & Research*, 10(4), 190-194.
- Yadav, J. P., Kumar, S., & Siwach, P. (2006). Folk medicine used in gynecological and other related problems by rural population of Haryana. *Indian Journal of Traditional Knowledge*, 5(3), 323-326.
- Yap, V. L., Tan, L. F., Rajagopal, M., Wiart, C., Selvaraja, M., Leong, M. Y., & Tan, P. L. (2023). Evaluation of phytochemicals and antioxidant potential of a new polyherbal formulation TC-16: Additive, synergistic or antagonistic? *BMC Complementary Medicine and Therapies*, 23(1), 93.
- Yuan, H., Ma, Q., Ye, L., & Piao, G. (2016). The traditional medicine and modern medicine from natural products. *Molecules*, 21(5), 559.
- Zeb, A. (2020). Concept, mechanism, and applications of phenolic antioxidants in foods. *Journal of Food Biochemistry*, 44(9), e13394.
- Zeinab, R. A., Mroueh, M., Diab-Assaf, M., Jurjus, A., Wex, B., Sakr, A., & Daher, C. F. (2011). Chemopreventive effects of wild carrot oil against 7, 12-dimethyl benz(a)anthracene-induced squamous cell carcinoma in mice. *Pharmacology & Biochemistry*, 49, 955-961.

Zhang, Z., Jiang, X., Zhang, Z., Li, M., Zhou, D., Ruan, F., & Lu, Y. (2006). Detection of extended spectrum beta-lactamases in clinical isolates of *Pseudomonas aeruginosa*. *Antimicrobial Agents and Chemotherapy*, 50(9), 2990-2995.

Zonyane, S., Van Vuuren, S. F., & Makunga, N. P. (2013). Antimicrobial interactions of Khoi-San poly-herbal remedies with emphasis on the combination of *Agathosma crenulata*, *Dodonaea viscosa*, and *Eucalyptus globulus*. *Journal of Ethnopharmacology*, 148(1), 144-151.