

## List of Figures

<b>Sr. No.</b>	<b>Figure No.</b>	<b>Figure Description</b>	<b>Page No.</b>
1	2.1	Classification of hygiene textiles on the bases of application	6
2	2.2	Types of absorbents used during menstruation (a) Reuseable and washable pads made by cloth, (b) Marketable sanitary pads, (c) Tampons, and (d) Menstrual cups	17
3	2.3	Classification according to Stimuli	19
4	2.4	Polymer state reliant on the ionization	20
5	2.5	Polyanions pH-sensitive polymers	22
6	2.6	Polycations pH-sensitive polymers	22
7	2.7	Structures of pH-sensitive polymers	30
8	2.8	Morphology of microcapsules	31
9	2.9	Methods for control release of the core	34
10	2.10	Microcapsules: example of application	43
11	3.1	Structure of Monomers	83
12	3.2	Assembly setup for the polymerization process	84
13	3.3	Reaction scheme for super absorbent polymers	86
14	3.4	Synthetic route for preparing pH-responsive microcapsules	98
15	3.5	Block diagram of an instrument for TGA	101
16	3.6	Pad preparation with layers	103
17	3.7	Layer-by-layer application of SAP/mSAP on the top layer of sanitary napkin	104
18	3.8	Absorbent capacity measurement assembly with load	106
19	3.9	Absorption capacity measurement assembly setup	107
20	3.10	Strike through measurement (a) Assembly set up, (b) Drop at the top layer, (c) striking through top to inner layer, and (d) top and inner layer	108
21	3.11	pH meter	109
22	3.12	Sanitary napkin apparatuses with consumer exposure	111
23	3.13	Patch test	113

24	3.14	Negative and Positive reaction grading for patch test	113
25	4.1a	TGA curves of SAP-1C, SAP-2C, mSAP-1C and mSAP-2C	121
26	4.1b	TGA curves of SAP-3D, SAP-4B, mSAP-3D and mSAP-4B	122
27	4.1c	TGA curves of SAP-5B, SAP-6C, mSAP-5B and mSAP-6C	123
28	4.1d	TGA curves of SAP-7C and mSAP-7C	123
29	4.2a	IR Spectral transmittance of n-eicosane and SAPs	124
30	4.2b	IR Spectral transmittance of n-eicosane and mSAPs	126
31	4.3a	SEM images (A, B) pH-sensitive microcapsules, (C) pH-sensitive microcapsules' close up, and (D) microcapsules in damaged conditions	127
32	4.3b	SEM images (A, B, C) pH-sensitive microcapsules at 75 $\mu\text{m}$ , (D, E, F, J, K, L, O) close-up pH-responsive microcapsules at 5 $\mu\text{m}$ , (G, H, I) close-up pH-responsive microcapsules at 20 $\mu\text{m}$ , (M) close-up pH-responsive microcapsules at 50 $\mu\text{m}$ , (N) close-up pH-responsive microcapsules on non-woven top layer at 10 $\mu\text{m}$	127
33	4.4	Curves for distribution of particle size of pH-sensitive microcapsules	128
34	4.5	SAP in powder form	129
35	4.6	Side view of (a) Sanitary napkin coated with SAP and (b) after absorbing the fluid	131
36	4.7	FSC analysis for SAPs and mSAPs coated samples	132
37	4.8	AUL analysis for SAPs and mSAPs coated samples	133
38	4.9a	(a) Unabsorbed SAPs/mSAPs coated material and (b) fluid absorbed by SAPs/mSAPs coated material	134
39	4.9b	Assembly set up for testing SAP/mSAPs coated sanitary napkins	135
40	4.10	Wet back (Rewet) properties of sanitary napkins coated with of SAP/mSAP and commercially available napkins	138
41	4.11	Strike through of SAPs, mSAPs coated sanitary napkin, and CAs	139
42	4.12	Wicking height of SAPs, mSAPs coated sanitary napkin, and CAs	140

43	4.13	pH of SAPs, mSAPs coated sanitary napkin and CAs	142
44	4.14	5–Day study with 33 subjects for skin irritation	145
45	4.15	4–Day study with 55 subjects for skin irritation (self-assessed sensitive skin)	146
44	4.16	4 – Day study with 21 subjects for skin irritation (Normal skin)	147
45	4.17	4 – Day study with 20 subjects for skin irritation (self-assessed sensitive skin)	147
46	4.18	21 – Day study with 35 subjects for skin irritation	148
47	4.19	HRIPT study with 105 subjects for skin reaction	148
48	4.20	BOD and COD of SAPs/mSAPs coated sanitary napkins and CAs	150