

Contents

	Content	Page No
	<u>Chapter 1</u>	1-27
	Introduction	
1	Introduction	
	1.1 The element	2
	1.2 Copper in biology	2-3
	1.3 Biological importance of Schiff base copper complexes	3-7
	1.3.1 Antibacterial activity	
	1.3.2 Antifungal activity	
	1.3.3 Anticancer activity	
	1.3.4 Antioxidant activity	
	1.4 Copper(II) complexes with Schiff bases	7-10
	1.5 Work done on copper Schiff base complexes: A brief review	10-20
	1.6 Aim and objective of work	20-21
	References	21-27
	<u>Chapter 2</u>	28-64
	Copper(II) complexes with hydrazide blocking ligands	
	Part (A): Pseudohalides copper(II) complexes with a hydrazide blocking ligand: Synthesis, spectral characterization and evaluation of antioxidant superoxide dismutase activity	
1	Introduction	29-30
2	Experimental	30-32
	2.1 Synthesis of ligand (HL)	
	2.2 Synthesis of complex [Cu(L)(ClO ₄)(H ₂ O)] 1	
	2.3 Synthesis of complex [Cu(L)(N ₃) ₂] 2	
	2.4 Synthesis of complex [Cu(L)(OCN)] ₂ 3	
	2.5 Synthesis of [Cu(L)(CNS)] ₂ 4	
	2.6 Physical measurements	32
	2.7 Computational method	32-33
3	Results and discussion	33
	3.1 Synthesis and general aspects	33-34
	3.2 NMR spectra of ligand	34-36
	3.3 FTIR Spectral studies	36-39
	3.4 Electronic spectra	39-40
	3.5 Powder X-ray Diffractions study (PXRD)	41-43
	3.6 Epr studies	43-46
	3.7 Electrochemical Activity	47-48
	3.8 Mass spectra	48-50
	3.9 DFT Calculations	51-58
	3.9.1 Optimized structures of complexes	
	3.9.2 Crucial Electronic parameters	
	3.9.3 Spin density	

Contents

	3.10 Catalytic activity	58-60
4	Conclusions	60
	References	61-64
	<u>Chapter 2</u>	65-96
	Copper(II) complexes with hydrazide blocking ligands	
	Part (B): Copper(II) tetrahedral complex derived from N'-[(2E,3Z)-4-hydroxy-4-phenylbut-3-en-2-ylidene]acetohydrazide: Synthesis, molecular structure, quantum chemical investigations, antioxidant and antiproliferative properties	
1	Introduction	66
2	Experimental	67
	2.1 Materials and Instrumentation	
	2.2 Synthesis of HL	
	2.3 Synthesis of Complex	
	2.4 X-Ray Crystallography	68
	2.5 Physical measurements	68-69
	2.6 Computational method	69
	2.7 Anti-cancer activity of complex	69-70
	2.7.1 Cell culture	
	2.7.2 Cytotoxicity Assay in vitro	
	2.7.3 RNA Isolation and Gene Expression Study	
	2.7.4 Apoptosis Assay	
3	Results and discussion	71
	3.1 NMR spectra of Ligand	72-73
	3.2 Crystal structure of complex	73-77
	3.3 DFT based frontier orbital analysis	77-78
	3.4 Natural bond orbital (NBO) analysis	78-79
	3.5 Hirshfeld Surface Analysis	79-81
	3.6 FTIR spectral studies	81-82
	3.7 Electronic spectral studies	82-83
	3.8 Electrochemical studies	83-84
	3.9 Epr spectral study	84-85
	3.10 Magnetic moment	85
	3.11 ESI-Mass	85-86
	3.12 Antioxidant superoxide dismutase	86-88
	3.13 Anti-cancer activity of complex	89-90
	3.13.1 Cytotoxicity assay	
	3.13.2 Cell death analysis	
	3.13.3 Gene expression study	
4	Conclusions	90-91
	References	91-95
	Published paper (front page)	96

Contents

Chapter 3 **97-151**
**Copper(II) complexes incorporating NNN-tridentate hydrazone as
proligand**

**Part (A): Synthesis and structural characterization of Copper(II)
complexes with flexible hydrazone: Structural diversity, Hirshfeld
analysis, density functional calculations and biological study**

1	Introduction	98
2	Experimental	98
	2.1 Materials and instrumentation	98
	2.2 Synthesis of Ligand (HL)	99-100
	2.3 Synthesis of Complex[Cu(Cl) ₂ (L)] 1	
	2.4 Synthesis of Complex [Cu ₂ (μ-SO ₄) ₂ (L) ₂] 2	
	2.5 Methods and physical measurements	100-101
	2.6 Computational study	101
	2.7 Antioxidant SOD activity	101-102
	2.8 Anti-cancer Activity	102
	2.8.1 Cell culture condition	
	2.8.2 Cytotoxicity Assay	102
3	Results and discussion	103
	3.1 Synthesis and structural characterization	103-105
	3.2 NMR spectra of ligand	105-106
	3.3 FTIR analysis	107-108
	3.4 Molecular structure of HL and complexes	109-122
	3.5 Electronic spectra	122-123
	3.6 Electrochemical studies	123-124
	3.7 Epr measurements	124-125
	3.8 Thermal gravimetric analysis	125-127
	3.9 Cryomagnetic susceptibility studies	127-130
	3.10 ESI-Mass analysis	131-132
	3.11 DFT calculations	132-138
	3.11.1 Computational calculations of complexes	
	3.11.2 Spin density of complexes	
	3.11.3 Natural bond order (NBO) analysis	
	3.12 Hirshfeld Surface Analysis of HL and complexes	138-141
	3.13 Reactivity with superoxide	141-143
	3.14 Cytotoxicity Assay	143-144
4	Conclusions	144-145
	References	145-150
	Published paper (front page)	151

Contents

Chapter 3 **152-189**
**Copper(II) complexes incorporating NNN-tridentate hydrazone as
proligand**

**Part (B): Penta-coordinated copper(II) complexes with hydrazido
based ligand and imidazole as auxiliary ligand: Synthesis, spectral
characterization and SOD mimetic activities**

1	Introduction	153-154
2	Experimental	154
	2.1 Methods and physical measurements	154
	2.2 Computational study	154-155
	2.3 Antioxidant SOD activity	155
	2.4 Synthesis of Ligand	155-158
	2.5 Synthesis of complex [Cu(L)(ImH) ₂](ClO ₄) ₂ 1	
	2.6 Synthesis of complex [Cu(L)(2-MeImH) ₂](ClO ₄) ₂ 2	
	2.7 Synthesis of complex [Cu(L)(2-EthImH) ₂](ClO ₄) ₂ 3	
	2.8 Synthesis of complex [Cu(L)(BenzImH) ₂](ClO ₄) ₂ 4	
	2.9 Synthesis of complex [Cu(L)(2-MeBenzImH) ₂](ClO ₄) ₂ 5	
3	Result and discussions	158-159
	3.1 NMR spectra of ligand	159-160
	3.2 FTIR spectral studies	161-164
	3.3 Electronic spectra	165-166
	3.4 Molar conductance study	166
	3.5 Magnetic susceptibility study	167
	3.6 Mass spectra	167-169
	3.7 EPR spectra	170-173
	3.8 Electrochemical studies	174-175
	3.9 Theoretical studies	175-183
	3.9.1 Optimized structure	
	3.9.2 Orbital analysis	
	3.9.3 Natural Bond Order (NBO) analysis	
	3.10 SOD activity	183-185
4	Conclusions	185
	References	186-189

Chapter 3 **190-251**
**Copper(II) complexes incorporating NNN-tridentate hydrazone as
proligand**

**Part (C): Synthesis, spectral characterization and biomimetic activity
of homobinuclear copper(II) 2- [(E)-phenyl(pyridine-2-
ylhydrazone)methyl]pyridine complexes containing inorganic salts**

1	Introduction	191
2	Experimental	192-195

Contents

	2.1 Synthesis of Schiff base (L)	
	2.2 Synthesis of complex [(L)Cu(H ₂ O)(C ₂ O ₄)(H ₂ O)Cu(L)]C ₂ O ₄ 1	
	2.3 Synthesis of complex [(L)Cu(H ₂ O)(C ₃ H ₂ O ₄)(H ₂ O)Cu(L)]C ₃ H ₂ O ₄ 2	
	2.4 Synthesis of complex [(L)Cu(H ₂ O)(C ₄ H ₄ O ₄)(H ₂ O)Cu(L)]C ₄ H ₄ O ₄ 3	
	2.5 Synthesis of complex [(L)Cu(H ₂ O)(C ₈ H ₄ O ₄)(H ₂ O)Cu(L)]C ₈ H ₄ O ₄ 4	
	2.6 Synthesis of complex [(L)Cu(H ₂ O)(ImH)(H ₂ O)Cu(L)](ImH) ₃ 5	
	2.7 Synthesis of complex [(L)Cu(H ₂ O)(2-MeImH)(H ₂ O)Cu(L)](2-MeImH) ₃ 6	
	2.8 Synthesis of complex [(L)Cu(H ₂ O)(2-EthImH)(H ₂ O)Cu(L)](2-EthImH) ₃ 7	
	2.9 Synthesis of complex [(L)Cu(H ₂ O)(BenzImH)(H ₂ O)Cu(L)](BenzImH) ₃ 8	
	2.10 Synthesis of complex [(L)Cu(H ₂ O)(2-MeBenzImH)(H ₂ O)Cu(L)](2-MeBenzImH) ₃ 9	
	2.11. Methods and physical measurements	195-196
	2.12. Computational study	196
	2.13. Antioxidant SOD activity	197
3	Results and discussion	197-199
	3.1 Synthesis and characterization	
	3.2 Molar conductance	200
	3.3 FTIR spectroscopy	200-205
	3.4 Electronic spectra	206-207
	3.5 Epr spectral study	207-211
	3.6 Electrochemistry	211-213
	3.7 ESI-Mass spectra	213-218
	3.8 Computational study of complexes 1-4	218-243
	3.8.1 Quantum chemical Analysis	
	3.8.2 Geometry optimization	
	3.8.3 Frontier molecular orbitals and chemical reactivity	
	3.8.4 Spin density	
	3.8.5 Molecular geometry optimization	
	3.8.6 HOMO-LUMO analysis	
	3.8.7 Quantum Chemical reactivity descriptors	
	3.8.8 Mulliken charge analysis	
	3.9 Antioxidant superoxide dismutase (SOD) activity	243-246
4	Conclusions	246
	References	247-251
	Chapter 4	252-370
	Copper(II) hydrazone complexes with different nuclearties and geometries: Synthesis, structures, spectral properties, electrochemical behaviour, density functional study and in vitro catalytic activity	
1	Introduction	252-255

Contents

2	Experimental	255
	2.1 Materials	255
	2.2 Synthesis	255-259
	2.2.1 Synthesis of Ligand (HL)	
	2.2.2 Synthesis of the complex [Cu(HL)(OH ₂)ClO ₄]	1
	[Cu(HL)(OH ₂)ClO ₄]	2
	2.2.3 Synthesis of the complex [Cu(HL)(OH ₂)NO ₃]	3
	2.2.4 Synthesis of complex [Cu(HL)(Cl)]	4
	2.2.5 Synthesis of the complex [Cu(HL)(DMPHEN)]ClO ₄	5
	2.2.6 Synthesis of the complex [Cu(HL)(BZI)]CH ₃ OH	6
	2.2.7 Synthesis of the complex [(HL)Cu(μ-ClO ₄)Cu(L)(2H ₂ O)]	7
	2.2.8 Synthesis of the complex [(HL)Cu(μ-SO ₄)Cu(HL)(2H ₂ O)]	8
	2.2.9 Synthesis of the complex [(HL)Cu(μ-bpm)Cu(HL)](ClO ₄) ₂ ·3H ₂ O	9
	2.3 Physical measurements	259
	2.4 X-ray crystallography	259-260
	2.5 Hirshfeld Surface Analyses (HSA)	260
	2.6 Computational Study	260-261
	2.7 Superoxide Dismutase activity	261
3	Results and Discussion	261-264
	3.1 Synthetic Strategy	
	3.2 NMR studies of HL	264-265
	3.3 FTIR spectroscopy	266-272
	3.4 Crystal Structures	273-305
	3.4.1 Structures of mononuclear complexes 1-4	
	3.4.2 Supramolecular assembling of complexes 1-4	
	3.4.3 Molecular structure description of mixed ligand complexes 5 and 6	
	3.4.4 Supramolecular assembling of complexes 5 and 6	
	3.4.5 Molecular structures of binuclear complexes 7, 8 and 9	
	3.4.6 Supramolecular assembling binary complexes 7-9	
	3.5 Hirshfeld Surface Analysis (HSA)	305-314
	3.5.1 Hirshfeld Surface Analysis (HSA) for mononuclear complex 1-4	
	3.5.2 Hirshfeld Surface Analysis of mixed ligand complexes 5 and 6	
	3.5.3 Hirshfeld Surface Analysis of binuclear complexes 7-9	
	3.6 DFT Calculations	314-333
	3.6.1 Optimized structure of complexes 1-4	
	3.6.2 HOMO-LUMO analysis and electronic properties	
	3.6.3 TD-DFT Calculations of complex 5 and 6	
	3.6.4 Optimized structures of complexes 7-9	
	3.6.5 HOMO-LUMO analysis and electronic properties of 7-9	
	3.7 Magnetic moment	334
	3.8 Electronic spectral study	334-337

Contents

3.9	Electrochemistry	337-341
3.10	EPR spectra	341-350
3.11	Thermal gravimetric analysis	351-353
3.12	Superoxide scavenging activity	253-361
4	Conclusions	361-362
	References	362-369
	Published Paper (front page)	370
	Publications	371
	Conferences & workshops	372-373