

Contents

	Page No.
Acknowledgements	i
Contents	iii
List of abbreviations and symbols	x
<i>PREFACE</i>	xii
Chapter 1. Introduction: Metal complexes bearing <i>N</i>, <i>O</i> or <i>S</i> binding ligands; Synthesis, characterization and properties	1-30
Abstract	1
1.1. Self-assembly	1
1.2. 1,1-dithio ligands	3
1.2.1. Preparation of the dithiocarbamate ligand	5
1.2.2. Properties of dithiocarbamates	6
1.2.3. Binding Modes	7
1.2.4. Structural features of dithiocarbamate complexes	8
1.2.5. Potential application of dithiocarbamates and their complexes	10
1.2.6. Ferrocene functionalized transition metal dithiocarbamate complexes	12
1.3. <i>N</i> , <i>O</i> -Schiff Bases	16
1.3.1. Metal Complexes of <i>N</i> , <i>O</i> -Schiff bases	17
1.4. Objectives of the present work	22
1.5. References	23
Chapter 2. Synthesis and characterization of ferrocenyl bearing transition metal dithiocarbamate complexes [M{κ^2S,S-S₂CN(CH₂R)CH₂Fc}_n]: Thermogravimetric, cyclic voltammetric, fluorescence and antimicrobial study	31-79
Abstract	31
2.1. Introduction	32
2.2. Results and Discussion	34
2.2.1. Synthesis and characterization	34
2.2.2. UV-Visible absorption and magnetic moment study	36

2.2.3.	Fluorescence emission study	39
2.2.4.	Single Crystal X-ray Crystallography	40
2.2.5.	Crystal structure determination and packing patterns	40
2.2.6.	Electrochemical study	44
2.2.7.	Thermogravimetric Analysis	47
2.2.8.	Biological study	49
2.3.	Conclusion	52
2.4.	Experimental section	53
2.4.1.	Materials and measurements	53
2.4.2.	Synthesis of N-methyl-(1-naphthyl)-N-methylferrocenyl amine (L ¹)	54
2.4.3.	Synthesis of N-methyl-(3-pyridyl)-N-methylferrocenyl amine (L ² -L ³)	54
2.4.4.	Synthesis of [M{κ ² S,S-S ₂ CN(CH ₂ R)CH ₂ Fc} _n] {R = 1-naphthyl, 3-pyridyl or 2-furyl (n = 2 or 3) (1-9)	55
2.5.	References	57
2.6.	Spectra and plots	62
2.6.1.	IR spectra	62
2.6.2.	ESI MS spectra	65
2.6.3.	NMR spectra	69
2.6.4.	Thermogravimetric Analysis	78
Chapter 3A.	3-Aminocoumarin based mononuclear complexes [M(1,1-dithiolato)_n] {Mn(II), Co(III), Zn(II) and Cd(II)}: Spectral characterization, fluorescence, optical and thermogravimetric study	80-113
	Abstract	80
3A.1	Introduction	81
3A.2.	Results and Discussion	82
3A.2.1.	Synthesis and characterization	82
3A.2.2.	IR Spectral study	83
3A.2.3.	NMR spectral study	84
3A.2.4.	Electronic absorption spectral and magnetic	85

	moment study	
3A.2.5.	Fluorescence spectral study	87
3A.2.6.	Geometry optimization of complex 1	88
3A.2.7.	Cyclic voltammetric study	90
3A.2.8.	Thermogravimetric study	92
3A.2.9.	Optical band gap	95
3A.3.	Conclusion	96
3A.4.	Experimental section	97
3A.4.1.	Materials and measurement	97
3A.4.2.	Synthesis of monometallic [M(1,1-dithiolato) _n] (1–4)	98
3A.5.	References	99
3A.6.	Spectra	103
3A.6.1.	IR spectra	103
3A.6.2.	NMR spectra	104
3A.6.3.	ESI MS spectra	108
3A.6.4.	Fluorescence spectra	110
3A.6.5.	Geometrical optimization of complex 1	112
Chapter 3B.	[M{κ²S,S-S₂C-piperazine-C₂H₄N=C(R)}_n] {Co(III), Ni(II), Cu(II) or Zn(II)} complexes bearing pendant Schiff base moieties: Spectral characterization, fluorescence, cyclic voltammetric and TGA/DTA study	114-144
	Abstract	114
3B.1.	Introduction	115
3B.2.	Results and Discussion	116
3B.2.1.	Synthesis and characterization	116
3B.2.2.	IR spectral study	118
3B.2.3.	NMR spectral study	118
3B.2.4.	UV-visible absorption and magnetic moment study	119
3B.2.5.	Fluorescence emission spectral study	121
3B.2.6.	Thermogravimetric study	123
3B.2.7.	Cyclic voltammetry	125
3B.3.	Conclusion	128

3B.4.	Experimental section	128
3B.4.1.	Materials and measurements	128
3B.4.2.	Synthesis	129
3B.4.2.1.	Synthesis of the N-[phenylmethylidene]-2-piperazin-1-ylethanamine, L ¹	129
3b.4.2.2.	Synthesis of the N-[naphthylmethylidene]-2-piperazin-1-ylethanamine, L ²	130
3B.4.2.3.	General synthesis of mononuclear [M{κ ² S,S-S ₂ C-piperazine-C ₂ H ₄ N=C(R)} _n] Complexes, 1-8	130
3B.5.	References	133
3B.6.	Spectra	136
3B.6.1.	IR Spectra	136
3B.6.2.	NMR spectra	138
3B.6.3.	ESI MS spectra	144
Chapter 4A.	Synthesis and characterization of functionalized 2° amines 2-(alkylamino)-3-chloro-1,4-naphthoquinones: Effect of N-substituents on crystal packings, fluorescence, redox and anti-microbial properties	145-193
	Abstract	145
4A.1.	Introduction	146
4A.2.	Results and Discussion	148
4A.2.1.	Synthesis and characterization	148
4A.2.2.	Structural descriptions	152
4A.2.2.1.	X-ray structure of 2-(cyclohexylamino)-3-chloro-1,4-naphthoquinone [C ₁₆ H ₁₆ ClNO ₂] (1)	153
4A.2.2.2.	X-ray structure of 2-(benzylamino)-3-chloro-1,4-naphthoquinone [C ₁₇ H ₁₂ ClNO ₂] (2)	155
4A.2.2.3.	X-ray structure of 2-(furfurylamino)-3-chloro-1,4-naphthoquinone [C ₁₅ H ₁₀ ClNO ₃] (3)	157
4A.2.2.4.	X-ray structure of 2-(2-pyridylmethylamino)-3-chloro-1,4-naphthoquinone [C ₁₆ H ₁₁ ClN ₂ O ₂] (4)	160
4A.2.2.5.	X-ray structure of 2-(benzylamino)-1,4-	162

	naphthoquinone [C ₁₇ H ₁₃ NO ₂] (7)	
4A.2.3.	UV-visible absorption and fluorescence properties	165
4A.2.4.	Thermogravimetric studies for 1-7	168
4A.2.5.	Cyclic Voltammetric Study	168
4A.2.6.	Biological evaluation	170
4A.3.	Conclusion	172
4A.4.	Experimental	173
4A.4.1.	Material and physical measurements	173
4A.4.2.	Synthesis of compounds 1-7	173
4A.4.2.1.	General procedure for synthesis of 2-(alkylamino)-3-chloro-1,4-naphthoquinones (1-6)	173
4A.4.2.2.	General procedure for synthesis of 2-(benzylamino)-1,4-naphthoquinone (7)	176
4A.4.3.	X-ray crystallography and data collection	176
4A.5.	References	177
4A.6.	Spectra	182
4A.6.1.	IR Spectra	182
4A.6.2.	NMR spectra	183
4A.6.3.	GC MS spectra	190
4A.6.4.	Thermogravimetric data	192
Chapter 4B.	Synthesis, electrochemical, fluorescence and antimicrobial studies of 2-chloro-3-amino-1,4-naphthoquinone functionalized mononuclear transition metal dithiocarbamate complexes	194-220
	Abstract	194
4B.1.	Introduction	195
4B.2.	Result and discussion	196
4B.2.1.	Synthesis and characterization	196
4B.2.2.	IR spectral study	198
4B.2.3.	NMR spectral study	199
4B.2.4.	Electronic absorption spectral and magnetic moment studies	200
4B.2.5.	Fluorescence emission spectral study	201

4B.2.6.	Cyclic voltammetric study	203
4B.2.7.	Biological evaluation	205
4B.2.8.	TG/DTA study	208
4B.3.	Conclusion	209
4B.4.	Experimental section	210
4B.4.1.	Materials and measurements	210
4B.4.2.	Synthesis of 2-chloro-3-{2-(piperazinyl)ethyl}-amino-1, 4-naphthoquinone (L)	210
4B.4.3.	Synthesis of triethylammonium dtc salt of 2-chloro-3-{2-(piperazinyl)ethyl}-amino-1, 4-naphthoquinone	211
4B.4.4.	Synthesis of metal complexes 1-5	211
4B.5.	References	213
4B.6.	Spectra	216
4B.6.1.	NMR spectra	216
4B.6.2.	ESI MS spectra	219
4B.6.3.	TG/DTA	220
Chapter 5.	Synthesis, characterization, optical, thermogravimetric and single crystal x-ray diffraction studies of 3-aminocoumarin based κ^3-<i>N,O,O</i>-tridentate/ κ^2-<i>N,O</i>-bidentate Schiff base transition metal complexes	221-257
	Abstract	221
5.1.	Introduction	222
5.2.	Result and discussion	224
5.2.1.	Synthesis and characterization	224
5.2.2.	IR spectral study	225
5.2.3.	NMR spectral study	227
5.2.4.	Single Crystal X-ray diffraction study	227
5.2.5.	UV-visible spectral and magnetic moment study	231
5.2.6.	Fluorescence spectral study	234
5.2.7.	ESR spectral study	237
5.2.8.	Optical band gap measurement	238
5.2.9.	MALDI-TOF MS	240

5.2.10	Thermogravimetric study	243
5.2.11.	Cyclic Voltammetric Study	246
5.3	Conclusion	248
5.4.	Experimental section	248
5.4.1.	Materials and measurements	248
5.4.2.	Synthesis of L ¹ and L ²	249
5.4.3.	Synthesis of mononuclear transition metal complexes 1-8	250
5.5.	References	252
5.5.1.	Spectra	254
5.5.2.	NMR spectra	254
	List of Publications	258
	Papers presented in conferences/ symposia	266