

List of Figures

Figure No.	Figure Caption	Page No.
1.1	Schematic representation of conjugated polymer	2
1.2	HOMO-LUMO and bandgap representation	3
1.3	Structures of common conjugated polymers	5
1.4	Example of poly 3-alkyl thiophene	7
1.5	Structure of poly(3,4-ethylenedioxythiophene)	9
1.6	Structure of co-polymers P1 and P2	11
1.7	Structure of thiophene flanked TPD based conjugated polymer	12
1.8	Structure of TPD and thiophene based copolymer	12
1.9	Structure of co-polymers having dithienosilole units coupled thienopyrrole-4,6-dione units	13
1.10	Structure of polymers, PBDTTTz-1 and PBDTTTz-2	13
1.11	Structure of benzodithiophene and alkyl sulfanyl-bithiophene units based co-polymer	14
1.12	Dialkylthio benzo[1, 2-b:4, 5-b'] dithiophene (S-BDT) units based homopolymer reported by D. Lee <i>et al</i>	14
1.13	Structure of copolymers based on dithienopyrrolobenzothiadiazole (DTPBT) / dithienopyrroloquinoxaline (DTPQX) units coupled with fluorine (F), carbazole (C) and cyclopentadithiophene (CPDT) units	15
1.14	Structure of donor–acceptor-type ladder polymers	16
1.15	Structure of dithienopyrrolobenzothiadiazole, diselenopyrrolobenzothiadiazole and dithienopyrrolobenzoselenodiazole based polymers	16
1.16	Structure of D-A-D type conjugated molecules having benzooxadiazole and benzothiadiazole units	17
1.17	Structure of benzoselenadiazole based conjugated molecule	18
2.1	Structures of (a) benzo[1,2-b:4,5-b']dithiophene (BDT) and (b) thieno[3,4-c]pyrrole-4,6-dione (TPD)	27
2.2	Some reported BDT and TPD units based conjugated polymers	28
2.3	CPT derivatives reported by Y.Aso <i>et al</i>	30

2.4	UV-vis absorption spectra of compound (a) compound 10 in DCM (b) compound 11 in MeOH (c) compound 13 in MeOH and (d) compound 14 in DCM	36
2.5	UV-vis absorption spectrum of compound 20	37
2.6	(a) CV of compound 11 and (b) CV of compound 14 . Curves were obtained in CH ₃ CN/DCM solution of [Bu ₄ N]ClO ₄ at 50 mVs ⁻¹	38
2.7	CV curves of compound 20 . CV curves were obtained in ACN solution having (TBAPF ₆) (0.1 M) as electrolyte at a scan rate of 100 mV s ⁻¹	38
2.8	ORTEP diagram of compound (a) 10 and (b) 14 (ellipsoids are drawn at the 50% probability level). Packing diagram of 14 (c) showing π -stacking and CH... π interactions and (d) formation of parallel 1-D molecular sheets	40
2.9	(a) ORTEP diagram of compound 16 (ellipsoids are drawn at the 50% probability level). (b) S-O intermolecular interactions and O-O intramolecular interactions	41
2.10	(a) S-O intermolecular interactions (b) packing diagram of molecule showing π - π stacking and C-H... π interactions observed in compound 16	42
2.11	(a) ORTEP diagram of compound (ellipsoids are drawn at the 50% probability level). (b) Bond angles and dihedral angle of the compound 20	42
2.12	Representations of HOMO-LUMO and its values for compound 10 , 11 , 13 and 14	44
2.13	HOMO-LUMO representations of compound 16	46
2.14	HOMO-LUMO representations of compound 20	47
2.15	B3LYP/6-31G(d) calculated electrostatic potential of compound 20	48
3.1	Some classes of conjugated polymers	81
3.2	Schematic structures of (a) Fluorene and (b) Carbazole	83
3.3	Structure of poly [<i>N</i> -(2'-decyltetradecyl)carbazole]-2,7-diyl	84
3.4	Structure of carbazole based polymers	84
3.5	Structure of carbazole-benzothiadiazole (PCDTBT) polymer	85
3.6	Structure of co-polymers based on thieno-[3,4- <i>c</i>]pyrrole-4,6-dione (TPD) and 2,7-carbazole units	85
3.7	Structure of diketopyrrolopyrrole-carbazole based co-polymers	86
3.8	Structure of carbazole based conjugated polymer CN-PICTAN	86
3.9	(a) UV-visible spectra of PTDCB in chloroform and in the film state (b) Emission spectrum of PTDCB in chloroform	91

3.10	(a) UV-visible spectra of solution (in chloroform) and film of PTTDCB . (b) Emission spectrum of PTTDCB	92
3.11	Thermogravimetric analysis (TGA) curves of polymers (a) PTDCB and (b) PTTDCB	93
3.12	Cyclic voltammogram of PTTDCB (Curves were obtained in CH ₃ CN) solution of 0.1M TBAPF ₆ at 50 mVs ⁻¹	94
3.13	SCLC hole mobility of PTTDCB	96
4.1	Structure of dithienopyrrolobenzothiadiazole (DTPBT)	116
4.2	Structure of poly(fluorene-dithienopyrrolobenzothiadiazole) (PFDTPBT)	117
4.3	Structures of dithienopyrrolobenzothiadiazole based donor-acceptor polymers	117
4.4	Schematic representation of dialkyl tert-thiophene dicarboxylate (TTD) unit in D-A-D form	118
4.5	Structure of thieno[3,4- <i>c</i>]pyrrole-4,6-dione (TPD)	118
4.6	TPD based conjugated polymers	119
4.7	TPD and BDT units based copolymer	119
4.8	TPD and BDT units based D-A copolymer with thiophene and alkyl thiophene as spacers	120
4.9	TPD based D-A type polymer	121
4.10	UV-visible spectra of polymers (a) PTTPBT and (b) PTPDPBT in chloroform solution and thin solid films	126
4.11	Emission spectra of polymers (a) PTTPBT and (b) PTPDPBT in chloroform solution	127
4.12	TGA curves of polymers (a) PTTPBT and (b) PTPDPBT	128
4.13	Cyclic voltammogram of polymers (a) PTTPBT and (b) PTPDPBT (curves were obtained in CH ₃ CN solution of ~50mM TBAPF ₆ at scan rate of 50 mVs ⁻¹)	129
4.14	SCLC hole mobility of polymer (a) PTTPBT and (b) PTPDPBT	132
4.15	D- π -A type molecules having DTPBT units as π -spacer	149
4.16	Carbazole-benzothiadiazole based D- π -A- π -D	149
4.17	(a) UV-visible spectra of compound M1 in various solvents (concentration ~10 μ M) (b) Emission spectra of compound M1 in various solvents	152
4.18	CV curves of compound M1 . CV curves were performed in CH ₃ CN solution having (~50 mM) TBAPF ₆ as supporting electrolyte at scanning rate of 50	153

	mV s ⁻¹	
4.19	SCLC hole mobility of compound M1	155
4.20	(a) Horizontal view of DFT geometric optimized calculated structure (B3LYP/6-31G (d)) level (b) Vertical view of DFT geometric optimized calculated structure (B3LYP/6-31G (d)) level	156
4.21	HOMO and LUMO frontier molecular orbitals of compound M1 calculated from DFT at (B3LYP/6-31G (d)) level representing electronic distribution at ground and excited states	157
5.1	Isomers of Indolocarbazoles	175
5.2	Carbazole based benzimidazole derivatives	176
5.3	Dyes response towards H ⁺ acid under UV light	176
5.4	(a) Absorption and (b) Emission spectra of compound 5 and 6 in 10 µM in MeOH	180
5.5	(a) Compound 5 under UV-light illumination (λ=365 nm). (b) Compound 6 under UV-light illumination (λ=365 nm)	181
5.6	(a) Fluorescence changes of compound 5 on addition of TFA and (b) Fluorescence changes of compound 6 on addition of TFA	181
5.7	(a) Fluorescence colour change in the solution of compound 5 after TFA addition. (b) Fluorescence colour change in the solution of compound 6 after TFA addition	182
5.8	(1) (a) TLC of compound 5 under UV-light. (b) TLC of 5 after exposed to TFA vapors under UV-light. (2) (a) TLC of compound 6 under UV-light. (b) TLC of 6 after exposed to TFA vapors under UV-light	183
5.9	CV of compound 5 and 6 ; (a) oxidation (b) reduction	184
5.10	HOMO and LUMO of protonated and neutral compound (a) 5 and (b) 6	185
5.11	Structure of oxazole	199
5.12	Structures of Annuloline and Halfordinol	200
5.13	Structure of Pimprinine	200
5.14	Molecular structure of 2-(4-butyloxyphenyl)-4,5-dimethyloxazole (11b) and 2-(4-(octyloxy)phenyl)-4,5-dimethyloxazole (11e)	204
5.15	Arrangement of molecules through C-H...π intermolecular contacts along c-axis	205
5.16	Arrangement of molecules through C-H...O weak H-bonding intermolecular interactions along <i>b</i> -axis forming a <i>zig-zag</i> networking (a) capped Sticks and	206

	(b) spacefill representation of molecular packing	
5.17	A linear arrangement of molecules of compound 11e involving C-H...N interactions forming 1D chain-like structure	207
5.18	Optimized structure of compound 11b and 11e	207