

## Table of Contents

### Chapter 1: *Introduction*

1.1	Introduction	1-1
1.2	Remediation techniques	1-3
1.2.1	Adsorption	1-3
1.2.2	Degradation of Nitrophenols	1-18
1.2.2.1	Advanced Oxidation Processes	1-19
1.2.2.2	Hydrogenate reduction method	1-21
1.3	Methods of Analysis	1-26

### Chapter 2: *Synthesis, Characterization and application of Activated carbons derived from Palm Shells as adsorbents for Organic Pollutants*

2.1	Introduction	2-1
	<i>Part A: Synthesis and characterization of activated carbons from palm shell</i>	
2.2	Experimental	2-19
2.2.1	Chemicals and reagents	2-19
2.2.2	Pretreatment and modification of Palm shell powder	2-19
2.2.3	Method of analysis and characterization of activated carbon	2-20
2.3	Results and discussion	2-24
2.3.1	Physical and chemical properties of ACs	2-24
2.3.2	FTIR analysis of ACs	2-25
2.3.3	SEM analysis of ACs	2-27
2.3.4	BET-Surface area analysis of ACs	2-28
2.3.5	TGA analysis of ACs	2-30
2.3.6	X-ray Diffraction analysis of ACs	2-32
2.3.7	XPS analysis of ACs	2-33
2.3.8	Zeta-potential analysis of ACs	2-36
	<i>Part B: Investigation of adsorption potential of SPAC, PSAC, PCAC and PAC towards 4CP, 4NP, DNP, TNP, BPA and MnCP</i>	
2.4	Experimental	2-37
2.4.1	Chemicals and reagents	2-37
2.4.2	Preparation of working solutions	2-37
2.4.3	Batch Adsorption study	2-37

2.4.4 Thermodynamic study	2-42
2.4.5 Effect of ionic strength of the medium	2-42
2.4.6 Desorption study	2-42
2.5 Results and discussion	2-42
2.5.1 Effect of pH	2-43
2.5.2 Effect of Dose	2-44
2.5.3 Effect of Time	2-45
2.5.4 Temperature variation study	2-46
2.5.5 Kinetic study	2-46
2.5.6 Isotherm study	2-53
2.5.7 Thermodynamic study	2-63
2.5.8 Ionic strength study	2-64
2.5.9 Desorption study	2-65
2.5.10 Adsorbate FTIR	2-67
2.6 Mechanism	2-69
2.7 Conclusions	2-72

**Chapter 3: Catalytic Reduction of Nitrophenols using NanoSilver Supported on SPAC, PSAC, PCAC and PAC**

3.1 Introduction	3-1
3.2 Experimental	3-4
3.2.1 Chemicals and reagents	3-4
3.2.2 Synthesis of NanoSilver Supported on ACs	3-4
3.2.3 Characterizations of NanoSilver Supported on ACs	3-5
3.2.3.1 Transmission Emission Microscopic Analysis (TEM)	3-5
3.2.3.2 Raman Analysis	3-5
3.2.4 Assay of silver loaded in Agnp-ACs	3-5
3.2.5 Catalytic Reduction of Nitrophenol	3-5
3.3 Results and discussion	3-6
3.3.1 Characterization of Agnps-AC	3-6
3.3.1.1 UV-Visible spectroscopy	3-6
3.3.1.2 FTIR analysis	3-7
3.3.1.3 XRD analysis	3-7
3.3.1.4 SEM analysis	3-8

3.3.1.5 EDAX analysis	3-9
3.3.1.6 TEM analysis	3-10
3.3.1.7 Zeta-potential analysis	3-11
3.3.2 Evaluation of Catalytic Performance of Agnp-ACs for reduction of 4-NP	3-12
3.3.3 Kinetic Studies of the reduction of NP by Agnp-AC	3-17
3.3.4. Investigation of Catalyst reusability	3-20
3.3.5. Raman spectral study	3-23
3.3.6. Reduction of DNP and TNP	3-27
3.4 Proposed Mechanism of Reduction of 4-Nitrophenol to 4-Aminophenol by NaBH <sub>4</sub> and rationale for the protocol adopted	3-29
3.5 Conclusions	3-32

**Chapter 4: Facile synthesis of fluorescent Carbon Quantum dots from Palm Shell Powder and graphene quantum dots from Diethylenetriamine Pentaacetic acid for sensing of Nitrophenols**

4.1 Introduction	4-1
<i>Part A: Carbon quantumdots prepared from palm shell derived carbon</i>	
4.2 Experimental	4-5
4.2.1 Chemicals and precursor	4-5
4.2.2 Preparation of Carbon Dots	4-5
4.2.3 Characterization of CDs	4-6
4.2.3.1 Fourier Transform Infrared Spectroscopy (FT-IR)	4-6
4.2.3.2 UV-Visible spectroscopic analysis	4-7
4.2.3.3 Fluorescence measurements	4-7
4.2.3.4 Transmission Emission Microscopic (TEM) Analysis	4-7
4.2.3.5 Quantum Yield (QY) measurements	4-7
4.2.4 Application of CDs as sensor for Model Pollutants	4-7
4.3 Results and discussion	4-8
4.3.1 Characterizations of CDs	4-8
4.3.1.1 TEM analysis	4-8
4.3.1.2 FTIR analysis	4-8
4.3.1.3 Raman analysis	4-9
4.3.1.4 XPS analysis	4-10
4.3.1.5 Zeta potential measurements	4-11

4.3.1.6 Fluorescence analysis	4-12
4.3.2 Optimization of fluorescence property of CQDs	4-12
4.3.2.1 Effect of excitation wavelength	4-12
4.3.2.2 Effect of pH on fluorescence intensity of CQDs	4-13
4.3.3 Sensing studies	4-14
<b><i>Part B: Graphene Quantumdots prepared from DTPA</i></b>	
4.4 Experimental	4-17
4.4.1 Chemicals and precursor	4-17
4.4.2 Preparation of GQDs	4-17
4.4.3 Characterization of GQDs	4-18
4.4.4 GQDs as sensor for Model Pollutants	4-18
4.5 Results and discussions	4-19
4.5.1 Characterizations of GQDs	4-19
4.5.1.1 TEM analysis	4-19
4.5.1.2 FTIR analysis	4-19
4.5.1.3 Raman analysis	4-20
4.5.1.4 Zeta Potential measurements	4-21
4.5.2 UV absorption and Photoluminescence studies	4-21
4.5.3. Optimization of fluorescence of GQDs	4-22
4.5.3.1 Effect of Excitation wavelength	4-22
4.5.3.2 Effect of pH on fluorescence intensity of GQDs	4-23
4.5.4 Sensing studies	4-23
4.5.5 Reusability study	4-26
4.6 Conclusions	4-28
<b>Chapter 5: Conclusions and Future Scope</b>	
5.1 Conclusion and Scope of future work	5-1